



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

NASIONALE SENIOR SERTIFIKAAT

GRAAD 12

INGENIEURSGRAFIKA EN -ONTWERP V2

FEBRUARIE/MAART 2012

PUNTE: 100

TYD: 3 uur

Hierdie vraestel bestaan uit 6 bladsye.

INSTRUKSIES EN INLIGTING

1. Hierdie vraestel bestaan uit VIER vrae.
2. Beantwoord AL die vrae.
3. ALLE tekene is in derdehoekse ortografiese projeksie, tensy anders aangedui.
4. ALLE tekene moet voltooi word met instrumente, tensy anders aangedui.
5. ALLE antwoorde moet akkuraat en netjies geteken word.
6. AL die vrae moet, soos voorgeskryf, op die VRAESTEL beantwoord word.
7. AL die bladsye moet weer in nommervolgorde vasgekram word, ongeag of die vraag beantwoord is.
8. Tydsbeplanning is noodsaaklik om al die vroegte te voltooи.
9. Drukskryf jou eksamennommer in die blokkie voorsien op elke bladsy.
10. Enige besonderhede of afmetings wat nie gegee is nie, moet in goeie verhouding veronderstel word.

SLEGS VIR AMPTELIKE GEBRUIK

VRAAG	PUNTE BEHAAL	½ TEKEN	GEMODEREER	½ TEKEN	
1					
2					
3					
4					
TOTAAL					
	2 0 0			2 0 0	

FINALE VERWERKTE PUNT

100

NAGESIEN DEUR

VOLTOOI DIE VOLGENDE:
SENTRUMNOMMER


SENTRUMNOMMER

EKSAMENNOMMER


EKSAMENNOMMER




KRAM



SWEISBESONDERHEDE VIR AL DIE HORISONTALE STAWE
DETAIL 'R'



AANSIG 1



SWEISSIMBOOL

VRAAG 1: ANALITIES (MEGANIES)


Gegee:

'n Seleksie van aansigte van 'n balustrade-steunstuk, 'n swissimbool, 'n titelblok en 'n tabel met vrae. Die tekene is nie volgens die aangetoonde skaal voorberei nie.


Instruksies:

Voltooи die tabel hieronder deur die vrae, wat almal na die bygaande tekene en titelblok verwys, netjies te beantwoord.


[30]



AANSIG 3



AANSIG 2



INSTALLASIEDIAGRAM

VRAE	ANTWOORDE
1 Met verwysing na die swissimbool, verbind die nommer op die tekening met die korrekte element in die kolom regs van hierdie vraag.	PYLPUNTLYN STERT VERWYSINGSLYN SWEISPROSES KONKAWE AFWERKING SWEIS RONDOM GROOTTE VAN SWEISLAS
2 Wanneer is die tekening goedgekeur?	1
3 Wat is die vervaardigingsmaatskappy se web-adres?	1
4 Watter afwerking word vir die balustrade vereis?	1
5 Wat is die lêernaam?	1
6 Wat is die dikte van die plaat wat op die steunstuk gebruik word?	1
7 Hoeveel steunstukke moet vervaardig word?	1
8 Wat sal aansig 1 genoem word?	1
9 Wat sal aansig 3 genoem word?	1
10 Watter grootte bout word benodig om die steunstuk te bevestig?	1
11 Bepaal die afmetings: A B C	3
12 Wat is die senter-tot-senterafstand tussen twee steunstukke?	1
13 Hoeveel oppervlakke moet op elke steunstuk gesweis word?	2
14 Wat word kenmerk D op aansig 2 genoem?	1
15 Wat is die betekenis van die dubbelpyltjie by E?	1
16 Indien die toelaatbare toleransie van 'n afmeting $\pm 0,5$ is, bepaal die boonste en onderste toleransie op 'n afmeting van 30 mm.	2
17 In die blok hieronder, teken, in netjiese vryhand, die simbool vir die projeksiesysteem wat gebruik word.	4
TOTAAL	30

ANTWOORD 17

SIMBOOL



LÉERNAAM: PM 12-PSC-347	MATERIAAL: 5 mm SAGTESTAALPLAAT	ALLE AFMETINGS IS IN MILLIMETER.
TEKENING NR. 7	AFWERKING: CHROOMPLATEER	
BALUSTRADE VIR PIET EN SEUNS KONTRAKTEURS WALDOSTRAAT 17 DURBAN	TEKENPROGRAM: AUTOCAD 2008	TEKENaar: HAROLD 2011/05/15
	ALLE ONGESPESIFIEERDE RADUSSE IS R3.	NASIENER: SALLY 2011/05/25
WELDTECH INGENIEURSWERKE	PARKLAAN 51 NEWLANDS 4070 www.weldtech.co.za 031 645 7820	GOEDGEKEUR: GEORGE 2011/06/01
TITLE BALUSTRADE-STEUNSTUK	SKAAL: 1 : 10	HOEVEELHEID: 26 STEUNSTUKKE



EKSAMENNOMMER
EKSAMENNOMMER

KRAM

NSS

**VRAAG 2: LOKUSSE**

NOTA: Beantwoord VRAAG 2.1 EN 2.2.

2.1 NOK**Gegee:**

- Die besonderhede van 'n rollervormige volger en 'n verplasingsgrafiek wat eenvoudige harmoniese beweging en eenvormige versnelling en vertraging toon
- Die vertikale senterlyn van die nokprofiel

Spesifikasies:

- Nokas = Ø14 mm
- Minimum afstand vanaf die nokprofiel na die senter van die nokas = 10 mm
- Rotasie = kloksgewys

Instruksies:

- Teken, volgens skaal 1 : 1, die gegewe volgerbesonderhede sodat dit heen en weer op die gegewe senterlyn sal beweeg.
- Vanaf die gegewe verplasingsgrafiek, projekteer en teken die nokprofiel.
- Toon die senterlyn en die rigting van rotasie op die nokprofiel.
- Toon AL die nodige konstruksies.

[19]

ASSESSERINGSKRITERIA

1. VOLGER + MIN. AFSTAND + SENTERLYN + NOKAS	6		
2. KONSTRUKSIE	3		
3. UITSTIPPING + RIGTING	6		
4. KURWE	4		
SUBTOTAAL	19		

2.2 MEGANISME**Gegee:**

'n Skematisiese diagram van 'n verbinde krukmechanisme wat bestaan uit twee krukke, AB en CD, wat met 'n stang, DP, wat by D geheg is en deur B gly, verbind is.

Beweging:

Soos wat kruk AB in 'n antikloksgewyse rigting roeteer, roeteer kruk CD in 'n kloksgewyse rigting teen dieselfde snelheid.


Instruksies:

- Deur die gegewe diagram te gebruik, bepaal die lokus wat deur punt P gegenereer word vir EEN volledige omwenteling van die mekanisme.
- Toon AL die nodige konstruksies.

[19]

ASSESSERINGSKRITERIA

1. KONSTRUKSIES	5		
2. LOKUS VAN P	14		
SUBTOTAAL	19		
TOTAAL	38		
EKSAMENNOMMER			
			3
EKSAMENNOMMER			



KRAM

VRAAG 3: ISOMETRIESE TEKENING**Gegee:**

- Die voorwaarsig, bowaarsig en linkeraarsig van 'n setmaat met 'n reëlmaterige seshoekige gat
- Die posisie van punt A op die tekenvel

Instruksies:


Deur skaal 1 : 1 te gebruik, omskep die ortografiese aansigte van die setmaat in 'n isometriese tekening.

- Maak A die laagste punt van die tekening.
- Toon ALLE nodige konstruksies.
- GEEN stensils mag gebruik word nie.
- GEEN verborge besonderhede word verlang nie. [39]


A



RGAUTENGK



ASSESSERINGSKRITERIA			
1. HULPAANSIG + PLASING + SIRKEL-KONSTRUKSIE	5		
2. ISO-SIRKELS + SENTERLYNE	5		
3. ISO + NIE-ISO-LYNE	18		
4. SESKANT	11		
TOTAAL	39		
EKSAMENNOMMER			
EKSAMENNOMMER			
			4



VRAAG 4: MEGANIESE SAMESTELLING

Gegee:

- Die uitskuif- isometriese tekening van die onderdele van 'n domkragsamestelling, wat die posisie van elke onderdeel relatief tot al die ander toon
 - Ortografiese aansigte van elke onderdeel van die domkragsamestelling

Instruksies:

- Beantwoord hierdie vraag op bladsy 6.
 - Teken, volgens skaal 1 : 1 en in derdehoekse ortografiese projeksie, die volgende aansigte van die saamgestelde onderdele van die domkragssamestelling:

4.1 'n Deursnee-vooraansig volgens snyvlak A-A, soos gesien vanuit die rigting van die pyl wat in die uitskuif-isometriese tekening getoon word. Die snyvlak, wat deur die vertikale senterlyn van die samestelling gaan, word op die boaansig van die as (onderdeel 5) getoon.

4.2 Die boaansig

- ALLE tekene moet voldoen aan die riglyne vervat in die SABS 0111.


LET WEL:

- Soos aangedui, plaas punt P op die domkrag by punt P op die steunstuk.
 - Toon DRIE vlakke van die M12-bout en ALLE nodige konstruksies.
 - GEEN verborge besonderhede word verlang nie.

Voeg die volgende kenmerke by die tekening:

- Die snyvlak A-A
 - Benoem die deursneeansiq SNIT A-A.

[93]



ONDERDELELYS		
ONDERDEEL	HOEVEELHEID	MATERIAAL
1. KUSSING	2	BRONS
2. DOMKRAGARM	1	GIETYSTER
3. PEN	1	SAGTE STAAL
4. DOMKRAM	1	GIETYSTER
5. AS	1	SAGTE STAAL
6. STEUNSTUK	1	SAGTE STAAL
7. WASTER	1	SAGTE STAAL
8. M12-BOUT	1	SAGTE STAAL

MECHTECH	LANGSTRAAT 17 NEW PARK KIMBERLEY 8300 www.mtech.co.za 053 245 7929
INGENIEURSWERKE	


MECHTECH

INCENIEURSWERKE

**LANGSTRAAT 17
NEW PARK
KIMBERLEY 8300
www.mtech.co.za
 053 645 7820**

DOMKRAGSAMESTELLING

ALLE AFMETINGS IS
IN MILLIMETER.



KRAM

ASSESSERINGSKRITERIA					
DEURSNEE-VOORAANSIG					
1	KUSSING	3			
2	DOMKRAGARM	11			
3	PEN	1			
4	DOMKRAG	7½			
5	AS	14½			
6	STEUNSTUK	7			
7	WASTER	1			
8	M12-BOUT	11			
9	ARSERING	13			
SUBTOTAAL		69			
BOAANSIG					
1	BUITELYN	10			
2	M12-BOUT + WASTER	3			
SUBTOTAAL		13			
ALGEMEEN					
1	SENTERLYNE	2			
2	SNYVLAK + TITEL	4			
3	SAMESTELLING	5			
SUBTOTAAL		11			
TOTAAL		93			
EKSAMENNOMMER					
EKSAMENNOMMER					6





basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

NATIONAL
SENIOR CERTIFICATE

GRADE 12

ENGINEERING GRAPHICS AND DESIGN P2

FEBRUARY/MARCH 2012

MARKS: 100

TIME: 3 hours

This question paper consists of 6 pages.

INSTRUCTIONS AND INFORMATION







1. This question paper consists of FOUR questions.
2. Answer ALL the questions.
3. ALL drawings are in third-angle orthographic projection, unless otherwise stated.
4. ALL drawings must be completed using instruments, unless otherwise stated.
5. ALL answers must be drawn accurately and neatly.
6. ALL the questions must be answered on the QUESTION PAPER as instructed.
7. ALL the pages must be re-stapled in numerical sequence, irrespective of whether the question was attempted.
8. Time management is essential in order to complete all the questions.
9. Print your examination number in the block provided on every page.
10. Any details or dimensions not given must be assumed in good proportion.

FOR OFFICIAL USE ONLY							
QUESTION	MARKS OBTAINED	1/2	SIGN	MODERATED	1/2	SIGN	
1							
2							
3							
4							
TOTAL	2 0 0			2 0 0			

FINAL CONVERTED MARK	CHECKED BY
<hr/> 100	

COMPLETE THE FOLLOWING:	
CENTRE NUMBER	
<hr/>	
CENTRE NUMBER	
<hr/>	
EXAMINATION NUMBER	
<hr/>	
EXAMINATION NUMBER	
<hr/>	





FILE NAME: PM 12-PSC-347	MATERIAL: 5 mm MILD STEEL PLATE
DRAWING No. 7	FINISH: CHROME PLATED
BALUSTRADE FOR PIET AND SONS CONTRACTORS 17 WALDO STREET DURBAN	DRAWING PROGRAMME: AUTOCAD 2008 ALL UNSPECIFIED RADII ARE R3.
	DRAWN BY: HAROLD 2011/05/15 CHECKED BY: SALLY 2011/05/25
WELDTECH ENGINEERING TITLE BALUSTRADE BRACKET	APPROVED BY: GEORGE 2011/06/01 SCALE: 1 : 10 QUANTITY: 26 BRACKETS



QUESTION 1: ANALYTICAL (MECHANICAL)

Given:

A selection of views of a balustrade bracket, a welding symbol, a title block and a table of questions. The drawings have not been prepared to the indicated scale.

Instructions:

Complete the table below by neatly answering the questions, which all refer to the accompanying drawings and the title block. [30]


QUESTIONS		ANSWERS	
1	With reference to the welding symbol, link the number on the drawing with the correct element in the column to the right of this question.	ARROW LINE	7
2	When was the drawing approved?	TAIL	
3	What is the manufacturing company's web address?	REFERENCE LINE	
4	What finish is required for the balustrade?	WELDING PROCESS	
5	What is the file name?	CONCAVE FINISH	
6	What is the thickness of the plate used on the bracket?	WELD ALL AROUND	
7	How many brackets must be manufactured?	SIZE OF WELD	
8	What would view 1 be called?		
9	What would view 3 be called?		
10	What size bolt is needed to secure the bracket?		
11	Determine the dimensions: A B C		3
12	What is the centre-to-centre distance between two brackets?		1
13	How many surfaces need to be welded on each bracket?		2
14	What is feature D called on view 2?		1
15	What is the meaning of the double arrow at E?		1
16	If the permissible tolerance on a dimension is $\pm 0,5$, determine the upper and lower tolerance on a dimension of 30 mm.		2
17	In the box below, draw, in neat freehand, the symbol for the projection system used.		4
		TOTAL	30

ANSWER 17

EXAMINATION NUMBER

EXAMINATION NUMBER

2



ACCELERATION AND RETARDATION

QUESTION 2: LOCI

NOTE: Answer QUESTIONS 2.1 AND 2.2.

2.1 CAM**Given:**

- The detail of a roller-ended follower and a displacement graph showing simple harmonic motion and uniform acceleration and retardation
- The vertical centre line of the cam profile


Specifications:

- Camshaft = Ø14 mm
- Minimum distance from the cam profile to the centre of the camshaft = 10 mm
- Rotation = clockwise


Instructions:

- Draw, to scale 1 : 1, the given follower detail so that it will reciprocate along the given centre line.
- From the given displacement graph, project and draw the cam profile.
- Show the centre line and the direction of rotation on the cam profile.
- Show ALL necessary construction.

[19]

**ASSESSMENT CRITERIA**

1. FOLLOWER + MIN. DIST' + CENTRE LINE + CAMSHAFT	6		
2. CONSTRUCTION	3		
3. PLOTTING + DIRECTION	6		
4. CURVE	4		
SUBTOTAL	19		

**2.2 MECHANISM****Given:**

A schematic diagram of a linked crank mechanism consisting of two cranks, AB and CD, joined by a rod, DP, which is fixed at D and slides through B.

Motion:

As crank AB rotates in an anticlockwise direction, crank CD rotates in a clockwise direction at the same velocity.

Instructions:

- Using the given diagram, trace the locus generated by point P for ONE complete revolution of the mechanism.
- Show ALL necessary construction.

ASSESSMENT CRITERIA

1. CONSTRUCTION	5		
2. LOCUS OF P	14		
SUBTOTAL	19		
TOTAL	38		
EXAMINATION NUMBER			
EXAMINATION NUMBER			3



**QUESTION 3: ISOMETRIC DRAWING****Given:**


- The front view, top view and left view of a jig with a regular hexagonal hole
- The position of point A on the drawing sheet

Instructions:

Using scale 1 : 1, convert the orthographic views of the jig into an isometric drawing.

- Make A the lowest point of the drawing.
- Show ALL necessary construction.
- NO stencils may be used.
- NO hidden detail is required.



[39]



A

ASSESSMENT CRITERIA			
1. AUXILIARY VIEW + PLACEMENT + CIRCLE CONSTRUCTION	5		
2. ISO' CIRCLES + CENTRE LINES	5		
3. ISO + NON-ISO' LINES	18		
4. HEXAGON	11		
TOTAL	39		
EXAMINATION NUMBER			
EXAMINATION NUMBER			
			4





QUESTION 4: MECHANICAL ASSEMBLY

Given:

- The exploded isometric drawing of the parts of a jack assembly, showing the position of each part relative to all the others
- Orthographic views of each of the parts of the jack assembly

Instructions:

- Answer this question on page 6.
- Draw, to scale 1 : 1 and in third-angle orthographic projection, the following views of the assembled parts of the jack assembly:

4.1 A sectional front view on cutting plane A-A, as seen from the direction of the arrow shown on the exploded isometric drawing. The cutting plane, which passes through the vertical centre line of the assembly, is shown on the top view of the shaft (part 5).

4.2 The top view

- ALL drawings must comply with the guidelines contained in the SABS 0111.

NOTE:

- As indicated, place point P on the jack at point P on the bracket.
- Show THREE faces of the M12 bolt and ALL necessary construction.
- NO hidden detail is required.

Add the following features to the drawing:

- The cutting plane A-A
- Label the sectional view SECTION A-A.

[93]

PARTS LIST


PART	QUANTITY	MATERIAL
1. PAD	2	BRONZE
2. JACK ARM	1	CAST IRON
3. PIN	1	MILD STEEL
4. JACK	1	CAST IRON
5. SHAFT	1	MILD STEEL
6. BRACKET	1	MILD STEEL
7. WASHER	1	MILD STEEL
8. M12 BOLT	1	MILD STEEL

MECHTECH
ENGINEERING

17 LONG STREET
NEW PARK
KIMBERLEY 8300
www.mtech.co.za
053 645 7820

JACK ASSEMBLY

ALL DIMENSIONS ARE IN MILLIMETRES.
ALL UNSPECIFIED RADII ARE R2.



STAPLE

ASSESSMENT CRITERIA					
SECTIONAL FRONT VIEW					
1	PAD	3			
2	JACK ARM	11			
3	PIN	1			
4	JACK	7½			
5	SHAFT	14½			
6	BRACKET	7			
7	WASHER	1			
8	M12 BOLT	11			
9	HATCHING	13			
SUBTOTAL		69			
TOP VIEW					
1	OUTLINE	10			
2	M12 BOLT + WASHER	3			
SUBTOTAL		13			
GENERAL					
1	CENTRE LINES	2			
2	CUTTING PLANE + TITLE	4			
3	ASSEMBLY	5			
SUBTOTAL		11			
TOTAL		93			
EXAMINATION NUMBER					
EXAMINATION NUMBER					
6					

