



# basic education

Department:  
Basic Education  
**REPUBLIC OF SOUTH AFRICA**

## NATIONAL SENIOR CERTIFICATE

**GRADE 12**

### MATHEMATICAL LITERACY P1

**NOVEMBER 2012**

**FINAL MEMORANDUM**

**MARKS: 150**

Symbol	Explanation
M	Method
M/A	Method with accuracy
CA	Consistent accuracy
A	Accuracy
C	Conversion
S	Simplification
RT/RG	Reading from a table/Reading from a graph
SF	Correct substitution in a formula
O	Opinion/Example
P	Penalty, e.g. for no units, incorrect rounding off etc.
R	Rounding off

**PLEASE NOTE:**

1. If a candidate deletes a solution to a question without providing another solution, then the deleted solution must be marked.
2. If a candidate provides more than one solution to a question, then only the first solution must be marked and a line drawn through any other solutions to the question.

**This memorandum consists of 15 pages.**

EXTERNAL MODERATOR  
**MR MA HENDRICKS**  
15 NOVEMBER 2012

EXTERNAL MODERATOR  
**MR RI SINGH**  
15 NOVEMBER 2012

INTERNAL MODERATOR  
**MRS J SCHEIBER**  
15 NOVEMBER 2012

<b>Rounding off penalty once only in question 5</b>			
<b>QUESTION 1 [34 MARKS]</b>		<b>Correct answer only: Full marks</b>	
<b>Ques</b>	<b>Solution</b>	<b>Explanation</b>	<b>AS/L</b>
1.1.1	$\begin{aligned} & 1441,62 - \sqrt{8,7^2 - 13,26} \\ & = 1441,62 - \sqrt{62,43} \quad \checkmark S \\ & = 1441,62 - 7,9012... \\ & = 1433,718734 \\ & \approx 1433,72 \quad \checkmark CA \end{aligned}$	1S simplifying 1CA simplification (2)	12.1.1 L1
1.1.2	$0,0528 = \frac{\checkmark A}{\frac{528}{10\ 000}} = \frac{33}{625} \quad \checkmark CA$	1A writing as a common fraction 1CA simplifying (2)	12.1.1 L1
1.1.3	$\begin{aligned} 23,005 \ell &= 23,005 \times 1\ 000 \text{ m } \ell \quad \checkmark M/A \\ &= 23\ 005 \text{ m } \ell \quad \checkmark CA \end{aligned}$	1M/A multiplying by 1 000 1CA simplification if multiplied by power of 10 (2)	12.3.2 L2
1.1.4	$\begin{aligned} R63,99/\text{kg} \times 2,5 \text{ kg} &\quad \checkmark M/A \\ &= R159,975 \\ &\approx R159,98 \quad \checkmark CA \quad (\text{accept R159,97 - no rounding penalty}) \end{aligned}$	1M/A multiplication 1CA simplification to nearest cent (2)	12.1.1 L1
1.1.5	$\begin{aligned} 13\text{h}15 \text{ min} - 1\text{h}18 \text{ min} &\quad \checkmark M/A \\ &= 11\text{h}57 \text{ min} \\ \\ \text{Shameeg arrived at 11:57. } &\checkmark CA \quad \text{OR 3 minutes to 12} \end{aligned}$	1M/A subtracting 1h18 min 1CA arrival time (Accept 11H57) (2)	12.3.2 L2
1.1.6	$\begin{aligned} \text{€} \frac{3850}{10,2584} &\quad \checkmark M/A \\ &= \text{€}75,30 \quad \checkmark CA \end{aligned}$	1M/A dividing 1CA simplification (2)	12.1.3 L2
1.1.7	CERTAIN $\checkmark \checkmark A$	2A conclusion  (2)	12.4.5 L2
1.1.8	R10,29 $\checkmark \checkmark A$	2A median  (2)	12.4.3 L1

<b>Ques</b>	<b>Solution</b>	<b>Explanation</b>	<b>AS/L</b>
1.2	$\begin{aligned} & 21 + 30 + 9 \checkmark \checkmark A \\ & = 60 \checkmark CA \end{aligned}$	1A one correct reading from graph 1A correct reading of the other two values from graph 1CA total of the three (values within the range)	12.4.4 L1 (1) L2 (1)
1.3.1	$\begin{aligned} & 3 \times R14,95 \checkmark M/A \\ & = R44,85 \checkmark CA \end{aligned}$ <p><b>OR</b></p> $\begin{aligned} & R167,45 - 24,95 - 97,65 \checkmark M/A \\ & = R44,85 \checkmark CA \end{aligned}$	1M/A multiplying 1CA simplification (CA only when using R14,95 or multiplying 3 with a price on the slip) <b>OR</b> 1M/A subtracting the values from the total 1CA the amount	12.1.3 L1
1.3.2	$\begin{aligned} & \frac{97,65}{13,95} \checkmark M/A \\ & = 7 \text{ bangles } \checkmark CA \end{aligned}$	1M/A dividing 1CA simplification	12.1.3 L1
1.3.3	$\begin{aligned} & R24,95 - R21,89 \quad \text{OR} \quad 14\% \text{ of } R21,89 \checkmark M/A \\ & = R3,06 \checkmark CA \end{aligned}$ <p><b>OR</b></p> $\begin{aligned} & R24,95 \times \frac{14}{114} = R3,06 \checkmark CA \end{aligned}$	1M/A subtracting/calculating percentage 1CA simplification to the nearest cent <b>OR</b> 1 M/A multiplying 1 CA simplification to the nearest cent	12.1.3 L1

Ques	Solution	Explanation	AS/L
1.3.4	$\frac{R167,45}{114\%} \quad \checkmark M \quad \checkmark A$ $= R146,89 \quad \checkmark CA$ <p><b>OR</b></p> $\frac{100}{114} \times R167,45 \quad \checkmark M \quad \checkmark A$ $= R146,89 \quad \checkmark CA$ <p><b>OR</b></p> $\checkmark M$ $VAT = R167,45 \times \frac{14}{114} = R20,56 \quad \checkmark A$ <p>Total without VAT = <math>R167,45 - R20,56</math>  <math>= R146,89 \quad \checkmark CA</math></p>	1M dividing 1A correct values 1CA simplification <b>OR</b> 1M dividing 1A correct values 1CA simplification <b>OR</b> 1 M calculating VAT 1A correct values 1CA simplification <b>(if 14% is calculated : 0 marks)</b> (3)	12.1.3 L2
1.4.1	$(1,948 + 4,874 + 3,755 + 4,793 + 2,264) \text{ millions of tons}$ $\checkmark M/A$ $= 17,634 \text{ millions of tons } \checkmark CA \quad \textbf{OR} \quad 17\ 634\ 000 \text{ tons}$	1 M/A adding 1CA total (if using the wrong data set: max 1 mark) (2)	12.1.2 (1) 12.4.4 (1) L1
1.4.2	Iran $\checkmark \checkmark A$	2A correct country (extra country: 0 marks) (2)	12.4.4 L1
1.4.3	Saudi Arabia $\checkmark \checkmark A$	2A correct country (2)	12.4.4 L1
			[34]

<b>QUESTION 2 [29 MARKS]</b>			
<b>Ques</b>	<b>Solution</b>	<b>Explanation</b>	<b>AS/L</b>
2.1.1	$\frac{1}{3} \sqrt{M} \times 24 = 8 \sqrt{A}$	1M multiplying 1A simplification Correct answer only: full marks (2)	12.1.1 L1
2.1.2	Spotted sector $\checkmark \checkmark A$	2A correct sector (accept dotted sector, black & white sector) (2)	
2.1.3 (a)	Circumference $= 2 \times 3,14 \times 60 \text{ cm } \checkmark SF$ $= 376,8 \text{ cm } \checkmark CA$ (Using $\pi$ : 376,99 cm)	1SF substitution 1CA simplification (2)	
2.1.3 (b)	Area of a sector of a circle $= \frac{3,14 \times 60^2}{24} \text{ cm}^2 \checkmark SF$ $= \frac{11304}{24} \text{ cm}^2$ $= 471 \text{ cm}^2 \checkmark A$ (using $\pi$ : 471,24 cm <sup>2</sup> )	1SF substitution [refer to radius used in 2.1.3 (a)] 1CA simplification 1A square unit shown anywhere in solution (3)	12.3.1 L1
2.2.1	Percentage increase in time $= \frac{\text{Difference in time}}{\text{original time}} \times 100\%$ $= \frac{1,56 - 1,2}{1,2} \times 100\%$ $= 30 \% \checkmark CA$ <b>OR</b> 0,3	1SF difference in time 1SF substituting 1,2 1CA simplification ( no subtraction no CA) (3)	12.1.1 L2
2.2.2	Distance $= (27,95 \times 1,36) \text{ m } \checkmark SF$ $= 38,012 \text{ m}$ $\approx 38,01 \text{ m } \checkmark A$ (any one)	1SF substitution 1A simplification (2)	12.2.1 L1

Ques	Solution	Explanation	AS/L
2.3.1	09:00 or nine o' clock or 9 am ✓✓RG	1RG reading from graph (2)	12.2.3 L1
2.3.2	Mr Nobi ✓RG	1RG reading from graph (1)	12.2.3 L2
2.3.3	2 hours or 3 hours ✓✓RG	2RG reading from graph (2)	12.2.3 L2
2.3.4	10:47 ✓✓RG (accept any time from 10:45 to 10:50)	2RG reading from graph (2)	12.2.3 L2
2.3.5	09:00 or nine o' clock or 9 am ✓✓RG	2RG reading from graph (2)	12.2.3 L2
2.4.1	<p>Service fee (in rand)  <math>= 3,50 + 1,20\% \text{ of the transaction amount}</math>  <math>= 3,50 + 1,20\% \times 344,50</math> ✓SF  <math>= 3,50 + 4,134</math> ✓A  <math>\approx 7,63</math> ✓CA</p>	<p>1SF substituting 344,50  1A simplification  1CA amount to the nearest cent</p> <p>Correct answer only if correctly rounded : full marks</p>	12.2.1 L1 (2) L2 (1)
2.4.2	<p>Amount (in rand) = <math>\frac{\text{Service fee} - 3,50}{1,20\%}</math>  <math>= \frac{11,85 - 3,50}{1,20\%}</math> ✓SF  <math>= \frac{8,35}{0,012}</math> ✓A  <math>\approx 695,83</math> ✓CA</p>	<p>1SF substitution of 11,85  1A simplification  1CA amount to the nearest cent</p>	12.2.3 L1
			[29]

<b>QUESTION 3 [16 MARKS]</b>			
<b>Ques</b>	<b>Solution</b>	<b>Explanation</b>	<b>AS/L</b>
3.1.1	$\begin{aligned} & \text{R19 900 deposit + R3 599,85} \times 60 \text{ months} \\ & = \text{R19 900} + \text{R215 991 } \checkmark S \\ & = \text{R235 891 } \checkmark CA \end{aligned}$	1S simplification	12.1.3 L1
		1CA simplification	
		Correct answer only: full marks	
		(2)	
3.1.2	$\begin{aligned} A &= P(1 - i)^n \\ &= \text{R51 600} (1 - 13,5\%)^2 \quad \checkmark SF \\ &= \text{R38 608,41} \quad \checkmark CA \\ &\approx \text{R38 600} \quad \checkmark R \end{aligned}$	1 SF correct substitution	12.1.3 L2
		1CA simplification	
		1 R rounding to the nearest R100	
		Correct answer only: full marks	
		(3)	
3.2.1	12,5 ℓ $\checkmark A$	1A conclusion	12.2.1 L1
3.2.2	<p>Petrol consumption (in litre per 100 km)</p> $\begin{aligned} &= \frac{\text{distance covered}}{100} \times 12,5 \\ &= \frac{325}{100} \times 12,5 \quad \checkmark SF \\ &= 40,625 \quad \checkmark CA \text{ (any one)} \\ &\approx 40,63 \quad \checkmark CA \text{ (any one)} \end{aligned}$ <p><b>OR</b></p> $\begin{aligned} &\text{Petrol consumption (in litre per 100 km)} \\ &= 12,5 \times 3,25 \quad \checkmark SF \\ &= 40,625 \quad \checkmark CA \text{ (any one)} \\ &\approx 40,63 \quad \checkmark CA \text{ (any one)} \end{aligned}$	1SF substitution	12.2.1 L2
		1CA simplification	
		1SF substitution of factor 3,25	
		1CA simplification	
		Correct answer only: full marks	
		(2)	

Ques	Solution	Explanation	AS/L
3.3.1	$\checkmark A \checkmark A$ $\checkmark A \checkmark A$ C 4      OR      4 C	1A C 1A 4 (2)	12.3.4 L2
3.3.2	$\checkmark A$ $\checkmark A$ Long Street and Marsh Street      (or High Street)	2A any two correct (1 Penalty if other street names are given) (2)	12.3.4 L1
3.3.3	Right $\checkmark \checkmark A$ (accept Easterly direction)	2A conclusion (2)	12.3.4 L2
3.3.4	<p>1 cm represents 0,3 km</p> $\therefore 8,9 \text{ cm represents } 0,3 \text{ km} \times 8,9 = 2,67 \text{ km}$ <p><b>OR</b></p> $\begin{aligned} &1 : 0,3 \\ &\therefore 8,9 : 0,3 \times 8,9 \quad \checkmark M \\ &\therefore 8,9 : 2,67 \quad \checkmark A \end{aligned}$	<p>1M multiplying by 8,9          1 A simplification</p> <p>1M multiplying by 8,9          1 A simplification          (If unit is incorrect: 1 mark)</p>	12.3.3 L2 (2)
			[16]

<b>QUESTION 4 [24 MARKS]</b>			
<b>Ques</b>	<b>Solution</b>	<b>Explanation</b>	<b>AS/L</b>
4.1.1	6 7 8 8 9 11 11 12 14 14 14 ✓M ✓A	1M ascending order 1 A all correct (descending order: 1 mark, one number omitted: 1 mark, Using names of the dogs: 1 mark) (2)	12.4.3 L1
4.1.2	Dog K ✓✓A	2A conclusion (Dog G: give 1 mark) (2)	12.1.1 (1) 12.4.4 (1) L1
4.1.3	14 ✓✓A	2A mode <b>OR</b> CA from 4.1.1 (2)	12.4.3 L1
4.1.4	Range = $9 - 1$ ✓M = 8 ✓CA	1M identifying 1 and 9 1CA range (2)	12.4.3 L2
4.1.5	Mean = $\frac{13 + 5 + 6 + 6 + 10 + 8 + 9 + 1 + 6 + 0 + 2}{11}$ ✓M = $\frac{66}{11}$ = 6 ✓ CA	1M sum of the values (no penalty for omitting 0) 1M dividing by 11  1CA mean  Correct answer only: full marks (3)	12.4.3 L2
4.1.6	10 : 4 ✓A = 5 : 2 ✓CA	1A correct ratio 1CA simplified ratio (unit ratio 1: 0,4 or 2,5 : 1 give 1 mark; written as a fraction 0 marks; Inverting the ratio 1 mark)  Correct answer only: full marks (2)	12.1.1 (1) 12.4.4 (1) L1

Ques	Solution	Explanation	AS/L																																																
4.1.7	<p style="text-align: center;"><b>THE LITTER SIZE OF 11 DOGS</b></p> <table border="1"> <caption>Data from THE LITTER SIZE OF 11 DOGS chart</caption> <thead> <tr> <th>Dog</th> <th>Female (Blue)</th> <th>Male (Red)</th> <th>Total Litter Size</th> </tr> </thead> <tbody> <tr><td>A</td><td>13</td><td>1</td><td>14</td></tr> <tr><td>B</td><td>5</td><td>1</td><td>6</td></tr> <tr><td>C</td><td>6</td><td>1</td><td>7</td></tr> <tr><td>D</td><td>6</td><td>3</td><td>9</td></tr> <tr><td>E</td><td>10</td><td>4</td><td>14</td></tr> <tr><td>F</td><td>8</td><td>4</td><td>12</td></tr> <tr><td>G</td><td>9</td><td>2</td><td>11</td></tr> <tr><td>H</td><td>1</td><td>7</td><td>8</td></tr> <tr><td>I</td><td>6</td><td>8</td><td>14</td></tr> <tr><td>J</td><td>0</td><td>8</td><td>8</td></tr> <tr><td>K</td><td>2</td><td>9</td><td>11</td></tr> </tbody> </table> <p>1A for each bar drawn correctly (correct litter size only, max 3 marks)</p>	Dog	Female (Blue)	Male (Red)	Total Litter Size	A	13	1	14	B	5	1	6	C	6	1	7	D	6	3	9	E	10	4	14	F	8	4	12	G	9	2	11	H	1	7	8	I	6	8	14	J	0	8	8	K	2	9	11	(7)	12.4.2 L2
Dog	Female (Blue)	Male (Red)	Total Litter Size																																																
A	13	1	14																																																
B	5	1	6																																																
C	6	1	7																																																
D	6	3	9																																																
E	10	4	14																																																
F	8	4	12																																																
G	9	2	11																																																
H	1	7	8																																																
I	6	8	14																																																
J	0	8	8																																																
K	2	9	11																																																
4.2.1	$105 \text{ cm} \times \frac{\checkmark M}{1,25} = 131,25 \text{ cm } \checkmark A$ <p style="text-align: center;"><b>OR</b></p> $105 \text{ cm} \times \frac{125}{100} = 131,25 \text{ cm } \checkmark A$	<p>1M multiplying</p> <p>1A length</p> <p>Correct answer only: full marks</p>	12.3.1 L1																																																
4.2.2	$6 \times 2,5 \text{ cm } \checkmark M$ $= 15 \text{ cm } \checkmark A$	<p>1M multiplying</p> <p>1A height</p> <p>Correct answer only: full marks</p>	12.3.2 L2																																																
			[24]																																																

<b>QUESTION 5 [19 MARKS]</b>		<b>Once off penalty for rounding off</b>	
<b>Ques</b>	<b>Solution</b>	<b>Explanation</b>	<b>AS/L</b>
5.1.1	7 ✓ A	1A conclusion (1)	12.3.1 L1
5.1.2	70 mm : 7 000 mm ✓M/A = 1: 100 ✓CA	1M/A correct ratio 1CA simplification (2) <b>Note: AFRIKAANS additional options</b>	12.3.1 L1
5.1.3	10 714 mm – 1 200 mm ✓M/A = 9 514 mm ✓CA  <b>OR</b> Perimeter = $7\ 000 + 9\ 514 + 7\ 000 + 9\ 514 = 33\ 028$ mm	1M/A subtraction 1CA simplification  <b>OR</b> 1 M finding perimeter 1 CA simplification (no penalty for units) (2)	12.3.1 L1
5.1.4	72% $\times$ 39,54 m <sup>2</sup> ✓M ≈ 28,47 m <sup>2</sup> ∴ area of the kitchen = 39,54 m <sup>2</sup> – 28,47 m <sup>2</sup> ✓M = 11,07 m <sup>2</sup> ✓CA  <b>OR</b> 100% – 72% = 28% ✓M ∴ area of the kitchen = 28% $\times$ 39,54 m <sup>2</sup> ✓M ≈ 11,07 m <sup>2</sup> ✓CA	1M % concept  1M concept of decrease of area 1CA simplification  <b>OR</b> 1M concept of decrease of % 1M % concept 1CA simplification (no penalty for units) (3)	12.3.1 L2

Ques	Solution	Explanation	AS/L
5.2.1	<p>cement : stone = 1 : 4            1,5 bags of cement = 1,5 wheelbarrows of cement            For <math>1\frac{1}{2}</math> wheelbarrows of cement, ✓M            she will need <math>4 \times 1\frac{1}{2}</math> wheelbarrows of stone ✓M  <math>= 6</math> wheelbarrows of stone ✓CA</p>	1M concept	12.3.1 L2
		1M multiply by 4	
		1CA simplification	
		Correct answer only: full marks	(3)
5.2.2	<p>Volume of the step            = Area of the trapezium × height of the step  <math>= 2,52 \text{ m}^2 \times 0,12 \text{ m}</math> ✓SF  <math>= 0,3024 \text{ m}^3</math>  <math>\approx 0,30 \text{ m}^3</math> ✓A or 0,3</p>	1SF substitution  1A simplification (no penalty for units) (2)	12.3.1 L2
5.2.3	<p>Total tiled area (in <math>\text{m}^2</math>) = <math>A + (2s+f) \times h</math>  <math>= 2,52 + (2 \times 1,6 + 1,3) \times 0,12</math> ✓✓SF  <math>= 3,06</math> ✓CA  <math>\approx 3,1</math> ✓R</p>	1 SF substitution two correct 1 SF substitution another two correct 1CA simplification 1R rounding (4)	12.3.1 L2
5.2.4	<p>Total length of the strip = <math>1,3 \text{ m} + 2 \times 1,6 \text{ m}</math> ✓SF  <math>= 4,5 \text{ m}</math> ✓CA</p>	1SF substitution 1CA simplification (2)	12.2.1 L1
			[19]

## **QUESTION 6 [28 MARKS]**

Ques	Solution	Explanation	AS/L
6.1	<p>In 4 minutes she covers 450 m  <math>\therefore</math> 1 minute she covers <math>\frac{450}{4}</math> m = 112,5 m ✓M  <math>\therefore</math> in 9 minutes she covers <math>112,5 \times 9</math> m ✓CA  <math>= 1012,5</math> m</p> <p><b>OR</b></p> <p>4 minutes: 450 m ✓M  9 minutes: <math>\frac{450 \times 9}{4}</math> m = 1012,5 m ✓CA</p>	<p>1M working with ratio  1CA simplification</p> <p><b>OR</b></p> <p>1M working with ratio  1CA simplification</p>	12.1.1 L1 (2)
6.2	<p>Grams of carbohydrate = <math>2,27 \times 65</math> ✓M  <math>= 147,55</math> ✓CA</p>	<p>1A using 2,27  1M multiplying  1CA simplification</p> <p>Correct answer only: full marks</p>	12.1.1 L2 (3)
6.3.1	165 minutes ✓RT	1RT reading from table (1)	12.2.3 L1
6.3.2	<p>Average pace (in km per minute) = <math>\frac{21-13}{90-60}</math> ✓SF  <math>= \frac{8}{30} = \frac{4}{15}</math> ✓S  <math>\approx 0,27</math> ✓CA</p>	<p>1SF distances  1SF times</p> <p>1S simplification</p> <p>1CA average pace</p> <p>(if inverted, max 2 marks;  if using other values from  the table, max 2 marks)</p>	12.2.3 L1 (4)

Ques	Solution	Explanation	AS/L																										
6.3.3	<p style="text-align: center;"><b>GRACIA'S PLAN FOR THE RACE</b></p> <table border="1"> <caption>Data points from Gracia's race plan graph</caption> <thead> <tr> <th>Time (in minutes)</th> <th>Distance (in km)</th> </tr> </thead> <tbody> <tr><td>0</td><td>0</td></tr> <tr><td>15</td><td>3</td></tr> <tr><td>30</td><td>6</td></tr> <tr><td>45</td><td>9</td></tr> <tr><td>60</td><td>13</td></tr> <tr><td>75</td><td>17</td></tr> <tr><td>90</td><td>21</td></tr> <tr><td>105</td><td>26</td></tr> <tr><td>120</td><td>31</td></tr> <tr><td>135</td><td>35</td></tr> <tr><td>150</td><td>39</td></tr> <tr><td>165</td><td>42</td></tr> </tbody> </table> <p>No penalty for omitting (0;0) and joining</p> <p>6A any 6 points plotted correctly</p> <p>1A all correct points joined</p> <p>1M correct shape (not a straight line)</p> <p>If only a Bar graph is correctly drawn - max 4 marks</p>	Time (in minutes)	Distance (in km)	0	0	15	3	30	6	45	9	60	13	75	17	90	21	105	26	120	31	135	35	150	39	165	42	(8)	12.2.2 L1
Time (in minutes)	Distance (in km)																												
0	0																												
15	3																												
30	6																												
45	9																												
60	13																												
75	17																												
90	21																												
105	26																												
120	31																												
135	35																												
150	39																												
165	42																												

Ques	Solution	Explanation	AS/L										
6.4.1	<table border="1"> <thead> <tr> <th>ATHLETIC CLUB</th><th>FREQUENCY</th></tr> </thead> <tbody> <tr> <td>Liberty</td><td>5 ✓A</td></tr> <tr> <td>Striders</td><td>5 ✓A</td></tr> <tr> <td>Ramblers</td><td>4 ✓A</td></tr> <tr> <td>Harmony</td><td>6 ✓A</td></tr> </tbody> </table>	ATHLETIC CLUB	FREQUENCY	Liberty	5 ✓A	Striders	5 ✓A	Ramblers	4 ✓A	Harmony	6 ✓A	4A one mark for each correct frequency (just tallies or frequencies as fractions :MAX 2 marks) (4)	12.4.2 L1
ATHLETIC CLUB	FREQUENCY												
Liberty	5 ✓A												
Striders	5 ✓A												
Ramblers	4 ✓A												
Harmony	6 ✓A												
6.4.2 (a)	$\text{Striders Club} = 100\% - (8 + 35 + 12 + 29)\% \quad \checkmark M/A$ $= 16\% \quad \checkmark CA$	1M/A subtracting from 100% 1CA simplification  Correct answer only: full marks (2)	12.4.2 L1										
6.4.2 (b)	Liberty or club E or E ✓✓A	2A correct club (2)	12.4.4 L1										
6.4.2 (c)	Actual number of Ramblers athletes $= 12\% \times 300 \quad \checkmark M/A$ $= 36 \quad \checkmark CA$	1M/A calculating actual number 1CA simplification (2)	12.4.4 L1										
			[28]										

**TOTAL: 150**