



Mrs Angie Motshekga,
Minister of Basic
Education



Mr Enver Surty,
Deputy Minister
of Basic Education

These workbooks have been developed for the children of South Africa under the leadership of the Minister of Basic Education, Mrs Angie Motshekga, and the Deputy Minister of Basic Education, Mr Enver Surty.

The Rainbow Workbooks form part of the Department of Basic Education's range of interventions aimed at improving the performance of South African learners in the first six grades. As one of the priorities of the Government's Plan of Action, this project has been made possible by the generous funding of the National Treasury. This has enabled the Department to make these workbooks, in all the official languages, available at no cost.


We hope that teachers will find these workbooks useful in their everyday teaching and in ensuring that their learners cover the curriculum. We have taken care to guide the teacher through each of the activities by the inclusion of icons that indicate what it is that the learner should do.

We sincerely hope that children will enjoy working through the book as they grow and learn, and that you, the teacher, will share their pleasure.

We wish you and your learners every success in using these workbooks.

ISBN 978-1-4315-0226-4

9 781431 502264



MATHEMATICS IN ENGLISH GRADE 9 – BOOK 1

TERMS 1 & 2

ISBN 978-1-4315-0226-4

**THIS BOOK MAY
NOT BE SOLD.**

1 2 3 4

Published by the Department of Basic Education
222 Struben Street

Pretoria
South Africa

© Department of Basic Education
Sixth edition 2016

Author team: Blom, L., Lotter, D., Aitchison J.J.W.

The Department of Basic Education has made every effort to trace copyright holders but if any have inadvertently overlooked, the Department will be pleased to make the necessary arrangements at the first opportunity.



ISBN 978-1-4315-0226-4

MATHEMATICS IN ENGLISH – Grade 9 Book 1



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA



MATHEMATICS IN ENGLISH

Book 1
Terms 1 & 2

Contents

No.	Title	Pg.
R1	Whole numbers and properties of numbers	ii
R2a	Multiples and factors	iv
R2b	Multiples and factors (continued)	vi
R3a	Exponents	viii
R3b	Exponents (continued)	x
R4	Integers and patterns	xii
R5	Common fractions	xiv
R6a	Percentages and decimal fractions	xvi
R6b	Percentages and decimal fractions (continued)	xviii
R7a	Input and output	xx
R7b	Input and output continued	xii
R8a	Algebra	xiv
R8b	Algebra continued	xvi
R9	Graphs	xviii
R10a	Financial mathematics	xxx
R10b	Financial mathematics (continued)	xxxii
R11a	Geometric figures	xxxiv
R11b	Whole numbers and properties of numbers continued	xxxvii
R12	Transformations	xxxviii
R13	Geometric objects	xl
R14	Perimeter and area	xlii
R15a	Volume and surface area	xliv
R15b	Volume and surface area (continued)	xlvii
R16a	Data	xlviii
R16b	Data (continued)	1
Ia	Real numbers, rational numbers and irrational numbers	2
Ib	Real numbers, rational numbers and irrational numbers (continued)	4
2	Factorisation	6
3	Ratio, proportion and speed	8
4	What is direct proportion?	10
5	Indirect proportion	12
6	Finances – Budget, Loans and Interest	14
7	Finances – Hire Purchase	16
8	Finances – Exchange rates	18
9	Finances – Commissions and Rentals	20
I0a	Properties of numbers	22
I0b	Properties of numbers (continued)	24
II	Addition and subtraction of fractions	26
I2	Addition and subtraction of fractions that include squares, cubes, square roots and cube roots	28
I3a	Multiplication of fractions	30
I3b	Multiplication of fractions continued	32
I4	Division of fractions	34
I5a	Percentages	36
I5b	Percentages (continued)	38
I6	Common fractions, decimal fractions and percentages	40
I7	Addition, subtraction and rounding of decimal fractions	42
I8	Multiple operations with decimals	44
I9a	Calculate squares, square roots, cubes and cube roots	46
I9b	Calculate squares, square roots, cubes and cube roots (continued)	48
20a	Calculate more squares, square roots, cubes and cube roots (continued)	50
20a	Calculate more squares, square roots, cubes and cube roots (continued)	52
21	Exponential form	54
22	Laws of exponents: $a^m \times a^n = a^{m+n}$	56
23	Laws of exponents: $a^m + a^n = a^{m+n}$	58
24	Laws of exponents: $a^m + a^n = a^{m-n}$ if $m < n$	60
25	Laws of exponents: $a^0 = 1$ and $(a \times t)^n = a^n t^n$	62

No.	Title	Pg.
26a	Application of the law of exponents	b4
26b	Application of the law of exponents (continued)	66
27	Sequences	68
28	Geometric and numeric patterns	70
29	Addition & subtraction of like terms	72
30a	The product of a monomial and binomial or trinomial	74
30b	The product of a monomial & binomial or trinomial (continued)	76
31a	The product of two binomials	78
31b	The product of two binomials (continued)	80
32	More on the product of two binomials	82
33	Divide monomials and binomials	84
34	Substitution	86
35a	Factorise algebraic expressions	88
35b	Factorise algebraic expressions (continued)	90
36	Divide a trinomial and polynomial by a monomial	92
37a	Linear equations that contain fractions	94
37b	Linear equations that contain fractions continued (continued)	96
38	Solve equations of the form: a product of factors equals zero	98
39	Construct angles and polygons using a protractor	100
40a	Using a pair of compasses	102
40b	Using a pair of compasses (continued)	104
41a	Constructing triangles	106
41b	Constructing triangles (continued)	108
42a	Constructing quadrilaterals	110
42b	Constructing quadrilaterals (continued)	112
43	Regular and irregular polygons	114
44	Construct a hexagon	116
45	Constructing a pentagon	118
46	Constructing an octagon	120
47	Interior angles of a triangle	122
48a	Triangles	124
48b	Triangles (continued)	126
49	Polygons	128
50a	More on Polygons	130
50b	Polygons (continued)	132
51a	Similar triangles	134
51b	Similar triangles (continued)	136
52a	Congruent triangles	138
52b	Congruent triangles (continued)	140
53	Lines and angles	142
54	Complementary and supplementary angles	144
55a	Transversals	146
55b	Transversals continued (continued)	148
56	Pairs of angles	150
57a	Application of geometric figures and lines	152
57b	Application of geometric figures and lines continued	154
58a	Pythagorean theorem	156
58b	Pythagorean theorem (continued)	158
59a	More on the theorem of Pythagoras	160
59b	More on the theorem of Pythagoras (continued)	162
60	Perimeter of a square and rectangle, area of a square and rectangle	164
61	Area of a triangle	166
62	Area of parallelograms and trapeziums	168
63	Area of a Rhombus and a kite	170
64	Area of a circle	172

A BILL OF RESPONSIBILITIES

FOR THE YOUTH OF SOUTH AFRICA

Preamble:
I accept the call to responsibility that comes with the many rights and freedoms that I have been privileged to inherit from the sacrifice and suffering of those who came before me. I appreciate that the rights enshrined in the Constitution of the Republic of South Africa are inseparable from my duties and responsibilities to others. Therefore I accept that with every right comes a set of responsibilities.

MY RESPONSIBILITY IN ENSURING THE RIGHT...



TO HUMAN DIGNITY

- treat people with reverence, respect and dignity as we all belong to the human race.
- to be kind, compassionate and sensitive to every human being, including greeting them warmly and speaking to them courteously.



TO EQUALITY

- treat every person equally and fairly.
- not to discriminate unfairly against anyone on the basis of race, gender, sex, pregnancy, marital status, ethnic or social origin, colour, sexual orientation, age, disability, religion, conscience, belief, culture, class, language or birth.



TO WORK

- work hard and do our best in everything we do.
- recognise that living a good and successful life involves hard work, and that anything worthwhile only comes with effort.
- this right must never be used for exploitation by exposing children to child labour.



TO OWN PROPERTY

- respect the property of others.
- take pride in and protect both private and public property, and not to take what belongs to others.
- give generously to charity and good causes, where I am able to do so.



TO FREEDOM AND SECURITY OF THE PERSON

- not hurt, bully or intimidate others or allow others to do so.
- solve any conflict in a peaceful manner.
- to take action to protect my safety and the safety of others.

TO CITIZENSHIP

- participate actively in the activities of the community and affairs of the country.
- obey the laws of our country, ensuring that others do so as well.
- contribute in every possible way to making South Africa a great country.

TO LIFE

- protect and defend the lives of others.
- not endanger the lives of others by carrying dangerous weapons or by acting recklessly or disobeying our rules and laws.
- live a healthy life, by exercising, eating correctly, by not smoking, taking alcohol, or taking drugs, or indulging in irresponsible behaviour that may result in my being infected or infecting others with diseases such as HIV and AIDS.

AND CONCURRENTLY PLACES ON MY PARENTS AND CAREGIVERS THE RESPONSIBILITY TO:

- ensure that I attend school and receive their support.
- ensure that I participate in school activities.
- create a home environment conducive to studying.

Conclusion: I accept the call of this Bill of Responsibilities, and commit to taking my rightful place as an active, responsible citizen of South Africa. By assuming these responsibilities I will contribute to building the kind of society which will make me proud to be a South African.

This Bill outlines the responsibilities that flow from each of the rights enshrined in the Constitution of the Republic of South Africa.

basic education
Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

South African Interfaith Council

LEADSA
www.leadsa.co.za

19 20



Grade

9

Mathematics

Book 1

- 1 Revision worksheets: R1 to R16
Key concepts from Grade 8

- 2 Worksheets: 1 to 64

Book 2

- 3 Worksheets: 65 to 144

ENGLISH
Book 1

The structure of a worksheet

**Worksheet number
(Revision R1 to R16,
Ordinary 1 to 144)**

Worksheet title

Topic introduction
(Text and pictures to help you think about and discuss the topic of the worksheet.)

Term indicator
(There are forty worksheets per term.)

Questions

Colour code for content area

Content	Side bar colour
Revision	Purple
Number	Turquoise
Patterns and functions (algebra)	Electric blue
Space and shape (geometry)	Orange
Measurement	Green
Data handling	Red

**Language colour code:
Afrikaans (Red), English (Blue)**

Example frame (in yellow)

Fun/challenge/problem solving activity
(This is an end of worksheet activity that may include fun or challenging activities that can also be shared with parents or brothers and sisters at home.)

**Teacher assessment rating,
signature and date**

Worksheet title: Adding by filling the tens

Term 2

Color-coded content area:

- Revision: Purple
- Number: Turquoise
- Patterns and functions (algebra): Electric blue
- Space and shape (geometry): Orange
- Measurement: Green
- Data handling: Red

Language color key: Afrikaans (Red), English (Blue)

Example frame (in yellow):

Fun/challenge/problem solving activity:

7 894 people came to see a concert. There were 68 security guards. How many people were in the stadium?

Teacher assessment rating, signature and date:



Grade 9

Mathematics

PART

1

Revision

Key concepts from Grade 7

WORKSHEETS R1 to R16

Name:

ENGLISH
Book
1

R1

Whole numbers and properties of numbers

What does 'arithmetic' mean? Why is it important?

Arithmetic is the oldest and most elementary branch of mathematics and deals with the properties and handling of numbers. It is used by almost everyone for everyday tasks of counting and calculating through to complicated science and business calculations. It involves the study of quantity, especially as the result of combining numbers. Basic arithmetic uses the four operations of addition, subtraction, multiplication and division with integers, rational and real numbers and includes measurement and geometry.

Activities 1–16 are not just revision activities. They also summarise important concepts you need in grade 9.



1. Calculate and then round off your answers to the nearest ten, hundred and thousand.

a.
$$\begin{array}{r} 78\ 438 \\ + 19\ 469 \\ \hline \end{array}$$

b.
$$\begin{array}{r} 83\ 408 \\ - 46\ 753 \\ \hline \end{array}$$

c.
$$\begin{array}{r} 37\ 489 \\ \times \quad 128 \\ \hline \end{array}$$

d.
$$39 \overline{) 87\ 652}$$

2. Use a calculator to check your answers.

3. Draw a flow diagram using the words natural numbers, whole numbers and integers.

4. Complete the following:

a. The **commutative** property of addition and multiplication:

i. $a + b =$

ii. $a \times b =$

b. The **associative** property of addition and multiplication:

i. $(a + b) + c =$

ii. $(a \times b) \times c =$

c. The **distributive** property of multiplication over addition and subtraction:

i. $a(b + c) =$

ii. $a(b - c) =$

d. 0 (zero) as the **identity** element for addition: =

e. 1 (one) is the **identity** element of multiplication: =

5. Calculate the following by illustrating the properties of whole numbers:

Example: $44 + 55 = 55 + 44 = 99$

a. $51 + (19 + 46) =$

b. $4(12 + 9) =$

c. $(9 \times 64) + (9 \times 36) =$

d. If $33 + 99 = 132$, then $132 =$

e. If $20 \times 5 = 100$, then $100 =$

Problem solving

Create a problem using all four basic operations. This should be an everyday example.



Sign:

Date:

R2a

Multiples and factors

Multiples

The result of multiplying a number by an integer, e.g. $3 \times 4 = 12$.
The multiples of 3 are: 3, 6, 9, ...

Factors

Factors are the numbers you multiply together to get a specific result,
e.g. 3 and 4 are factors of 12.
All the factors of 12 are 1, 2, 3, 4, 6, 12.

Prime factors of a number are prime numbers that divide that number exactly.

LCM

Lowest common multiple

Talk about ...

HCF

Highest common factor

1. Identify the LCM.

Example: Multiples of 3: {3, 6, 9, 12, 15, 18, ...}

Multiples of 4: {4, 8, 12, 16, 20, ...}

LCM = 12

a. Multiples of:

7: {_____}

6: {_____}

LCM: _____

b. Multiples of:

8: {_____}

2: {_____}

LCM: _____

c. Multiples of:

5: {_____}

4: {_____}

LCM: _____

d. Multiples of:

9: {_____}

6: {_____}

LCM: _____

2. Calculate the HCF using factorisation or inspection:

Example: Factors of 192 and 216

192	2	216	2
96	2	108	2
48	2	54	2
24	2	27	3
12	2	9	3
6	2	3	3
3	3	1	
1			


$$192 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3$$

$$216 = \underline{2} \times \underline{2} \times \underline{2} \quad \times \underline{3} \times 3 \times 3$$

Common factors are = 2, 2, 2, 3

$$\text{HCF} = 2 \times 2 \times 2 \times 3 = 24$$

Factor trees of 192



I know that 192
is divisible by 3
because $1 + 9 + 2 = 12$,
and 12 is divisible by 3.

Factor trees are used to break up a number into its prime factors.

- a. Factors and highest common factor of 204 and 252

204	2	252	2
102	2	106	2
51	3	63	3
17	17	21	3
1		7	7
			1

$$204 = 2 \times 2 \times 3 \times 17$$


$$252 = 2 \times 2 \times 3 \times 3 \times 7$$

$$\text{HCF} = 2 \times 2 \times 3 = 12$$

- b. Factors and highest common factor of 208 and 234

- c. Factors and highest common factor of 72 and 188

- d. Factors and highest common factor of 275 and 350



Sian:

Date:

continued

Multiples and factors continued

- e. Factors and highest common factor of 456 and 572

- f. Factors and highest common factor of 205 and 315

3. Calculate the LCM using factorisation or inspection.

Example: Factors of 123 and 141

$$\begin{array}{r} 123 \\ 41 \mid 3 \\ 1 \mid 41 \end{array}$$

$$\begin{array}{r} 141 \\ 47 \mid 3 \\ 1 \mid 47 \end{array}$$

$$123 = 3 \times 41$$

$$141 = 3 \times 47$$

$$LCM = 3 \times 41 \times 47 = 5\,781$$

- a. Factors and lowest common multiple of 243 and 729

- b. Factors and lowest common multiple of 200 and 1 000

c. Factors and lowest common multiple of 225 and 675

d. Factors and lowest common multiple of 128 and 256

e. Factors and lowest common multiple of 162 and 486

f. Factors and lowest common multiple of 225 and 675

Problem solving

Explain calculating HCF using factorisation to a family member.



Sign: _____
Date: _____

R3a

Exponents

Revise the laws of exponents by completing the following:

$x^m x^n = \boxed{}$

$x^1 = \boxed{}$

$x^m \div x^n = \boxed{}$

$(x^m)^n = \boxed{}$

$x^0 = \boxed{}$

and $x \neq 0$

Why should you study the laws of exponents?



1. Write these numbers in exponential form.

Example: 144
 $= 12 \times 12$
 $= 12^2$

a. 64

b. 9

2. Write these numbers in exponential form.

Example: 81
 $= 3 \times 3 \times 3 \times 3$
 $= 3^4$

a. 27

b. 8

3. Write the following in exponential form.

Example: $64 + 8 = 8^2 + 2^3$

a. $125 + 25 = \boxed{}$

b. $64 + 125 = \boxed{}$

4. Write the following in exponential form.

Example: $50 \times 50 \times 50 \times 50 \times 50 \times 50 \times 50 = 50^7$

a. $30 \times 30 \times 30 \times 30 \times 30 = \boxed{}$

b. $40 \times 40 = \boxed{}$

5. Look at the examples and calculate.

Example: $3^1 = 3, 25^1 = 25, m^1 = m, 9^1 = 9$

a. $x^1 = \boxed{}$

b. $a^1 = \boxed{}$

6. Answer positive or negative without calculating.

Example: $(-15)^2$ will be positive
 $(15)^2$ will be positive
 $(-15)^3$ will be negative

a. $(-9)^2$

b. $(18)^2$

7. Simplify.

Example: $a \times b \times a \times b$
 $= a^2 \times b^2$

$$\begin{aligned}b^2 \times c^2 \times c^2 \times b^2 \\= b^4 \times c^4\end{aligned}$$

a. $g \times g \times h \times h \times h =$

b. $a \times a \times b \times b \times a \times a =$

8. Revision: calculate the square root.

Example: $\sqrt{9}$
 $= \sqrt{3 \times 3}$
 $= 3$

a. $\sqrt{64} =$

b. $\sqrt{25} =$

9. Calculate the square root using the example to guide you.

Example: $\sqrt{256}$
 $= \sqrt{2 \cdot 2 \cdot 2 \cdot 2 \times 2 \cdot 2 \cdot 2 \cdot 2}$
 $= 2 \cdot 2 \cdot 2 \cdot 2$
 $= 16$

256	2
128	2
64	2
32	2
16	2
8	2
4	2
2	2
1	

Test your answer: $16 \times 16 = 256$



Remember this is what we call prime factorisation.

How do I know to start dividing by 2?



You should always first try the smallest prime number.

But how will I know the number is divisible by 2 or 3 or 5, etc?



You use the rules of divisibility.



a. $\sqrt{324} =$

b. $\sqrt{1296} =$



Sign:
Date:

continued

ix

R3b

Exponents continued

10. Revise: calculate.

Example: $\sqrt{12 \cdot 12} = 12$

a. $\sqrt{2 \cdot 2} =$

b. $\sqrt{3 \cdot 3} =$

11. Represent the square root in its simplest form.

Example: $\sqrt{2 \cdot 2 \cdot 2} = 2\sqrt{2}$

a. $\sqrt{3 \cdot 3 \cdot 3} =$

b. $\sqrt{6 \cdot 6 \cdot 6} =$

12. Represent the square root in its simplest form:

Example: $\sqrt{8} = \sqrt{2 \times 2 \times 2} = 2\sqrt{2}$

a. $\sqrt{12} =$

b. $\sqrt{45} =$

13. Look at the example and complete the following:

Example: $3^2 = 9$ therefore $\sqrt{9} = 3$

a. $5^2 =$

b. $9^2 =$

14. Calculate and test your answer.

Example: $2^3 \times 2^2 = 2^{3+2} = 2^5 = 32$

Test: $2^3 \times 2^2 = 8 \times 4 = 32$

$8^5 \times 8^9 =$

15. Simplify and test your answer.

Example: $x^3 \times x^4 = x^{3+4} = x^7$ Test your answer: $x = 2$

$$\begin{array}{lll} 2^3 \times 2^4 & 2^{3+4} & \\ = 8 \times 16 & = 2^7 & \\ = 128 & = 128 & \end{array}$$

$p^7 \times p^3 =$

16. Calculate and test your answer.

Example: $3^5 \div 3^2 = 3^{5-2} = 3^3 = 27$

Test: $3^5 \div 3^2 = 243 \div 9 = 27$

$1^{10} \div 1^{10} =$

17. Simplify and test your answer.

Example:

$$\begin{aligned}x^5 \div x^3 \\= x^{5-3} \\= x^2 \\= 4\end{aligned}$$

Test your answer: $x = 2$

$$\begin{aligned}2^5 \div 2^3 \\= 2^{5-3} \\= 2^2 \\= 4\end{aligned}$$

$$g^{20} \div g^{15} =$$

Test if $g = 3$

You may use your calculator.

18. Simplify and test your answer:

Example: $(2^3)^2$

$$\begin{aligned}= 2^{3 \times 2} \\= 2^6 \\= 64\end{aligned}$$

Test: $(2^3)^2$

$$\begin{aligned}= (8)^2 \\= 64\end{aligned}$$

$$(7^9)^4 =$$

19. Simplify and test your answer:

Example: $(x^3)^2$

$$\begin{aligned}= x^{3 \times 2} \\= x^6 \\= 729\end{aligned}$$

Test your answer: $x = 3$

$$\begin{aligned}(3^3)^2 \\= (3)^{3 \times 2} \\= 3^6 \\= 729\end{aligned}$$

$$(p^2)^6 =$$

Test if $p = 2$

20. Simplify:

Example: $(3x^2)^3$

$$\begin{aligned}= 3 \cdot x^{2 \times 3} \\= 27x^6\end{aligned}$$

$$(23s^{10})^2 =$$

21. Simplify:

Example: $(a \times t)^n$

$$= a^n \times t^n$$

$$(b \times c)^y =$$

22. Solve using both methods.

Example: $a^4 \div a^4$

$$\begin{aligned}= \frac{a \cdot a \cdot a \cdot a}{a \cdot a \cdot a \cdot a} \\= 1\end{aligned}$$

If $a \neq 0$

a^4 means
 $a \times a \times a \times a$
which means
the same as
 $a \cdot a \cdot a \cdot a$

$$\begin{aligned}= a^{4-4} \\= a^0 \\= 1\end{aligned}$$

If $a \neq 0$

$$m^3 \div m^3 =$$

Why is exponent 0 = 1? Take the example of 3^0 . Any number divided by itself is 1. We know that $3^2 \div 3^2 = 1$. But $3^2 \div 3^2 = 3^{2-2} = 3^0$. Therefore $3^0 = 1$.

Problem solving

Add the first 10 square numbers.

Represent the square root of any four-digit number using prime factorisation.



Sign:

Date:

R4

Integers and patterns

Integers include the counting (natural) numbers $\{1, 2, 3, \dots\}$, zero $\{0\}$, and the negative of the counting numbers $\{-1, -2, -3, \dots\}$

Commutative property:

$$a + b = b + a$$

$$a \times b = b \times a$$

Associative property:

$$a + (b + c) = (a + b) + c$$

$$a \times (b \times c) = (a \times b) \times c$$

What will happen if I make all the "a"s negative?



... make all the "a"s and "b"s negative?

... make all the "a"s, "b"s and "c"s negative?

Distributive property

$$a \times (b + c)$$

$$= a \times b + a \times c \text{ or } (a \times b) + (a \times c)$$

1. Identify the last term in each pattern. What is the rule?

Example: $-8, -7, -6, -5, -4, -3, -2$. -2 is the 7th term. The rule is $+1$.

$-20, -18, -16, -14, -12, -10, -8$ It is the _____ term.

The rule is _____

2. Write the following in ascending order:

$-5, 5, 15, 55, 10, -15, -10, -55$

3. Fill in $<$, $>$, or $=$

a. $4 \boxed{} -4$

b. $-18 \boxed{} -8$

c. $-2 \boxed{} 2$

4. Calculate the following:

Example: $(-7) + (5) = -7 + 5 = -2$

a. $(-6) - (8) =$

b. $(-8) + (-4) =$

5. Calculate the following:

Example: $(-5 - 4) \times (6 - 2) = -9 \times 4 = -36$

a. $(-2 - 3) \div (-4 - 1) =$

b. $(5 - 6) \times (8 - 7) =$

6. Calculate the following:

Example: $(-3 + 2) + (5 - 3) \times (8 - 9)$
 $= (-1) + (2) \times (-1)$
 $= -1 + (-2)$
 $= -1 - 2$
 $= -3$

$$(-7 + 5) \times (-2 - 7) + (-5 + 3) =$$

7. Use the example to guide you to calculate the following:

Example: $8 + (-3) = (-3) + 8 = 5$
 $8 \times (-3) = (-3) \times 8 = -24$

a. $33 + (-14) =$ =

b. $7 \times (-6) =$ =

8. Use subtraction to check addition or vice versa.

Example: $8 + (-3) = 5$ then
 $5 - 8 = -3$ or
 $5 - (-3) = 8$

a. $17 + (-8) =$ = =

b. $9 + (-5) =$ = =

9. Use the example to guide you to calculate the following:

Example: $[(-6) + 4] + (-1) = (-6) + [4 + (-1)] = (-6) + 3 = -3$

a. $[(-3) + 2] + (-4) =$ = =

b. $[(-4) + (-10)] + 5 =$ = =

10. Use division to check or vice versa.

Example: $5 \times (-6) = -30$ then
 $-30 \div 5 = -6$ and
 $-30 \div (-6) = 5$

a. $6 \times (-8) =$

b. $4 \times (-2) =$

11. Complete the pattern.

Example: $(+5) \times (+5) = 25$
 $(-5) \times (-5) = 25$
 $(+5) \times (-5) = -25$
 $(-5) \times (+5) = -25$

$$(+12) \times (+12) =$$

$$(-12) \times (-12) =$$

$$(+12) \times (-12) =$$

$$(-12) \times (+12) =$$

If the answer is 20 and the calculation has three operations, what could the calculation be?



Sign: _____
Date: _____

Problem solving

Common fractions

Look at these examples and give five more examples of each.

Proper fraction

$$\frac{3}{4}$$

Improper fraction

$$\frac{8}{3}$$

Mixed number

$$1\frac{1}{2}$$

Improper fraction to mixed number

$$\frac{8}{3}$$

=

$$2\frac{2}{3}$$

Mixed number to improper fraction

$$1\frac{1}{4}$$

=

$$\frac{5}{4}$$

1. Add and simplify if necessary.

Example: $\frac{6}{8} + \frac{4}{8}$
 $= \frac{10}{8}$
 $= 1\frac{2}{8}$
 $= 1\frac{1}{4}$

a. $\frac{6}{12} + \frac{8}{12} =$

b. $\frac{3}{15} + \frac{7}{15} =$



When we add fractions the denominators should be the same.

2. Calculate and simplify the answer if necessary.

Example: $\frac{2 \times 2}{3 \times 2} + \frac{3}{6}$
 $= \frac{4}{6} + \frac{3}{6}$
 $= \frac{7}{6}$
 $= 1\frac{1}{6}$

a. $\frac{1}{4} - \frac{3}{8} =$

b. $\frac{3}{6} + \frac{7}{18} =$

3. Calculate and simplify the answer if necessary.

Example: $\frac{2 \times 4}{3 \times 4} + \frac{3 \times 3}{4 \times 3}$
 $= \frac{8}{12} + \frac{9}{12}$
 $= \frac{17}{12}$
 $= 1\frac{5}{12}$

a. $\frac{6}{5} + \frac{5}{6} =$

b. $\frac{3}{7} + \frac{7}{9} =$

4. Calculate and simplify the answer if necessary.

Example:

$$\begin{aligned} \frac{2}{x} + \frac{3}{x} \\ = \frac{2+3}{x} \\ = \frac{5}{x} \end{aligned}$$

a. $\frac{6}{x} - \frac{5}{x} =$

b. $\frac{1}{x^2} + \frac{4}{x^2} =$

5. Calculate and simplify.

Example:

$$\begin{aligned} \frac{3}{4} \times \frac{2}{3} \\ = \frac{6}{12} \\ = \frac{1}{2} \end{aligned}$$

a. $\frac{5}{6} \times \frac{4}{7} =$

b. $\frac{6}{12} \times \frac{4}{5} =$

6. Simplify.

Example:

$$\begin{aligned} \frac{3}{x} \times \frac{x}{4} \\ = \frac{3x}{4x} \\ = \frac{3}{4} \end{aligned}$$

a. $\frac{3}{x} \times \frac{x}{12} =$

b. $\frac{x}{21} \times \frac{14}{x} =$

7. Calculate and simplify the answer.

Example:

$$\begin{aligned} \frac{3}{4} \div \frac{2}{3} \\ = \frac{3}{4} \times \frac{3}{2} \\ = \frac{9}{8} \\ = 1\frac{1}{8} \end{aligned}$$

a. $\frac{4}{7} \div \frac{4}{6} =$

b. $\frac{9}{12} \div \frac{3}{4} =$

Problem solving

Name five fractions that are between two tenths and three tenths.

What is $\frac{5}{8} + \frac{8}{5}$ in its simplest form?

Can two unit fractions give you a unit fraction if you:

- add it?
- multiply it?

If the answer is $\frac{33}{99}$, what are the two fractions that have been multiplied? Is there only one answer.



If _____ (whole number)
 \times _____ (fraction) = $\frac{32}{40}$,
 how many possible solutions are there for this sum?

Multiply any two improper fractions and simplify your answer if necessary.



Percentages and decimal fractions

Look at the following. What does it mean?



$$\frac{147}{100} = 1,47 = 147\%$$

When in everyday life do we use:

- Decimal fractions?
- Percentages?

1. Write each of the following percentages as a fraction and a decimal fraction:

Example: 18% or $\frac{18}{100}$ or 0,18
 $= \frac{9}{50}$

a. 42%

b. 65,5%

2. Calculate.

Example: 25% of R60
 $= \frac{25}{100} \times \frac{\text{R}60}{1}$
 $= \frac{\text{R}1\,500}{100}$
 $= \text{R}15,00$

a. 30% of R150

b. 65% of R125

3. Calculate the percentage increase.

Example:

Calculate the **percentage increase** if the price of a bus ticket of R60 is **increased** to R72.

$$\begin{aligned} & \frac{12}{60} \times \frac{100}{1} \\ &= \frac{1200}{60} \\ &= 20 \end{aligned}$$

20% increase

We first need to say by how much the price of the bus ticket was increased.

It was increased by R12 (R72 – R60 = R12).

Then to work out the **percentage increase** we need to multiply $\frac{12}{60}$ by 100.

The price is increased by $\frac{12}{60}$ or by 20%.

R95 to R125

Price increase: _____

4. Calculate the percentage decrease.

Example:

Calculate the percentage **decrease** if the price of petrol goes down from 25 cents to 17 cents a litre. Amount decreased is 8 cents.

$$\frac{8}{25} \times \frac{100}{1} = \frac{800}{25}$$

$$= 32$$

32% increase

We first need to say by how much the price of petrol was decreased by.

It was decreased by 8c because 17c + 8c gives you 25c.

Then to work out the **percentage increase** we need to multiply $\frac{8}{25}$ by 100.

R52 of R46

Price decrease: _____

5. Write the following in expanded notation:

Example: $30,405 = 30 + 0,4 + 0,005$

a. 39,482

b. 458,917

c. 873,002

d. 903,9301

6. Calculate using both methods. Check your answer.

Example 1: $2,37 + 4,53$

$$\begin{aligned} &= (2 + 4) + (0,3 + 0,5) + (0,07 + 0,03) \\ &= 6 + 0,8 + 0,1 \\ &= 6,9 \end{aligned}$$

Example 2:

$$\begin{array}{r} 2,37 \\ + 4,53 \\ \hline 6,90 \end{array}$$

a. $89,879 - 39,999 =$

b. $802,897 + 78,873 =$



Sign:

Date:

continued ➔



Percentages and decimal fractions continued

7. Calculate the following and check your answers with a calculator.

Example:

$$0,4 \times 0,3 = 0,12$$

$$0,04 \times 0,3 = 0,012$$

$$0,04 \times 0,03 = 0,0012$$

a. $0,4 \times 0,5 =$

b. $0,04 \times 0,5 =$

c. $0,04 \times 0,05 =$

d. $0,6 \times 0,3 =$

e. $0,06 \times 0,3 =$

f. $0,06 \times 0,03 =$

g. $0,8 \times 0,7 =$

h. $0,08 \times 0,7 =$

i. $0,08 \times 0,07 =$

8. Calculate the following and check your answers with a calculator.

Example 1: $0,3 \times 0,5 \times 100$
 $= 0,15 \times 100$
 $= 15$

Example 2: $0,7 \times 0,4 \times 10$
 $= 0,28 \times 10$
 $= 2,8$

a. $0,9 \times 0,4 \times 10 =$

b. $0,7 \times 0,06 \times 10 =$

**9. Calculate the following and check your answers with a calculator.
Round off your answers as in the example.**

Example: $4,387 \times 30$

$$\begin{aligned} &= (4 \times 30) + (0,3 \times 30) + (0,08 \times 30) + (0,007 \times 30) \\ &= 120 + 9 + 2,4 + 0,21 \\ &= 120 + 9 + 2 + 0,4 + 0,2 + 0,01 \\ &= 131,421 \end{aligned}$$

Round off your answers to the:

Nearest unit: 131

Nearest tenth: 131,4

Nearest hundredth: 131,42

a. $16,467 \times 40 =$

b. $298,999 \times 60 =$

10. Calculate the following. Round off your answers to the nearest tenth.

Example: $9,81 \div 9$

$$= 1,09$$

1,09 rounded off to the
nearest tenth is 1,1.

a. $5,25 \div 5 =$

b. $72,08 \div 8 =$

c. $48,48 \div 6 =$

d. $39,97 \div 7 =$

Problem solving

Multiply the number that
is exactly between 2,71
and 2,72 by the number
that equals ten times
three.

You need twelve
equal pieces from
144,12 m of rope.
How long will each
piece be?

My mother bought
77,12 m of rope. She
has to divide it into
eight pieces. How long
will each piece be?



Sign:
Date:

R7a

Input and output

What does each statement tell you? Give two more examples of each.

Constant difference


e.g. -3; -7; -11;
-15 "Add -4" or
"Count in -4s" or
"Add -4 to the
previous pattern".

Constant ratio

e.g. -2; -4; -8;
-16; -32 "Multiply
the previous term
by 2."

Not a constant difference or a ratio

e.g. 1; 2; 4; 7;
11; 16 "Increase the
difference between
consecutive terms by
1 each time."



1. What is the constant difference between the consecutive terms?

a. 8, 12, 16, 20.

b. 7, 14, 21, 28.

2. What is the constant ratio between the consecutive terms?

a. 3, 9, 27, 81

b. 9, -27, 81, -243

3. Does this pattern have a constant difference or ratio or neither?

a. 1, 4, 10, 19

b. 2, 4, 8, 16

4. What is the constant difference or ratio between the consecutive terms?

a. 5, -15, 45, -135

b. 6, 24, 96, 384,

5. Complete the table and then state the rule.

Example:

Position	1	2	3	4	5	n
Value of the term	5	10	15	20	25	$n + 5$

Rule?

The term + 5.

a. Complete the table


Position	2	4	6	8	n
Value of the term	4	8		16	

b. State the rule.

c. What will the value of the 20th term be?

6. What are the next patterns? Complete the questions.

Hexagonal number pattern:



- a. What will the next pattern be? Draw it using the rule: Increase the length of each side by one match.

- b. Complete this table by using the same rule.

Hexagon	1	2	3	4	5	6		10	n
Number of matches									

7. Complete the following table. Describe it.

Example: 8, 15, 22, 29...

Term	1	2	3	4	18	n
Value of the term	8	15	22	29	127	$7(n) + 1$

- Add 7 to the value of the previous term.
- $7 \times$ the position of the term + 1.
- $7(n) + 1$, where “ n ” is the position of the term.
- $7(n) + 1$, where “ n ” is a natural number.

13, 25, 37, 49, ...

Term	1	2	3	4	17	n
Value of the term						



Sign: _____


Date: _____

continued ➔

Input and output continued

8. Complete the following:

Example:



$$t = p \times 2 + 3 \text{ (rule)}$$

$$0 \times 2 + 3 = 3 (t = 3)$$

$$2 \times 2 + 3 = 7 (t = 7)$$

$$4 \times 2 + 3 = 11 (t = 11)$$


$$6 \times 2 + 3 = 15 (t = 15)$$

$$8 \times 2 + 3 = 19 (t = 19)$$




This is the rule for this flow diagram.

a.




b.



9. What is the rule?

Example:



$$31 = 4(8) - 1$$

$$47 = 4(12) - 1$$


$$79 = 4(20) - 1$$

$$143 = 4(36) - 1$$


$$271 = 4(68) - 1$$

The rule is: $t = 4(p) - 1$

a.



b.



10. Describe the relationship between the numbers in the top row and the numbers in the bottom row of the table.

Example:

x	0	1	2	20	50	100
y	5	7	9	45	105	205

Rule is $y = 2x + 5$

x	-2	-1	0	1	2	3
y	10	8	6	4	2	0

11. Describe the relationship between the numbers in the top row and those in the bottom row of the table. Write down the values of m and n .

Example:

x	-2	-1	0	m	2	3
y	30	27	n	21	18	15

$$m = 1$$

$$n = 24$$

Rule is $y = -3x + 24$

x	-3	-2	m	0	1	2
y	-1	0	1	2	3	n

$$m = \boxed{}$$

$$n = \boxed{}$$

Rule is $y = \boxed{}$

Problem solving


- If the constant ratio is -7, what could a sequence be?
- If $t = g \times 4 - 9$, where $g = -8$, what is t ?
- $y = -x + (-2)$ is the rule. Show this in a table with $x = -3, -2, -1, 0, 1, 2$.



Sign:

Date:

Revise the following:



Say whether if the following is an:

- expression, or an
 - equation,
- and why.

a) $x + 18 = 52$ b) $x + 18$

1. Calculate the following and also underline the variable in red and the constants in blue:

Example 1: $3a + 4a = 7a$

Note:
 $3a^2 + 4a^2$
 is not $7a^4$

Example 2: $3a^2 + 4a^2 = 7a^2$

Example 3: $5x^2 + 4x^2 = 9x^2$

Example 4: $5x + 4x^2 = 5x + 4x^2$

Example 5: $3a^2 \times 4a^2 = (3a^2)(4a^2) = 12a^4$

Example 6: $3a^2 \div 4a^2 = \frac{3a^2}{4a^2} = \frac{3}{4}$

a. $5a + 3a =$

b. $6m - 2m =$

c. $1a^2 + 2a^2 =$

d. $8r^2 + 5r^2 =$

e. $4x^2 + 2x^2 =$

f. $5x^2 + 5x =$

g. $2a \times 3a =$

h. $2c^2 \times 5c^2 =$

i. $1a \div 7a =$

j. $3f \div 5f =$

2. Complete.

Example: $4 \times \underline{\quad} = 1$

$$4 \times \frac{1}{4} = 1$$

a. $5 \times \underline{\quad} = 1$

b. $7 \times \underline{\quad} = 1$

3. Solve for x :

Example 1: $2x = 16$

$$\frac{2x}{2} = \frac{16}{2}$$

$$x = 8$$

a. $3x = 27$

b. $5x + x = 18$

Example 2: $x - 2 + 3 = -5$

$$x + 1 = -5$$

$$x + 1 - 1 = -5 - 1$$

$$x = -6$$

c. $x + 3 + 2 = 4$

d. $x + 8 + 7 = -8$

Example 3: $\frac{2x}{3} = 12$

$$\frac{2x}{3} \times 3 = 12 \times 3$$

$$\frac{2x}{2} = \frac{36}{2}$$

$$x = 18$$

e. $\frac{4x}{6} = 12$

f. $\frac{x}{5} = 15$

4. Calculate, if $x = 2$, then:

Example: $2x + 5$
 $= 2(2) + 5$
 $= 4 + 5$
 $= 9$

a. $4x + 8 =$

b. $6 + 3x =$

Example: $x^2 + 5$
 $= (2)^2 + 5$
 $= 4 + 5$
 $= 9$

c. $x^2 + 2 =$

d. $x^2 + 11 =$

e. $x^2 - x =$

f. $3x - x^2 =$



continued ↗

Algebra continued

5. Solve for x .**Example 1:** $-5x = 10$

$$\begin{aligned}\frac{-5x}{-5} &= \frac{10}{-5} \\ x &= -2\end{aligned}$$

a. $-2x = 10$

b. $-6x = -12$

c. $4x - 5x = 8$

d. $8x + 4x = 4$

Example 2: $2x - 6x = 16$

$$\begin{aligned}-4x &= 16 \\ \frac{-4x}{-4} &= \frac{16}{-4} \\ x &= -4\end{aligned}$$

6. Calculate:

$$\begin{aligned}\text{Example 1: } \frac{x^4}{x^2} &= \frac{x \cdot x \cdot x \cdot x}{x \cdot x} \\ &= x \cdot x \\ &= x^2\end{aligned}$$

This is a monomial – it has only one term.

a. $\frac{x^2}{x}$

b. $\frac{x^3}{x^2}$

$$\begin{aligned}\text{Example 2: } \frac{x^4 - x^2}{x^2} &= \frac{x^2(x^2 - 1)}{x^2} \\ &= x^2 - 1\end{aligned}$$

This is a binomial – it has two terms connected by a plus or minus sign.

c. $\frac{x^6 - x^2}{x^2} =$

d. $\frac{x^9 - x^3}{x^3} =$

Example 3: $\frac{x^4 - 6x^2 - 1}{x^2}$

$$\begin{aligned} &= \frac{x^4}{x^2} - \frac{6x^2}{x^2} - \frac{1}{x^2} \\ &= x^2 - 6 - \frac{1}{x^2} \end{aligned}$$

e. $\frac{x^4 - 2x^2 - 3}{x^2} =$

f. $\frac{x^6 - 2x^3 - 1}{x^3} =$

7. Revision: Simplify the following using the distributive law:

Example 1: $2(3 + 4)$

$$= 2 \times 3 + 2 \times 4$$

$$= (2 \times 3) + (2 \times 4)$$

$$= 6 + 8$$

$$= 14$$

2	3	4
6	+ 8	

a. $2(3 + 6) =$

b. $4(8 + 1) =$

Example 2: $2(x + 5)$

$$= (2 \times x) + (2 \times 5)$$

$$= 2x + 10$$

2	x	5
2x	+ 10	

c. $2(x + 4) =$

d. $4(x + 7) =$

Example 3: $2(x^2 + x + 3)$

$$= (2 \times x^2) + (2 \times x) + (2 \times 3)$$

$$= 2x^2 + 2x + 6$$

2 \curvearrowright $(x^2 + x + 3)$

$$= 2x^2 + 2x + 6$$

2	x^2	x	3
2	x^2	+ 2x	+ 6

e. $2(x^2 + x + 4) =$

f. $4(3 + x + x^2) =$

Problem solving

Betty has $8n$ marbles and Peter has $3n$. How many do they have altogether? Write a number sentence.




Sign: _____
Date: _____


Graphs

What do the graphs or words tell us about the concept?


Linear and non-linear




Constant, increasing and decreasing




Maximum or minimum



Discrete or continuous



1. Plot the following and write it in words.



Example: The point (5,7) is 5 units along, and 7 units up.


- (3,7) is units along, and units up.
- (4,8) is units along, and units up.
- (5,9) is units along, and units up.
- (10,2) is units along, and units up.
- (0,6) is units along, and 2 units up.

A parabola is a curved line made by a point moving so that it is always at the same distance from a fixed point (the focus) as it is from the perpendicular distance to a fixed straight line (the directrix).

2. Complete the following:

a. The left-right () direction is called the x -axis.

b. The (vertical) direction is called the y -axis.



c. The y -axis runs vertically through the _____.

d. Where the x -axis crosses the y -axis is the “_____” point. You measure everything from here.

e. The x -axis runs horizontally through the _____.

3. Complete the ordered pairs for the equations $y = x^2 + 4$ and $y = -x^2 + 4$ and the plot them on the set of axis on the graph.

x	-4	-3	-2	-1	0	1	2	3	4
y	20								

$$\begin{aligned}y &= (-4)^2 + 4 \\&= 16 + 4 \\&= 20\end{aligned}$$

$$\begin{aligned}y &= x^2 + 4 \\&= \quad \quad \quad \\&= \quad \quad \quad\end{aligned}$$

$$\begin{aligned}y &= x^2 + 4 \\&= \quad \quad \quad \\&= \quad \quad \quad\end{aligned}$$

$$\begin{aligned}y &= x^2 + 4 \\&= \quad \quad \quad \\&= \quad \quad \quad\end{aligned}$$

$$\begin{aligned}y &= x^2 + 4 \\&= \quad \quad \quad \\&= \quad \quad \quad\end{aligned}$$

$$\begin{aligned}y &= x^2 + 4 \\&= \quad \quad \quad \\&= \quad \quad \quad\end{aligned}$$

$$\begin{aligned}y &= x^2 + 4 \\&= \quad \quad \quad \\&= \quad \quad \quad\end{aligned}$$

$$\begin{aligned}y &= x^2 + 4 \\&= \quad \quad \quad \\&= \quad \quad \quad\end{aligned}$$

$$\begin{aligned}y &= x^2 + 4 \\&= \quad \quad \quad \\&= 16 + 4 \\&= 20\end{aligned}$$

x	-4	-3	-2	-1	0	1	2	3	4
y	-12								

$$\begin{aligned}y &= -(-4)^2 + 4 \\&= -16 + 4 \\&= -12\end{aligned}$$


$$\begin{aligned}y &= -x^2 + 4 \\&= \quad \quad \quad \\&= \quad \quad \quad\end{aligned}$$

$$\begin{aligned}y &= -x^2 + 4 \\&= \quad \quad \quad \\&= \quad \quad \quad\end{aligned}$$

$$\begin{aligned}y &= -x^2 + 4 \\&= \quad \quad \quad \\&= \quad \quad \quad\end{aligned}$$

$$\begin{aligned}y &= -x^2 + 4 \\&= \quad \quad \quad \\&= \quad \quad \quad\end{aligned}$$

$$\begin{aligned}y &= -x^2 + 4 \\&= \quad \quad \quad \\&= \quad \quad \quad\end{aligned}$$



The first parabola has a minimum point (,) and it opens upwards (u-shaped).

The second parabola has a maximum point (,) and it opens downwards (n-shaped).

What happens if you throw a ball into the air?



It will arc up into the air and come down again. The ball follows the path of a parabola.



Problem solving

Describe the graph $y = x^2 + 10$


Sign:

Date:

R10a

Financial mathematics

Can you remember the meaning of the following?



Profit is the surplus remaining after total costs are deducted from total revenue.

Loss is the excess of expenditure over income.

Discount is the amount deducted from the asking price before payment.

Budget is the estimate of cost and revenues over a specified period.

A **loan** is a sum of money that an individual or a company lends to an individual or company with the objective of gaining profits when the money is paid back.

Hire purchase is a system by which a buyer pays for an asset in regular installments, while enjoying the use of it.

During the repayment period, ownership of the item does not pass to the buyer. Upon the full payment of the loan, the ownership passes to the buyer.

Interest is the fee charged by a lender to a borrower for the use of borrowed money, usually expressed as an annual percentage of the amount borrowed, (also called the interest rate).

VAT (Value Added Tax) is the tax payable on all goods and services in South Africa. The current VAT rate is 14%. Some essential foods are exempt – that means they have a 0% VAT rate.

An **exchange rate** is the current market price for which one currency can be exchanged for another.

1. Solve the following financial problems:

- Kabelo receives R120 per week pocket money. He goes ten pin bowling twice (cost R20,00 per session excluding VAT). He has coffee for R5,00 and buys R30,00 of airtime, both with VAT included. How much pocket money can he carry over to the next week?

- b. You receive R400 pocket money per month for chores you do around the house. Draw up a budget in the budget column. You had the following expenses last month: Movie R60,00; Taxi R90,00; Ice Cream R5,75; New shirt R65,00; Donation to welfare R50,00; Stationery R45,00; Repairs to your bicycle R150,00. Enter these expenses in the actual amount column. You have saved R375,00. Did you save anything or will you need to use some of your savings?

	Budget	Actual amount	Difference
Income (Pocket money)			
Expenses			
Taxi			
Movies			
Sweets			
Clothes			
Donations			
Savings			
Stationery			
Totals			
Net Income			



Sign: _____
Date: _____

continued ➔

Financial mathematics continued

- c. A total of R36 000 was invested in two accounts. One account earned 7% annual interest and the other earned 9%. The total annual interest earned was R2 920. How much was invested in each account?

Term 1

- d. David buys a new car on hire purchase. The car costs R75 000 (excluding VAT) and he trades in his old car (that is fully paid for) for R9 500. The car registration, documentation and licence fees are R2 000. What will his instalment be if he pays 7% p.a. in simple interest and repays the money he borrows over a period of 54 months?

- e. Lindy has €45. She wants to buy jeans for \$15 CAD and a T-shirt for \$10 CAD. After her purchases, how much money will she have left in ZAR?

Use the exchange rates in the table below to help you solve the word problems. Show your work in the space provided.

	ZAR (R)	USD (\$)	GBP (£)	CAD (\$)	EUR (€)	AUD (\$)
ZAR (R)	1,00	6,76	11,06	6,89	9,88	7,17
USD (\$)	0,15	1,00	1,60	0,92	1,46	0,87
GBP (£)	0,09	1,09	1,00	0,58	0,91	0,55
CAD (\$)	0,15	1,09	1,74	1,00	1,59	0,95
EUR (€)	0,10	0,69	1,10	0,63	1,00	0,60
AUD (\$)	0,14	1,15	1,83	1,05	1,67	1,00

Example: 1 ZAR (R) = 0,15 USD (\$)

1 USD (\$) = 6,76 ZAR (R)

Problem solving

Make notes of the important financial tips you have learned, and share them with a family member.



Sign:

Date:

Geometric figures

Symbols you need to revise or learn.

Triangle	Angle	Perpendicular	Parallel	Degrees $^{\circ}$	Right angles
Line segments	Line	Ray	Congruent	Similar	Therefore

Geometric figures to remember.

Geometric figures		
Triangles	Quadrilaterals	More polygons
Equilateral triangle	Parallelogram	Pentagon
Isosceles triangle	Rectangle	Hexagon
Scalene triangle	Square	Heptagon
	Rhombus	Octagon
	Trapezium	Nonagon
	Kite	Decagon, etc.

These are also polygons



polygon is a geometric figure with three or more straight sides.



How would you calculate the total sum of the interior angles of a polygon?

Similar and congruent triangles

Similar triangles have the same shape but are not the same size. Each pair of corresponding angles is equal and the ratio of any pair of corresponding sides is the same.

Congruent triangles are triangles that have the same size and shape. This means that the corresponding sides are equal and the corresponding angles are equal.

1. Construct using appropriate instruments and answer the questions.

a. An angle smaller than 90° .

b. A polygon with more than four sides.

c. A triangle.

i. Name the angle.

ii. Construct another angle such that this angle and the angle above, when added together, total 90° . What do you call such a pair of angles?

i. Calculate the interior angles of the polygon.

ii. Where in everyday life will we find such a shape?

i. Draw a triangle that is congruent to the triangle above. Label it.

ii. Draw a triangle similar to the triangle above. Label it.




Sign:

Date:

continued

Geometric figures continued

2. Describe the constructions using the words below.



Parallel lines

Transversal

Vertical opposite angles

$$\begin{aligned} a &= d; b = c; \\ e &= h; f = g \end{aligned}$$

Corresponding angles

$$\begin{aligned} a &= e; b = f; \\ c &= g; d = h \end{aligned}$$

Alternate interior angles

$$c = f; d = e$$

Alternate exterior angles

$$a = h; b = g$$

Consecutive interior angles

$$c + e = 180^\circ$$

$$d + f = 180^\circ$$

(also called co-interior angles)

a.



Answer the following questions based on the image above:

1. Identify the parallel lines in the image.

2. Identify the transversal line in the image.

3. Name the pairs of vertical opposite angles.

4. Name the pairs of corresponding angles.

5. Name the pairs of alternate interior angles.

6. Name the pairs of alternate exterior angles.

7. Name the pairs of consecutive interior angles.

b.

A **diagonal** is a straight line inside a shape that joins one vertex to another but is not an edge of that shape.



Handwriting practice lines for the word 'diagonal'.

3. Can you identify any diagonals? If not draw a few.

Problem solving

In which job, other than that of an engineer, will people need to calculate angles. Give an example of such a person and say why the person is calculating angles.







Sign:


Date:

Transformations

Describe these transformations.



1. Answer the following questions:



a. The coordinates of ABC are:

--	--	--

b. The coordinates of A' B' C' are:

--	--	--


c. The translation vector is:

$(x - 13, y$

d. Explain the translation vector in words.

--

2. Answer the following questions:



a. The coordinates of ABC are:


b. The coordinates of A' B' C' are:

c. ABC is reflected over the .

d. Which coordinates remain the same?

e. Which coordinates differ?

3. Answer the following questions:




a. The coordinates of ABC are:

b. The coordinates of A' B' C' are:

c. Compare the corresponding vertices.

4. Answer the following questions:



a. $A'B' = \boxed{} \times AB$

b. $B'C' = \boxed{} \times BC$

c. $A'C' = \boxed{} \times AC$

d. Therefore, we say that this transformation is an **enlargement** with **scale factor** =

Problem solving

Design a house on grid paper (top view).

Enlarge your plan by a scale factor of 2.

Reflect the house, rotate it by 90 degrees and translate it two units up and three down.




Sign: _____
Date: _____

R13


Geometric objects

What do all these geometric objects have in common?


cube




icosahedron




dodecahedron



octahedron




tetrahedron




What do we name this group of geometric objects?

1. Write down the name of the geometric object that each of the nets will form. How many edges, vertices and faces does each have. Complete the table below.


a.




b.



c.



d.



dodecahedron

Describe each.

e.

30 edges

20 vertices

12 faces

f.

g.

h.

2. Complete the following:

- a. If the sides of a geometric figure are equal in length and the interior angles are equal, the geometric figure is _____.

If the sides are not equal it is _____.

- b. What do you notice if you look at a platonic solid's faces?


- c. What do we name geometric solids if all the faces are congruent?

- d. Name three geometric solids that are irregular.

3. Construct the net for a tetrahedron. We have given you the first two steps.


Step 1:

Construct an equilateral triangle. Label it ABC.





Step 2:


Construct another equilateral triangle with one base joined to base AB of the first triangle.




4. Describe the different views of the building using the drawings below.




a. _____



b. _____



c. _____



d. _____


5. Draw a cube using a 30° oblique drawing.

Step 1: Draw a square.



Step 2


Draw a 30° line from the bottom right vertex.



Step 3


Draw the rest of the cube.

Remember that the lines that are parallel in the real three-dimensional object remain parallel in the drawing.



Problem solving

Make skeletons (outlines) of the platonic solids using recycled materials.



Sign: _____
Date: _____

R14

Perimeter and area

Revise these formulae:

Perimeter of a rectangle $2l + 2b$	Circumference of a circle $C = \pi d$ or $2\pi r$
Area of a rectangle: $l \times b$	
Perimeter of a square: $4l$ Area of a square: $l \times l$	Area of a circle $A = \pi r^2$

Look at these conversions:

1 cm = 10 mm
$1 \text{ cm}^2 = 1 \text{ cm} \times 1 \text{ cm}$
$= 100 \text{ mm}^2$ ($10 \text{ mm} \times 10 \text{ mm}$)
1 m = 1 000 mm
$1 \text{ m}^2 = 1 \text{ m} \times 1 \text{ m}$
$= 1 000 000 \text{ mm}^2$ ($1 000 \text{ mm} \times 1 000 \text{ mm}$)
1 km = 1 000 m
$1 \text{ km}^2 = 1 \text{ km} \times 1 \text{ km}$
$= 1 000 000 \text{ m}^2$ ($1 000 \text{ m} \times 1 000 \text{ m}$)

1. Calculate the perimeter and area of a square. Write your answer in mm.

Example: side 4,5 cm

Perimeter

$$\begin{aligned} P &= 4 \times l \\ &= 4 (4,5 \text{ cm}) \\ &= 18 \text{ cm} \end{aligned}$$

Area

$$\begin{aligned} A &= l^2 \\ &= 4,5 \text{ cm} \times 4,5 \text{ cm} \\ &= 20,25 \text{ cm}^2 \end{aligned}$$

Side 3,5 cm

Write your answer in mm.

$$\begin{aligned} &= 4 (45 \text{ mm}) \\ &= 180 \text{ mm} \end{aligned} \quad \begin{aligned} &= 45 \text{ mm} \times 45 \text{ mm} \\ &= 2 025 \text{ mm}^2 \end{aligned}$$

If the area is 2 025 mm² what is the answer in cm²?

$$\begin{aligned} 1 \text{ cm} &= 10 \text{ mm} \\ 1 \text{ cm}^2 &= 1 \text{ cm} \times 1 \text{ cm} \\ 1 \text{ cm}^2 &= 10 \text{ mm} \times 10 \text{ mm} \\ 1 \text{ cm}^2 &= 100 \text{ mm}^2 \end{aligned} \quad \begin{aligned} \therefore \frac{2 025 \text{ mm}^2}{100} &= \text{cm}^2 \\ &= 20,25 \text{ cm}^2 \end{aligned}$$

2. Calculate the area and perimeter of a rectangle. Write your answer in mm.

Example: length 3,8 cm, breadth 2,1 cm

Perimeter

$$\begin{aligned} P &= 2(l + b) \\ &= 2(3,8 \text{ cm} + 2,1 \text{ cm}) \\ &= 2(5,9 \text{ cm}) \\ &= 11,8 \text{ cm} \end{aligned}$$

Area

$$\begin{aligned} A &= l \times b \\ &= 3,8 \text{ cm} \times 2,1 \text{ cm} \\ &= 7,98 \text{ cm}^2 \end{aligned}$$

Length 9,3 cm and breadth 7,2 cm

Write the area answer in mm² and m².


$$\begin{aligned} \text{mm}^2 \\ &= 7,98 \text{ cm}^2 \\ &= 7,98 \text{ cm}^2 \times 100 \\ &= 798 \text{ mm}^2 \end{aligned}$$

$$\begin{aligned} 1 \text{ cm} &= 10 \text{ mm} \\ 1 \text{ cm}^2 &= 1 \text{ cm} \times 1 \text{ cm} \\ 1 \text{ cm}^2 &= 10 \text{ mm} \times 10 \text{ mm} \\ 1 \text{ cm}^2 &= 100 \text{ mm}^2 \end{aligned}$$

$$\begin{aligned} \text{m}^2 \\ &= \frac{7,98 \text{ cm}^2}{10 000} \\ &= 0,000798 \text{ m}^2 \end{aligned}$$

3. Calculate the area of a triangle. Write your answer in mm.

Example:



Area

$$A = \frac{1}{2} b \times h$$
$$\frac{1}{2} (5 \text{ cm}) \times 2,3 \text{ cm}$$
$$= 2,5 \text{ cm} \times 2,3 \text{ cm}$$
$$= 5,75 \text{ cm}^2$$

Base = 8 cm Height = 2,6 cm

Write your answer in mm².

$$5,75 \text{ cm}^2$$
$$(5,75 \text{ cm}^2 \times 100) \text{ mm}^2$$
$$= 575 \text{ mm}^2$$

Write your answer in m².

$$\left(\frac{5,75 \text{ cm}^2}{10000} \right) \text{ m}^2$$
$$= 0,000575 \text{ m}^2$$

4. Calculate the area of the circles.

Example: Radius is 3 cm.

$$A = \pi r^2$$
$$= (3,14159) (3 \text{ cm})^2$$
$$= 28,27 \text{ cm}^2$$

a. Radius is 4 cm

b. Radius is 2,5 cm

Problem solving

If the area of the circle is 314,159 cm². What is the radius?



Sign:

Date:

R15a

Volume and surface area

Revise the following formulae:


The volume of a cube

$$v = l^3$$




The volume of a rectangular prism

$$v = l \times b \times h$$



The volume of a triangular prism

$$v = \frac{1}{2} (b \times h) \times l$$



Surface area of a prism


A = the sum of the area of all the faces

Revise the following:

- if 1 cm = 10 mm then $1 \text{ cm}^3 = 1\ 000 \text{ mm}^3$
- if 1 m = 100 cm then $1 \text{ m}^3 = 1\ 000\ 000 \text{ cm}^3$
- An object with a volume of 1 cm^3 will displace exactly 1 ml of water.
- An object with a volume of 1 m^3 will displace exactly 1 kl of water.

1. Calculate the volume, capacity and surface area of a cube.



Example:

Volume	Capacity	Surface area																
$v = l^3$ $v = (4 \text{ cm})^3$ $v = 64 \text{ cm}^3$	<p>Note: An object with a volume of 1 cm^3 will displace 1 ml of water. Therefore an object that is 64 cm^3 will displace 64 ml water or 0,064 l.</p>	<p>Net of the cube. How many faces (flat surfaces) are there?</p> 																
<table border="1"> <thead> <tr> <th>Cubic mm</th><th>Cubic cm</th><th>Cubic m</th><th>Litre</th></tr> </thead> <tbody> <tr> <td>1 000 000 000</td><td>1 000 000</td><td>1</td><td>1 000</td></tr> <tr> <td>1 000 000</td><td>1 000</td><td>0,001</td><td>1</td></tr> <tr> <td>1 000</td><td>1</td><td>0,000001</td><td>0,001</td></tr> </tbody> </table>			Cubic mm	Cubic cm	Cubic m	Litre	1 000 000 000	1 000 000	1	1 000	1 000 000	1 000	0,001	1	1 000	1	0,000001	0,001
Cubic mm	Cubic cm	Cubic m	Litre															
1 000 000 000	1 000 000	1	1 000															
1 000 000	1 000	0,001	1															
1 000	1	0,000001	0,001															
<p>Surface area = sum of the area of all the faces. $= 6 (\text{area of a face})$ $= 6a^2$ $= 6 (4 \text{ cm})^2$ $= 6 \times 16 \text{ cm}^2$ $= 96 \text{ cm}^2$</p>																		

The side (length) of the cube is 2,5 cm.

Volume	Capacity	Surface area

2. Calculate the volume, capacity and surface area of a rectangular prism.

Example:			
Volume	Capacity	Surface area	
 $v = l \times b \times h$ $v = 4 \text{ cm} \times 1.5 \text{ cm} \times 2 \text{ cm}$ $v = 12 \text{ cm}^3$	Note: An object with a volume of 1 cm^3 will displace 1 ml of water. \therefore an object that is 12 cm^3 will displace 12 ml.	Net of the rectangle. How many faces (flat surfaces) are there? 	
Cubic mm	Cubic cm	Cubic m	Litre
1 000 000 000	1 000 000	1	1 000
1 000 000	1 000	0,001	1
1 000	1	0,000001	0,001

Surface area
 $A = 2lb + 2lh + 2bh$
 $= 2(4 \text{ cm} \times 1.5 \text{ cm}) + 2(4 \text{ cm} \times 2 \text{ cm}) + 2(1.5 \text{ cm} \times 2 \text{ cm})$
 $= 12 \text{ cm}^2 + 16 \text{ cm}^2 + 6 \text{ cm}^2$
 $= 34 \text{ cm}^2$



continued ➔

R15b



Volume and surface area continued

The rectangular prism's dimensions are: length = 4,5 cm; breadth = 3,5 cm and height 4 cm.

Volume	Capacity	Surface area

Term 1

3. Calculate the volume, capacity and surface area of a triangular prism.

Example:	Volume	Capacity	Surface area
 $V = \frac{1}{2} b \times h \times l$ $V = \frac{1}{2}(5 \text{ cm}) \times 3 \text{ cm} \times 2 \text{ cm}$ $V = 2,5 \text{ cm} \times 3 \text{ cm} \times 2 \text{ cm}$ $V = 15 \text{ cm}^3$		<p>Note: An object with a volume of 1 cm³ will displace 1 ml of water. \therefore an object that is 15 cm³ will displace 15 ml of water.</p>	<p>Net of the triangular prism. How many faces (flat surfaces) are there?</p> <p>Use Pythagoras to calculate this.</p>  <p>Surface area</p> $A = 2(\text{area of triangle}) + \text{area of 3 rectangles}$ $= 2\left(\frac{1}{2}(5 \text{ cm}) \times 3 \text{ cm}\right) + 2(3,9 \text{ cm} \times 2 \text{ cm}) + 1(5 \text{ cm} \times 2 \text{ cm})$ $= 15 \text{ cm}^2 + 15,6 \text{ cm}^2 + 10 \text{ cm}^2$ $= 40,6 \text{ cm}^2$

The triangular prism's dimensions are: base of triangle 4 cm, height of triangle 2,5 cm, length of prism 5 cm, other two sides of triangle 3,2 cm each.

Volume	Capacity	Surface area

Problem solving

- If the volume of a cube is $10\ 648 \text{ cm}^3$, what are its dimensions in mm and m?
- Give everyday examples of where we will use the volume, capacity and the surface area of:
 - cubes
 - rectangular prisms
 - triangular prisms




Sign: _____
Date: _____

R16a

Data

Revise: Look at the data handling cycle and describe it.



Hypothesis: grade 9 girls do better in mathematics and science than grade 9 boys.

A **hypothesis** is a statement or prediction for which sound evidence of its truth has to be found.

Here are some examples of hypotheses:

- Everybody in grade 9 owns a cell phone.
- All grade 9s like junk food.

1. Form your research team.

Names of your research team:



2. What is the aim of your research?

3. What is your hypothesis?

Primary data	Population
Secondary data	Survey
Sample	Questionnaire

4. Questions that might help you to plan:

a. What data do you need?

b. Who will you get it from?

c. How will you collect it?

d. How will you record it?

e. How will you make sure the data is reliable?

f. Why? Give reasons for the choices you made.

continued ➔



Sign: _____
Date: _____

R16b

Data continued

Term 1

Tables**Tallies**Stem and
leaf tablesRange
Mean
Median
Mode**7. Use the data you collected and recorded to:**

- Organise your data in a frequency table.

- Calculate the mean, median and mode.

- Calculate the data range.

- Draw a stem-and-leaf display.

- e. Represent your data in a graph. You may use more than one type of graph.

Problem solving


Interpret your graphs and tables and write a report, using the following headings:

1. Aim
2. Hypothesis
3. Plan
4. Data collection
5. Analysis
6. Conclusions
7. Appendices
8. References




Date:

Notes



--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



Grade



Mathematics




WORKSHEETS

1 to 64

ENGLISH
Book
1

Real numbers, rational numbers and irrational numbers

Real number Venn diagram – a diagrammatic illustration of the real number system



$$\mathbb{N} \subset \mathbb{Z} \subset \mathbb{Q} \subset \mathbb{A}_R \subset \mathbb{R}$$

(\subset = subset of)

1. Study these definitions of numbers:

Natural N for Natural

Natural numbers are counting numbers (1, 2, 3, ...) (\mathbf{N}_1) and the positive integers of the whole numbers (0, 1, 2, 3, ...) (\mathbf{N}_0). Mathematicians use the term "natural" in both cases.

Integer (Z for Zahlen ('numbers' in German))

Integers are the natural or whole numbers and their negatives (... -3, -2, -1, 0, 1, 2, 3, ...).

Rational (Q for Quotient)

Rational numbers are numbers that can be expressed as a fraction of an integer (that is a ratio of an integer). Rational numbers can be added, subtracted, multiplied and divided. Eg. $\frac{1}{2} = 0,5$ or $\frac{1}{3} = 0,333 \dots$ Rational decimal expansions end or repeat.

Real Algebraic (A_R for Algebraic_{Real})

A real algebraic number is defined as a number that is the root of a polynomial with rational coefficients. Real algebraic numbers may be rational or irrational. The number $\sqrt{2} = 1.41421 \dots$ is a real algebraic number that is irrational.

Real (R for Real)

Real numbers are all the numbers (all the points) on the continuous, infinitely long number line with no gaps. It is a collection of every possible infinite decimal expansion. Real numbers may be rational or **irrational**, and algebraic or non-algebraic (**transcendental**). The numbers $\pi = 3.14159 \dots$ and $e = 2.71828 \dots$ are transcendental. A transcendental number can never be written as an exact fraction of a whole number, it requires an infinite series of terms.

Irrational

These numbers cannot be written as fractions of whole numbers. Irrational decimal expansions neither end nor repeat.

Transcendental

These are irrational numbers that cannot be constituted back as an integer through an arithmetical operation.



Sign:

Date:

continued ➔

Real numbers, rational numbers and irrational numbers continued

2. Match these descriptions with the correct number line. Start at 'Integer, Z'.


A number that can be expressed as a fraction of an integer

All the numbers


Natural numbers and their negatives

Rational or irrational numbers


Natural, N




Integer, Z




Rational, Q



Real algebraic, A_R



Real, R



3. What do the intervals between the integers on these number lines on the previous page mean?

i. Rational

ii. Real algebraic

iii. Real

4. Complete the table by putting ticks (\checkmark) in the appropriate columns.

		Whole number	Natural number	Integer	Rational number	Irrational number	Real number
a	200	\checkmark	\checkmark	\checkmark	\checkmark		\checkmark
b	-29						
c	0						
d	1						
e	$\frac{12}{50}$						
f	0,987						
g	$\sqrt{81}$						
h	$\sqrt{5}$						
i	π						
j	124,54						
k	$\frac{22}{7}$						
l	$\sqrt{25 + 9}$						

Problem solving



The number **e** (Euler's Number) is a famous irrational number. Why?



Sign:

Date:

Factorisation

Study these methods of factorisation:

Method 1:

Ladder method.

$$\begin{array}{r|l} 12 & 2 \\ 6 & 2 \\ 3 & 3 \\ 1 & \end{array}$$

In this example every factor is a prime number.

We can write it as:
 $2 \times 2 \times 3 = 12$
 or $2^2 \times 3 = 12$

Method 2:


What are the prime factors of 12?
 Break 12 into 4×3 .

The prime factors of 4 are 2 and 2.
 The prime factor of 3 is 3.

So the prime factors of 12 are 2, 2, 3.

We can write it as $2 \times 2 \times 3 = 12$
 or
 $2^2 \times 3 = 12$

Method 3:



Remember it is important to know your divisibility rules when working with prime numbers.



1. a. Factorise 15.

Method 1:	Method 2:	Method 3:

b. Factorise 72.

Method 1:	Method 2:	Method 3:

Before carrying on with questions c and d say which method you like the most and why.

c. Factorise 95.

Method 1:	Method 2:	Method 3:

d. Factorise 100.

Method 1:	Method 2:	Method 3:

2. Prime factorisation is finding which prime numbers multiply together to make the original number. Knowing prime factorisation will help you a lot as you carry on with maths. Why? Read the comic strip. Each time a character says 'let me try', try and do it yourself.

<p>a. The importance of prime numbers is that any integer can be decomposed into a product of primes.</p>  <p>Give me an example.</p> 	<p>b. You might want to know how many different pairs of numbers can be multiplied to get 360. You can start by trying to write them down.</p>  <p>Let me try.</p> 
<p>c. I hope you didn't miss any. Now write 360 as a product of prime factors.</p>  <p>Let me try.</p> 	<p>d. You will see that every composite factor of 360 is a product of a subset of the prime factors.</p>  <p>Let me try.</p> 

Problem solving

Prime numbers are numbers that can be divided only by one and themselves. Show this with all the numbers between 100 and 200.



Sign:
Date:

Ratio, proportion and speed

Problems about the distance travelled in a given time can be solved using formulae.

To find distance:

$$\text{Distance} = \text{Speed} \times \text{Time}$$

$$d = s \times t$$

To find time:

$$\text{Time} = \frac{\text{Distance}}{\text{Speed}}$$

$$t = \frac{d}{s}$$

To find rate (speed):

$$\text{Speed} = \frac{\text{Distance}}{\text{Time}}$$

$$s = \frac{d}{t}$$

When we solve problems using these formulae use ratio and proportion.

A ratio is a way of comparing the sizes of two or more quantities. So 4:7 and 8:14 are ratios.

A proportion is a statement that two ratios are equivalent. So 4:7 is proportional to 8:14 (meaning that 4 is to 7 as 8 is to 14).

A proportion can be written in two ways:

- as two equal fractions: $\frac{4}{7} = \frac{8}{14}$ or
- like this: $4 : 7 = 8 : 14$ (or like this $4 : 7 :: 8 : 14$)

When two ratios are equal, the cross-products of the ratios are equal. So for the proportion $a:b::c:d$ you can multiply, $a \times d = b \times c$, as in this example:

$$\frac{4}{7} = \frac{8}{14} \text{ so } 4 \times 14 = 56 \text{ and } 7 \times 8 = 56$$

Example: My family travelled 300 km at a speed of 60 km per hour. For how long did they travel?

The speed (rate) "km per hour" gives distance travelled per unit of time.

What do we want to find out? The time.



Use 'cross' products.

We can use a formula or work with ratios and proportion.

Formula to find time:

$$\text{Time} = \frac{\text{Distance}}{\text{Speed (Rate)}}$$

$$\text{Time} = \frac{300}{60} = 5 \text{ hours}$$

Working with ratio and proportion.

$$\frac{60 \text{ km}}{1 \text{ h}} = \frac{300 \text{ km}}{t}$$

$$60 \times t = 300 \times 1$$

$$60t = 300$$

$$\frac{60t}{60} = \frac{300}{60}$$

$$t = 5$$

1. Complete the table.

	Speed (Rate)	Time	Distance	Formula
a.	90 km/h	?	11 700 km	
b.	50 km/h	8 hours	?	
c.	120 km/h	?	61 200 km	
d.	500 km/h	2 hours 30 minutes	?	
e.	1 000 km/h	?	20 000 m	

2. A car travels 60 km in 36 minutes. At the same average speed, how far will it travel in 1 hour 12 minutes?

3. A train travelling at an average speed of 100 km/h covers a certain distance in 3 hours 36 minutes. At what average speed must the train travel to cover the same distance in 2 hours 30 minutes?

Problem solving

Write a problem using a example from your day-to-day life on speed, distance and time. Ask a family member to help you.




Sign:

Date:

What is direct proportion?

Direct proportion

As one value increases (or decreases), so does the other. How do you think this will look on a graph?



While you are busy with this worksheet think about what **inverse proportion** could mean. We will deal with it in the next worksheet.




Using different methods to solve proportion problems

Example: 4 books cost R150. How much do 7 books cost?

Method 1: Unitary	Method 2: Cross-multiply	Method 3: Rule of three																				
<p>Find the value of 1 unit and multiply to find the value of the required number of units</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <th>Books</th> <th>Rands</th> </tr> <tr> <td>4</td> <td>R150</td> </tr> <tr> <td>1</td> <td>$\frac{R150}{4} = R37,50$</td> </tr> <tr> <td>7</td> <td>$7 \times R37,50 = R262,50$</td> </tr> </table> 	Books	Rands	4	R150	1	$\frac{R150}{4} = R37,50$	7	$7 \times R37,50 = R262,50$	<p>Cross-multiply</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <th>Books</th> <th>Rand</th> </tr> <tr> <td>4</td> <td>R150</td> </tr> <tr> <td>7</td> <td>x</td> </tr> </table> $4 : 150 = 7 : x$ $(1^{\text{st}} : 2^{\text{nd}} = 3^{\text{rd}} : 4^{\text{th}})$ $4 \times x = 7 \times R150$ $(1^{\text{st}} \times 4^{\text{th}} = 2^{\text{nd}} \times 3^{\text{rd}})$ $\frac{4}{7} = \frac{R150}{x}$ $\frac{4x}{4} = \frac{R1\,050}{4}$ $x = R262,50$	Books	Rand	4	R150	7	x	<p>Align terms in correct columns; multiply 3rd term by 2nd; then divide by 1st.</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <th>Books</th> <th>Rand</th> </tr> <tr> <td>4</td> <td>R150</td> </tr> <tr> <td>7</td> <td>x</td> </tr> </table> $4 : 150 = 7 : x$ $(1^{\text{st}} : 2^{\text{nd}} = 3^{\text{rd}} : 4^{\text{th}})$ $x = (7 \times R150) \div 4$ $(x = 3^{\text{rd}} \times 2^{\text{nd}} \div 1^{\text{st}})$ $x = \frac{7 \times 150}{4}$ $x = R262,50$	Books	Rand	4	R150	7	x
Books	Rands																					
4	R150																					
1	$\frac{R150}{4} = R37,50$																					
7	$7 \times R37,50 = R262,50$																					
Books	Rand																					
4	R150																					
7	x																					
Books	Rand																					
4	R150																					
7	x																					

Draw a graph.




How does this graph show direct proportion?



1. Use the 3 methods to solve this problem and draw a graph.
5 T-shirts cost R120. How much will 9 cost?

Method 1:	Method 2:	Method 3:

Draw a graph to show this.



Sign:
Date:


Problem solving

Where in your day to day life will you use direct proportion. Draw it on a graph?

Inverse proportion

Inverse proportion

As one value increases, the other value shows a matching decrease.



1. Solve using all the methods and draw a graph.


Example: Ten people take 4 days to dig a hole, how long will it take 8 men?

Method 1: Unitary	Method 2: Vedic	Method 3: Rule of three
Method 1: Unitary Find the value of 1 unit and multiply to find the value of the required number of units.	Method 2: Vedic Align terms in correct columns; multiply 1 st term by 2 nd and 3 rd by 4 th .	Method 3: Rule of three Align terms in correct columns; multiply 1 st term by 2 nd term then divide by 3 rd .
People 10 take 4 1 takes $10 \times 4 = 40$ 8 take $\frac{40}{8} = 5$ 8 people will take 5 days Note: Fewer people more time 	People 10 4 8 x $10 : 8 = 4 : x$ $(1^{\text{st}} : 2^{\text{nd}} = 3^{\text{rd}} : 4^{\text{th}})$ $10 \times 4 = 8 \times x$ $(1^{\text{st}} \times 2^{\text{nd}} = 3^{\text{rd}} \times 4^{\text{th}})$ $40 = 8x$ $\frac{8x}{8} = \frac{40}{8}$ $x = 5$	People 10 4 8 x $10 : 8 = 4 : x$ $(1^{\text{st}} : 2^{\text{nd}} = 3^{\text{rd}} : 4^{\text{th}})$ $x = 10 \times 4 \div 8$ $(x = 1^{\text{st}} \times 2^{\text{nd}} \div 3^{\text{rd}})$ $x = \frac{10 \times 4}{8}$ $x = 5$

- a. If it takes 3 people to make 21 T-shirts per day, how long will it take 12 people?

Method 1:	Method 2:	Method 3:

- b. Draw a graph.



- c. How does this graph show inverse proportion?



Problem solving

When in your day-to-day life would you use inverse proportion? Draw this on a graph.



Sign: _____
Date: _____

Finances – Budget, Loans and Interest

Can you still remember what a **budget** is?

Budget is the estimate of cost and revenues over a specified period.



What are **loans** and **interest**?

A **loan** is sum of money that an individual or a company lends to an individual or company with the objective of gaining profits when the money is paid back.

Interest is the fee charged by a lender to a borrower for the use of borrowed money. The rate of interest is usually expressed as an annual percentage of the amount borrowed (the principal amount).

Do you know what the difference is between **simple** and **compound** interest?

Interest can be calculated in two ways:

- **Simple Interest**

The formula for simple interest is:

$$\frac{\text{Principal amount} \times \text{rate of interest (\%)} \times \text{number of periods}}{100}$$

- **Compound Interest**

Compound interest means that the interest will include interest calculated on interest.

- The formula for calculating the Total future amount owed is:

$$\frac{\text{Principal amount} \times (1 + \text{Rate of interest (\%)})^{\text{Number of periods}}}{100}$$

Example of compound interest

- An amount of R100 is invested for two years with interest of 10 % compounded (added) yearly.
- The interest at the end of the first year would be: $R100 \times 10 \% = R10$
- In the second year the interest rate of 10 % would apply not only to the R100, but also to the R10 interest of the first year.
- In the second year the interest would be: $R110 \times 10 \% = R11$
- Total interest earned over the two years will be: $R10$ (year 1) + $R11$ (year 2) = $R21$
- Total investment after two years: $R100$ (principal amount) + $R21$ (interest) = $R121$
- Using the formula: Total future amount = $R100 (1 + 0,10)^2$
= $R100 (1,1)^2$
= $R100 (1,21)$
= $R121$

1. Palesa needs to earn R500 in interest so she will have enough to buy a used bicycle. She puts R2 000 into an account that earns 5 % per year simple interest. How long will she need to leave her money in the account to have enough money for the bicycle?

2. Thabo has R500 that he invests in an account that pays 8 % interest compounded yearly. How much money does Thabo have at the end of 3 years?

3. Susan has R1 000 that she invests in an account that pays 7.5 % interest compounded yearly. How much money does Susan have at the end of 5 years?

4. You saved R4 750 during the last year. You decide that it will be the best to invest the money. At your local bank they have two investment options:

Option 1: A 5 Year fixed deposit with 3,25 % simple interest per year.

Option 2: A 5 Year fixed deposit with 3,10 % compound interest per year. Which 5 year investment will be the best?

Problem solving


Suppose that you want to have R100 000 in thirty-six months' time when plan to enrol at a university. You want to invest in a plan yielding 3,5% interest per year, compounded monthly. How much should you invest?



Sign: _____
Date: _____

Finances – Hire Purchase

Can you still remember the meaning of **hire purchase**?



Hire purchase is a system by which a buyer pays for an asset in regular installments, while enjoying the use of it.

During the repayment period, ownership of the item does not pass to the buyer. Upon the full payment of the loan, the title passes to the buyer.



Many organisations enter into hire purchase or leasing agreements to pay for and use equipment over a period of time rather than pay the full cost up front.

The repayment period is normally the same as the production life of the machine. For example: a farmer buys a tractor and pays it off over 5 years. After 5 years he typically has to replace the tractor.

1. The hire purchase price of a refrigerator is R6 500. The deposit of R500 is made and the remainder is paid in equal monthly payments of R250.
 - a. Calculate the number of monthly payments that must be made.
 - b. If the cash price is R4 000, express as a percentage of the cash price, the extra cost of buying on hire purchase.
 - c. What is the interest rate (simple interest) charged on this transaction?

2. A new TV costs R6 900 cash. It is available on hire purchase with a deposit of 15% followed by 12 instalments of R558,50. Find the total hire purchase price and the extra amount that you would pay (on top of the cash price) using hire purchase.

3. The cash price of a bike is R220. The hire purchase price is R300. If the deposit is 10% followed by 10 equal monthly instalments, find the amount you will pay each month.

Problem solving

A DVD player costs R240 cash. It is available on hire purchase by paying a deposit of 20% followed by 12 instalments of R18,50. Find the extra amount paid by hire purchase.

If you save R18,50 per month at 12% interest per year compounded monthly. How long must you save to buy the DVD in cash?
How much will you save?




Remember interest is compounded monthly.
Draw a table to help you.



Sign: _____
Date: _____

Finances – Exchange rates

Do you know what exchange rate means?



An **exchange rate** is the current market price for which one currency can be exchanged for another.



The **Rand** (sign: R; code: ZAR) is the currency of South Africa.

In modern China, people use **Renminbi** as their money. In Chinese, "Renminbi" means "people's money". A unit of this currency is called the **Yuan**.

The symbol for the Yuan looks like this: ¥ (code: CNY)

The **Canadian Dollar** (sign: \$; code: CAD) is the currency of Canada.

Use the exchange rates in the table to help you solve the word problems. Show your work in the space provided.

	ZAR (R)	USD (\$)	GBP (⠟)	CAD (\$)	EUR (€)	AUD (\$)
ZAR	1,00	6,76	11,06	6,89	9,88	7,17
USD	0,15	1,00	1,60	0,92	1,46	0,87
GBP	0,09	1,09	1,00	0,58	0,91	0,55
CAD	0,15	1,09	1,74	1,00	1,59	0,95
EUR	0,10	0,69	1,10	0,63	1,00	0,60
AUD	0,14	1,15	1,83	1,05	1,67	1,00

1. Suzanne wants to order a new CD from Germany. She has R250 in her savings account. The CD costs €5. Once she has bought the CD, how much money will she have left in ZAR?

If she can order the same CD from Canada for \$7, where must she order it from for the best price provided the shipment cost is the same.

2. Reinette lives in Worcester, South Africa. Her uncle lives in Sydney, Australia. For her birthday, Reinette received \$50 from her uncle. How many South African Rands (ZAR) can she buy with her birthday money?

3. Reinette takes the money she received from her uncle and orders a new computer programme from America. After she has bought the programme, she will still have R150 left. How much does the programme cost in US\$?

4. Reinette wants to order another programme from England. The programme costs £15. Will Reinette have enough money to buy this programme?

Problem solving

Which currency in the table has the highest valued currency unit?



Sign:
Date:

Finances – Commissions and Rentals

**Do you know what commission means?
What are rentals?**



Commission is the fee charged by a broker or an agent for his/her service to facilitate a transaction, such as the buying or selling of goods.

Rental is when an item is leased out for a specific period of time.



Many employees are paid salaries based on the number of hours they have worked over a given period of time plus a commission.



- Andrew lives in Johannesburg. His parents are planning a vacation to Cape Town. They decide to fly to Cape Town and then rent a car. The car rental company charge R200 per day (including 200 km free) and R1,80 per km. The insurance will be 7,5% of the daily rental amount and the GPS an additional R45 per day.

What will the total cost be for the car rental if they spent 6 days in Cape Town and travelled 1650 km in total?

- A truck rental agency charges a daily fee plus a kilometre fee. Julie was charged R460 for two days and 100 kilometres and Christina was charged R 1 050 for three days and 400 kilometres. What is the agency's daily fee and what is the kilometre fee?

3. Hertz has a processing fee of R115,00 and charges R210 per day for car rental. Avis Car Rental has a processing fee of R255,00 and charges R190 per day for a car. When will the cost of the rentals be equal?

4. Tara is a sales representative for a cosmetic company. She is paid R5,15 per hour each week plus a commission of 10% on the amount of sales over R5 000. She works 40 hours one week, and she sells R7 260 worth of cosmetics during that week. She has been offered a job at another cosmetic company that pays R5,00 per hour for a 40 hour work week plus a commission of 4% on total sales. Which job would pay more? Should she change jobs?

5. Two furniture salesmen are comparing their salaries. Gert is paid R25,00 per hour plus a 15% commission on his total sales. Ben is paid R29,00 per hour plus a 10% commission on his total sales. Suppose each has sold R5 000 worth of furniture, compare their income over various periods of time to find out when they will earn the same. What will happen after that point? Who would have earned more before that point?

Problem solving

A real estate agent received a 6% commission on the selling price of a house. If his commission was R8 650, what was the selling price of the house?



Sign:

Date:

Revise: give an example of each property. Write a rule for each.

Commutative

Associative

Distributive

Zero as a property of addition

One as a property of multiplication

1. Use the commutative property to show that the equations are equal.

Examples:

- $a + b = b + a$
- $a^2 + b^2 = b^2 + a^2$
- $a \times b^2 = b^2 \times a$
- $2a + b = b + 2a$
- $2a \times 2b = 2b \times 2a$

But:

- $a \div b \neq b \div a$
- and
- $a - b \neq b - a$

a. $y^2 + x =$

b. $3x + y^2 =$

c. $3x^2 + 5y^2 =$

d. $2x + y =$

e. $5y + x^2 =$

If $x = 2$ and $y = -3$, solve each of the equations in a to e.

f.

g.

h.

$$\begin{array}{ll} y^2 + x & \text{and} \\ = (-3)^2 + 2 & x + y^2 \\ = 9 + 2 & = 2 + (-3)^2 \\ = 11 & = 2 + 9 \\ & = 11 \end{array}$$

i.

j.

2. Use the associative property to show that the equations are equal.

Examples:

- $(a + b) + c = a + (b + c)$
- $(a^2 + b^2) + c^2 = a^2 + (b^2 + c^2)$
- $(a \times b) \times c = a \times (b \times c)$
- $(a^2 \times b) \times c = a^2 \times (b \times c)$

But:

- $(a - b) - c \neq a - (b - c)$
and
- $(a \div b) \div c \neq a \div (b \div c)$

a. $(3m + n) + p^2 =$

b. $(n^2 + p^3) + 4m^2 =$

c. $(m \times p) \times n^3 =$

d. $(p^2 \times n^3) \times m^3 =$

e. $(n \times p^2) \times m^3 =$

Test both sides of your equations in a to e if $m = -4$ and $n = 6$.

f.

g.

h.

i.

j.



Sign:

Date:

continued ➞

3. Use the distributive property to show that the equations are equal.

Examples: $a(b + c) = a \times b + a \times c$

$$a(b^2 + c^2) = a \times b^2 + a \times c^2$$

$$a(b - c) = a \times b - a \times c$$

$$a(b^2 - c^2) = a \times b^2 - a \times c^2$$

a. $(b^2 + c^3)d =$

b. $(d^2 \times b^3) + (d^2 \times c^3) =$

c. $d \times (c + b^2) =$

d. $c(b + d^2) =$

e. $(b^2 + d^2) \times c^3 =$

Now test both sides of each equation in a to e if $b = 1$, $c = 3$ and $d = 4$.

f.

g.

h.

i.

j.

4. Use the identity property of addition or multiplication to make the equations true.

Example:

$$a \underline{\quad} = a$$
$$a + 0 = a \text{ or } a \times 1 = a$$

a. $b \underline{\quad} = b$
or
 $b \underline{\quad} = b$

b. $c^2 \underline{\quad} = c^2$
or
 $c^2 \underline{\quad} = c^2$

c. $p^3 \underline{\quad} = p^3$
or
 $p^3 \underline{\quad} = p^3$

d. $m^3 p^2 \underline{\quad} = m^3 p^2$
or
 $m^3 p^2 \underline{\quad} = m^3 p^2$

e. $xx \underline{\quad} = x^2$
or
 $xx \underline{\quad} = x^2$

Problem solving

Use values a , b and c as well as the distributive property to write an equation and then solve it using the following: $a = 2$, $b = 3$, $c = -1$



Sign:

Date:

Addition and subtraction of fractions

Before starting this worksheet make sure you know what the following mean. Give an example of each.

Factors

HCF

Multiples

LCM

Improper fraction to mixed number

Mixed number to improper fraction

To simplify a fraction

1. Show why these fractions are equivalent.

Example: $\frac{3}{9} = \frac{1}{3}$

Factors of 3 = {1, 3}
 Factors of 9 = {1, 3, 9}

$$\text{HCF} = 3$$

$$\therefore \frac{3}{9} \div \frac{3}{3} = \frac{1}{3}$$

HCF stands for highest common factor.



a. $\frac{4}{28} = \frac{1}{7}$

b. $\frac{24}{60} = \frac{2}{5}$

c. $\frac{25}{125} = \frac{1}{5}$

2. Calculate and simplify fractions that are multiples of each other.

Example:
$$\begin{aligned} \frac{1}{2} + \frac{3}{4} &= \frac{1}{2} \times \frac{2}{2} + \frac{3}{4} \\ &= \frac{2}{4} + \frac{3}{4} \text{ or } \frac{2+3}{4} \\ &= \frac{5}{4} \\ &= 1\frac{1}{4} \end{aligned}$$

Why did we multiply $\frac{1}{2} \times \frac{2}{2}$?

Can we add fractions with different denominators?



Yes, if we make the denominators the same.

a. $\frac{2}{4} + \frac{7}{8} - \frac{1}{6} =$

b. $\frac{9}{10} - \frac{3-2}{5} + \frac{7}{8} =$

c. $\frac{2}{6} + \frac{5+1}{12} =$

$$d. \frac{8}{10} + \frac{2}{6} - \frac{9}{12} =$$

$$e. \frac{13}{15} - \frac{8}{10} + \frac{1}{5} =$$

$$f. \frac{3}{4} - \frac{5-3}{6} + \frac{7}{8} =$$

3. Calculate and simplify fractions that are not multiples of each other.

Example: $2\frac{1}{5} + \frac{3}{6}$
= $\frac{11}{5} + \frac{3}{6}$

Multiples of 5 = {5; 10; 15; 20; 25; 30; 35}

Multiples of 6 = {6; 12; 18; 24; 30; 36}

LCM = 30

$$\begin{aligned} &= \frac{11}{5} \times \frac{30}{30} + \frac{3}{6} \times \frac{30}{30} \\ &= \frac{11}{1} \times \frac{6}{30} + \frac{3}{1} \times \frac{5}{30} \\ &= \frac{66}{30} + \frac{15}{30} \\ &= \frac{21}{30} \\ &= 2\frac{7}{10} \end{aligned}$$

LCM stands for
lowest common
multiple.



$$a. 3\frac{7}{10} - 1\frac{8}{9} =$$

$$b. -2\frac{2}{10} + 1\frac{6}{7} =$$

$$c. 8\frac{3}{4} - 6\frac{5}{6} + \frac{1}{2} =$$

$$d. 5\frac{4}{10} - 8\frac{4}{5} =$$

$$e. 3\frac{1}{2} + 2\frac{3}{9} + \frac{3}{8} =$$

$$f. 9\frac{7}{8} - 7\frac{3}{7} =$$

Problem solving

If the answer to a sum is $\frac{3}{4}$, what could the sum be? Create some of your own word sums like this.



Sign:
Date:

Addition and subtraction of fractions that include squares, cubes, square roots and cube roots

Before starting this worksheet make sure you know what the following mean. Give an example of each.

Calculate a square number

Calculate a square root

Calculate a cube number

Calculate a cube root

1. Calculate the following fractions, using the example to guide you.

Example 1: $\frac{2^2}{2^3} + \frac{3^2}{4^2}$

$$\begin{aligned} &= \frac{4}{8} + \frac{9}{16} \\ &= \frac{8}{16} + \frac{9}{16} \\ &= \frac{17}{16} \\ &= 1\frac{1}{16} \end{aligned}$$



Look at example 2:
Why is it important
to understand LCM
and HCF when we
calculate fractions?

Example 2: $-\frac{1^3}{3^2} - \frac{2^3}{4^2}$

$$\begin{aligned} &= -\frac{1}{9} - \frac{8}{16} \\ &= -\frac{16}{144} - \frac{72}{144} \\ &= -\frac{88}{144} \\ &= -\frac{11}{18} \end{aligned}$$

9	3	16	2
3	3	2	2
1		2	2
		2	2

LCM: $3 \times 3 \times 2 \times 2 \times 2 \times 2 = 144$

HCF = 8
 $88 \div 8 = 11$
 $144 \div 8 = 16$

88	(2)	144	(2)
44	(2)	72	(2)
22	(2)	36	(2)
11	11	18	2
1		9	3
		3	3
		1	

HCF: $2 \times 2 \times 2 = 8$

a. $\frac{8^2}{8^3} - \frac{10^2}{10^3} =$

b. $\frac{2^2}{2^3} + \frac{7^2}{7^3} =$

c. $\frac{4^2}{4^3} + \frac{4^2}{4^3} =$

d. $\frac{5^2}{5^3} - \frac{3^2}{3^3} =$

e. $\frac{1^2}{1^3} - \frac{9^2}{9^3} + \frac{11^2}{11^3} =$

f. $\frac{4^2}{4^3} + \frac{15^2}{15^3} =$

2. Calculate.

Example: $\frac{\sqrt{9}}{\sqrt{16}} + \frac{\sqrt[3]{8}}{\sqrt[3]{27}}$

$$\begin{aligned}
 &= \frac{3}{4} + \frac{2}{3} \\
 &= \frac{9}{12} + \frac{8}{12} \text{ or } \frac{9+8}{12} \\
 &= \frac{17}{12} \\
 &= 1\frac{5}{12}
 \end{aligned}$$

a. $\frac{\sqrt{25}}{\sqrt{100}} + \frac{\sqrt[3]{1331}}{\sqrt{144}} =$

b. $\frac{\sqrt{36}}{\sqrt[3]{1000}} - \frac{\sqrt[3]{64}}{\sqrt{25}} =$

c. $\frac{\sqrt{1}}{\sqrt{9}} + \frac{\sqrt[3]{8}}{\sqrt{16}} =$

d. $\frac{\sqrt{1}}{\sqrt[3]{1000}} - \frac{\sqrt[3]{64}}{\sqrt{25}} =$

e. $\frac{\sqrt[3]{1331}}{\sqrt[3]{8}} + \frac{\sqrt{169}}{\sqrt{44}} =$

f. $\frac{\sqrt{81}}{\sqrt[3]{1000}} - \frac{\sqrt[3]{27}}{\sqrt[3]{64}} =$

Problem solving

Create your own word sums using cubes and cube roots.



Sign:
Date:

What is the reciprocal of a number?

To get the reciprocal of a number divide 1 by the number.

The reciprocal of 2 is $\frac{1}{2}$

If you multiply a number by its reciprocal you get 1.

... such as $3 \times \frac{1}{3} = 1$

Did you know that every number has a reciprocal except 0?

... because $\frac{1}{0}$ is undefined.

A reciprocal is also called the multiplicative inverse.

1. Calculate and simplify.

Example:

$$\begin{aligned} & 6 \times \frac{1}{2} \\ &= \frac{6}{1} \times \frac{1}{2} \\ &= \frac{6}{2} \\ &= 3 \end{aligned}$$

a. $8 \times \frac{1}{2} =$

b. $9 \times \frac{1}{3} =$

c. $7 \times \frac{1}{14} =$

d. $5 \times \frac{2}{15} =$

e. $4 \times \frac{2}{12} =$

f. $9 \times \frac{1}{27} =$

2. Simplify.

You can simplify by finding the highest common factor (HCF) – if you cannot find the HCF straight away, keep on simplifying using smaller common factors.

Example:

$$\begin{aligned} & \frac{4}{8} \times \frac{7}{6} \\ & \frac{4 \times 7}{8 \times 6} = \frac{28}{48} \end{aligned}$$

Simplify if needed:

$$\begin{aligned} & \frac{28}{48} \div \frac{4}{4} \\ &= \frac{7}{12} \end{aligned}$$

How did I know to simplify by dividing by 4?

Factors of 28 = {1; 2; 4; 7; 14; 28}

Factors of 48 = {1; 2; 4; 6; 8; 12; 16; 24; 48} or

Factorisation:

Option 1 Option 2

48	2	28	2
24	2	14	2
12	2	7	7
6	2	1	
3	3		
1			

$$\begin{aligned} 48 &= 2 \times 2 \times 2 \times 2 \times 3 \\ 28 &= 2 \times 2 \times 7 \end{aligned}$$

$$\text{HCF} = 2 \times 2 = 4$$

a. $\frac{1}{6} \times \frac{2}{4} =$

b. $\frac{3}{4} \times \frac{2}{5} =$

c. $\frac{2}{7} \times \frac{1}{2} =$

3. Simplify.

Example:

$$\begin{aligned} & -\frac{8}{9} \times \frac{7}{10} & -\frac{8 \times 7}{9 \times 10} \\ & = -\frac{8}{9} \times \frac{7}{10} & \text{or} & = -\frac{56}{90} \\ & = -\frac{28}{45} & & = -\frac{56}{90} \div \frac{2}{2} \\ & & & = -\frac{28}{45} \end{aligned}$$

90	2	56	2
45	5	28	2
9	3	14	2
3	3	7	7
1		1	

$$\begin{aligned} 90 &= 2 \times 5 \times 3 \times 3 \\ 56 &= 2 \times 2 \times 2 \times 7 \end{aligned}$$

HCF = 2

x a. $\frac{2}{10} \times \frac{6}{8} =$

b. $\frac{2}{6} \times -\frac{3}{7} =$

c. $\frac{4}{8} \times \frac{2}{2} =$



Sign:

Date:

continued ➔

Multiplication of fractions continued

4. Simplify.

Example:

$$\begin{aligned}
 & \frac{12}{14} \times \frac{7}{8} & & \frac{12 \times 7}{14 \times 8} \\
 & = \frac{12}{14} \times \frac{7}{8} & \text{or} & \frac{84 \div 24}{112 \div 24} \\
 & = \frac{3 \times 1}{2 \times 2} & & = \frac{3}{4}
 \end{aligned}$$

Simplify by finding the highest common factor (HCF). If you cannot straight away find the HCF, keep on simplifying



112	2	84	2
56	2	42	2
28	2	21	7
14	2	3	3
7	7	1	
1			

$$\begin{array}{r}
 2 \times 2 \times 2 \times 2 \times 7 \\
 2 \times 2 \times 3 \times 7
 \end{array}$$

LCM = 28

HCF = 7

a. $\frac{3}{4} \times \frac{4}{7} =$

b. $\frac{2}{9} \times \frac{3}{10} =$

c. $\frac{4}{8} \times \frac{1}{6} =$

5. Simplify and write your answers as mixed numbers (use a calculator if needed):

Example:

$$\begin{aligned}
 & 4 \frac{5}{6} \times 3 \frac{2}{3} \\
 & = \frac{29}{6} \times \frac{11}{3} \\
 & = \frac{29 \times 11}{6 \times 3} \\
 & = \frac{319}{18} \\
 & = 17 \frac{13}{18}
 \end{aligned}$$

REVISION

To convert mixed numbers to improper fractions:

$4 \frac{5}{6}$ (multiply 4 by 6 and add 5 = $\frac{29}{6}$ to get the numerator).

$3 \frac{2}{3}$ (multiply 3 by 3 and add 2 to get the numerator = $\frac{11}{3}$).

To change an improper fraction to a mixed number:

$\frac{319}{18}$ (ask how many times 18 goes into 319 ($319 \div 18 = 17 \text{ rem } 13$) = $17 \frac{13}{18}$).

Use a calculator if necessary.

a. $2 \frac{1}{3} \times \frac{1}{4} =$

b. $\frac{1}{2} \times 2 =$

c. $3 \frac{4}{5} \times 4 \frac{2}{20} =$

6. Simplify.

Example:

$$\begin{aligned} -5 \frac{1}{2} \times \frac{4}{10} \\ = -\frac{11}{2} \times \frac{4}{10} \\ = -\frac{11 \times 4}{2 \times 10} \\ = -\frac{44}{20} \\ = -2 \frac{4}{20} \\ \text{Simplify} = -2 \frac{1}{5} \end{aligned}$$

REVISION

Do you still remember?

- (positive number) \times (positive number) = positive number
- (positive number) \times (negative number) = negative number
- (negative number) \times (negative number) = positive number

a. $\frac{8}{9} \times -\frac{3}{4} =$

b. $-3 \frac{3}{8} \times \frac{1}{2} =$

c. $-\frac{1}{4} \times -1 \frac{1}{4} =$

Problem solving

A train has nine passenger wagons. Each passenger wagon has a seating capacity of 30. If these passenger wagons are replaced with wagons that have half the seating capacity, how many wagons will the train have to have to accommodate the same number of passengers?



Sign:

Date:

Revision: what does reciprocal mean?

Number	Reciprocal
8	$\frac{1}{8}$

Compare what happens if you divide and multiply $\frac{3}{4}$ and $\frac{1}{4}$.

Multiply $\frac{3}{4} \times \frac{1}{4}$ =	Divide $\frac{3}{4} \div \frac{1}{4}$ =
---	---

What do you notice?

1. Simplify.

Example:

$$\begin{aligned} \frac{7}{9} \div \frac{4}{12} &= \frac{7}{9} \times \frac{12}{4} \\ &= \frac{28}{12} \\ &= \frac{14}{6} \\ &= 2\frac{2}{6} \\ &= 2\frac{1}{3} \end{aligned}$$

- Turn the second fraction upside-down (this is its reciprocal)
- Multiply the first fraction by that reciprocal.
- Simplify the fraction if necessary.

How do I divide a fraction by another fraction?



a. $\frac{8}{10} \div 3 =$ b. $\frac{2}{6} + \left(-\frac{8}{12}\right) =$ c. $\frac{1}{4} \div 1\frac{1}{12} =$

2. Simplify.

Example:

$$\begin{aligned}-\frac{1}{9} \div 3\frac{1}{10} \\ = -\frac{1}{9} \div \frac{31}{10} \\ = -\frac{1}{9} \times \frac{10}{31} \\ = -\frac{10}{279}\end{aligned}$$

Is it possible
to simplify this
expression?

$$-9\frac{1}{3} \div 8\frac{3}{4} =$$

a. $-3\frac{1}{16} \div 1\frac{1}{8} =$

b. $-7\frac{2}{5} \div 5\frac{1}{10} =$

c. $-9\frac{1}{3} \div \left(-8\frac{3}{4}\right) =$

3. Simplify.

Example:

$$\begin{aligned}4\frac{1}{16} \div \frac{2}{4} \\ = \frac{65}{16} \times \frac{4}{2} \\ = \frac{65}{8} \\ = 8\frac{1}{8}\end{aligned}$$

a. $2\frac{1}{4} \div 2 =$

b. $4\frac{3}{4} \div 2\frac{2}{3} =$

c. $\frac{7}{4} \div \frac{1}{4} =$

Problem solving

Ask one of your family members if they know how to divide fractions. If they don't know or can't remember, show them how to do it.



Sign:
Date:

What is 20% of R140?

$$20\% \times R140$$

$$= \frac{20}{100} \times R140$$

$$= \frac{20}{100} \times \frac{R140}{1}$$

$$= \frac{R2\,800}{100}$$

$$= R28$$

What does 'of' mean in mathematics?

What does 20 % mean?

How can I write R140 as a fraction?

Why can I also say?
 $0,2 \times R140 = R28$

**1. Calculate the following:**

a. What is 10% of R1 000?

b. What is 20% of R250?

c. What is 15% of R600?

2. Complete the following:

Example: What percentage is R1,40 (of) R10,00?

$$\begin{aligned} & \frac{\text{R1,40}}{\text{R10,00}} \text{ of } 100\% \\ = & \frac{\text{R1,40}}{10} \times \frac{100}{1}\% \\ = & 14\% \end{aligned}$$

'of' tells me it is
a multiplication
sum.

a. What percentage is R10,00 of R200,00?

b. What percentage is 20c of R1,95?



Sign:

Date:

continued

Percentages continued

3. Calculate the percentage increases. Round off your answers to the nearest hundredth.

Example: Calculate the percentage increase in the price of petrol if it increases from R9,15 per litre to R9,50 per litre.

$$R9,50 - R9,15 = R0,35$$

$$\begin{aligned} & \frac{0,35}{9,15} \times 100\% \\ &= \frac{35}{915}\% \\ &= 3,83\% \end{aligned}$$

Before you answer a and b, explain this example in your own words.



- a. Calculate the percentage increase in the price of a computer game if it increases from R450,00 to R699,00.

- b. Calculate the percentage increase in the price of milk if it increases from R8,50 per litre to R9,25 per litre.

4. Calculate these percentage decreases. Round your answers off to the nearest hundredth.

Example: Calculate the percentage decrease in the price of maize if it decreases from R1 280 per ton to R1 275 per ton.

$$R1\ 280 - R1\ 275 = R5$$

$$\begin{aligned} & \frac{5}{1\ 280} \times \frac{100}{1} \% \\ &= \frac{500}{1\ 280} \% \\ &= 0,39 \% \end{aligned}$$

Before you answer a and b, explain this example in your own words.



- a. Calculate the percentage decrease in the price of a laptop computer if it drops from R4 599 to R4 299.

- b. Coffee goes on special at the supermarket. The price drops from R52,99 per tin to R38,99 per tin. What is the percentage decrease in price?

Problem solving

Find out what the last increase or decrease in petrol was. Calculate the percentage increase or decrease. Why do you think the price of petrol regularly increases or decreases?



Sign: _____
Date: _____

Common fractions, decimal fractions and percentages

What do you need to multiply the following numbers by to make them 100? How fast can you do this?

2	4	5	8	10	20	25	70
x 50 = 100							

1. Write these fractions as percentages.

Example 1:

$$\begin{aligned} & \frac{2}{5} \\ &= \frac{2}{5} \times \frac{20}{20} \\ &= \frac{40}{100} \\ &= 0,4 \\ &= 40\% \end{aligned}$$


We can multiply 5 by 20 to get 100, so you multiply the top (numerator) and bottom (denominator) by 20.

Example 2:


$$\begin{aligned} & \frac{6}{8} \\ &= \frac{6}{8} \times \frac{125}{125} \\ &= \frac{750}{1000} \\ &= 0,75 \\ &= 75\% \end{aligned}$$

We can multiply 8 by 125 to get 1 000, so you multiply the numerator (top) and denominator (bottom) by 125. Why did we make the denominator 1 000 and not 100?

Note: $= \frac{40}{100} = 0,4 = 40\%$



Note: $= \frac{75}{100} = 0,75 = 75\%$



a. $\frac{3}{4}$

b. $\frac{2}{3}$

c. $\frac{6}{7}$

d. $\frac{1}{2}$

e. $\frac{5}{7}$

f. $\frac{1}{8}$

Example 3:

There is another method for converting a fraction into a percentage. This is useful when the denominator cannot easily be multiplied by a number to get 100 or 1 000.

$$\boxed{\frac{5}{23}}$$

$$\begin{aligned} & \frac{5}{23} \times 100\% \\ &= \frac{500}{23}\% \\ &= 21,74\% \end{aligned}$$

$$5 \quad 0 \quad 0 \quad \div \quad 2 \quad 3$$

Use a calculator for this.

g. $\frac{4}{8}$

h. $\frac{5}{25}$

i. $\frac{15}{15}$

j. $\frac{18}{20}$

k. $\frac{3}{9}$

l. $\frac{4}{36}$

2. Write as a percentage and as a common fraction, revision.

a. 0,6

b. 0,25

c. 0,75

d. 0,1

e. 0,530

f. 0,36

3. Write as a percentage and as a common fraction, revision.

a. 0,325

b. 0,205

c. 0,723

d. 0,825

e. 0,125

f. 0,065

Problem solving

Write 35,4% as a common fraction and as a decimal fraction.



Sign: _____
Date: _____

Addition, subtraction and rounding of decimal fractions

Revise:

Round off to the nearest unit. Round off 4,6 to 5.



What is 4,4 rounded off to the nearest unit?

Round off to the nearest tenth. Round off 2,73 to 2,7



What is 2,76 rounded off to the nearest tenth?

Round off to the nearest hundredth. Round off 8,469 to 8,47



What is 8,469 rounded off to the nearest hundredth?

1. Round off to the nearest unit, tenth and hundredth.

Example:

Round off 5,9 to the nearest unit: 6

Round off 5,91 to the nearest tenth: 5,9

Round off 5,905 to the nearest hundredth: 5,91

a. 0,75

Unit:

Tenth:

Hundredth:

b. 0,123

Unit:

Tenth:

Hundredth:

c. 0,825

Unit:

Tenth:

Hundredth:

d. 0,795

Unit:

Tenth:

Hundredth:

e. 0,952

Unit:

Tenth:

Hundredth:

f. 0,468

Unit:

Tenth:

Hundredth:

- 2. Calculate the following, using the expanded notation method and then the column method. Then test your answer. Round off your answer to the nearest unit, tenth and hundredth. (Use your own paper if necessary.)**

Example: expanded notation method:

$$\begin{aligned}3,765 + 2,143 \\= 3 + 2 + 0,7 + 0,1 + 0,06 + 0,04 + 0,005 + 0,003 \\= 5 + 0,8 + 0,1 + 0,008 \\= 5,908\end{aligned}$$

Column method:

$$\begin{array}{r}3,765 \\+ 2,143 \\ \hline 5,908\end{array} \quad \begin{array}{r}5,908 \\- 2,143 \\ \hline 3,765\end{array}$$

Test your answer:

3,765 rounded off to the nearest
Unit: 4
Tenth: 3,8
Hundredth: 3,77

a. $2,354 + 7,265 =$

Expanded notation	Column method	Testing	Rounded off to the nearest: Unit: Tenth: Hundredth:
-------------------	---------------	---------	--

b. $2,686 + 1,325 =$

Expanded notation	Column method	Testing	Rounded off to the nearest: Unit: Tenth: Hundredth:
-------------------	---------------	---------	--

c. $8,940 - 2,355 =$

Expanded notation	Column method	Testing	Rounded off to the nearest: Unit: Tenth: Hundredth:
-------------------	---------------	---------	--

d. $6,725 - 4,025 =$

Expanded notation	Column method	Testing	Rounded off to the nearest: Unit: Tenth: Hundredth:
-------------------	---------------	---------	--

Problem solving

Why do we round off? Find ten examples in real life when we need to round off decimal fractions in daily life.



Sign:
Date:

Multiple operations with decimals

3. Calculate the following:

Example:

$$8 \overline{)3\overset{1}{.}6}$$

$= 2 \times 0.3$	$= 0.2 \times 0.3$	$= 0.2 \times 0.03$	$= 0.002 \times 0.03$	$= 0.002 \times 0.003$
$= 1000 \div 5$	$= 100 \div 5$	$= 10 \div 5$	$= 0.1 \div 5$	$= 0.001 \div 5$
$=$	$=$	$=$	$= 0.01 \div 5$	$= 0.0001 \div 5$

How fast can you multiply or divide the following?

$= 0.2 \times 0.3$	$= 0.02 \times 0.03$	$= 0.002 \times 0.03$	$= 0.0002 \times 0.003$
$= 100 \div 5$	$= 10 \div 5$	$= 0.1 \div 5$	$= 0.001 \div 5$
$=$	$=$	$=$	$= 0.01 \div 5$

1. Calculate the following:

Example: $(6 + 0.3) \times (7 + 0.5)$
 $= (6 + 0.3) \times 7 + (6 + 0.3) \times 0.5$
 $= 6 \times 7 + 0.3 \times 7 + 6 \times 0.5 + 0.3 \times 0.5$
 $= 42 + 2.1 + 3.0 + 0.15$
 $= 47.25$

a. $(3.5 + 4.3) \times (1.2 - 0.9) =$ b. $1.2 \times (1.3 + 8.6) =$ c. $(8.2 - 6.4) \times (5.8 - 6.2) =$

$=$	$=$	$=$
$=$	$=$	$=$
$=$	$=$	$=$

2. Calculate the following:

Example: 7.3×8.4

$$\begin{array}{r} 8.4 \\ \times 7.3 \\ \hline 2.52 \\ + 58.80 \\ \hline 61.32 \end{array}$$

a. $6.2 \times 3.8 =$ b. $2.6 \times 4.9 =$ c. $9.5 \times 3.9 =$

$=$	$=$	$=$
$=$	$=$	$=$
$=$	$=$	$=$

4. Calculate the following. Check your answer with a calculator.

Example 1: $2.576 \div 0.28$

$$\begin{array}{r} 13.125 \\ 24) 315 \\ \underline{-48} \\ 72 \\ \underline{-72} \\ 0 \end{array}$$

Example 2: $3.150 \div 0.24$

$$\begin{array}{r} 13.125 \\ 24) 315 \\ \underline{-48} \\ 72 \\ \underline{-72} \\ 0 \end{array}$$

a. $1.715 \div 0.35 =$ b. $2.756 \div 0.32 =$

$=$	$=$
$=$	$=$
$=$	$=$

Problem solving

Choose one sum from questions 1, 2, 3, or 4. Write a word sum for each.

Date: _____

Calculate squares, square roots, cubes and cube roots


12a

2. Estimate these cubes and then calculate with a calculator.

Can you use a scientific calculator to calculate exponents such as 3^3 ?

Press **3**
What does \wedge mean
when you write
exponents?
 x^y

Press **5**
On so 3^3 is the same
as $3 \times 3 \times 3$.
 $=$



1. Estimate these squares and then calculate with a calculator.

Example: If $5^2 = 25$ what is 5.5^2 ?

Estimate:

- $5^2 = 25$ then 5.5^2 should be bigger than 25. Why?
- $6^2 = 36$ then 5.5^2 should be smaller than 36. Why?

Calculator
Press **5.5**
 x^y
Press **2**
 $=$
30.25

On some calculators
you don't need to
press the = button.

Remember that different
makes and models of
calculator may use
different steps.

Calculate
5, 52
 $= 5, 5 \times 5, 5$

Use the distributive property of
number.

$(5 + 0.5)(5 + 0.5)$
 $= 25 + 2.5 + 2.5 + 0.25$
= 30.25

- a. If $2^3 = 8$, what is 2.5^3 ?
b. If $8^3 = 512$, what is 8.5^3 ?

Estimate	Calculator
$4^3 = 64$ $5^3 = 125$ so the answer must be between 64 and 125	Press 4.5 x^y Press 3 $=$ 90.125

Estimate	Calculator
$1^3 = 1$	Press 1.5 x^y Press 3 $=$ 3.375

- c. If $1^3 = 1$, what is 1.5^3 ?

Calculator
Press 1.5 x^y Press 3 $=$ 3.375

- d. Do each one again showing all the steps of your calculation.

- e. Do each one again showing all the steps of your calculation. (You can do this
on a separate piece of paper.)

Calculator
Press 1.5 x^y Press 3 $=$ 3.375

continued



Calculate squares, square roots, cubes and cube roots continued

4. Estimate these cube roots and then calculate with a calculator. Then show all the steps of your calculation.

3. Estimate these square roots and then calculate with a calculator. Then show all the steps of your calculation.

Example: If $\sqrt{16} = 4$ what is $\sqrt{18}$

Estimate
 $\sqrt{16} = 4$
 $\sqrt{25} = 5$
So $\sqrt{18}$ should be between 4 and 5.

Calculator
Press 18
Press $\sqrt{}$
Press =

= 4.24 (4.2426406871193)

a. If $\sqrt{9} = 3$ what is $\sqrt{12}$?

b. If $\sqrt{36} = 6$ what is $\sqrt{42}$?

c. If $\sqrt{16} = 4$ what is $\sqrt{20}$?

Example: If $\sqrt[3]{27} = 3$ what is $\sqrt[3]{50}$

Estimate
 $\sqrt[3]{27} = 3$
 $\sqrt[3]{64} = 4$
So $\sqrt[3]{50}$ should be between 3 and 4.

Calculator
Press 50
Press $\sqrt[3]{}$
Press =

Press 3
Press =

Press =

= 3.68 (3.684031499)

a. If $\sqrt[3]{64} = 4$ what is $\sqrt[3]{68}$?


b. If $\sqrt[3]{27} = 3$ what is $\sqrt[3]{20}$?

c. If $\sqrt[3]{216} = 6$ what is $\sqrt[3]{222}$?

Problem solving

Give the steps you wrote down for question 1 a to c to a friend to go through and check.






Calculate more squares, square roots, cubes and cube roots

3. Calculate and round off to the nearest unit, tenth and hundredth.

You need to know and revise the following:

How to calculate square roots using a calculator.

How to round off a decimal to the nearest unit, tenth or hundredth using the number lines below.
Give an example of each.



1. Calculate and round off to the nearest unit, tenth and hundredth.

Example: $\sqrt{6} + \sqrt{12}$
 $= 2.449 + 3.464$
 $= 5.913$

a. $\sqrt{17} + \sqrt{24} =$

b. $\sqrt[3]{65} + \sqrt[3]{730} =$

c. $\sqrt[3]{148} + \sqrt[3]{430} =$

2. Calculate and round off to the nearest unit, tenth and hundredth.

Example: $2.5^2 + 2.5^3$
 $= 6.25 + 15.625$
 $= 21.875$

a. $2.9^2 + 1.4^3 =$

b. $1.3^3 + 11^2 =$

c. $1.2^2 + 8^2 =$

4. Calculate and round off to the nearest unit, tenth and hundredth.

Example: $(\sqrt{6}) (\sqrt{12})$
 $= (2.449) (3.464)$
 $= 8.483$

a. $(\sqrt{13}) (\sqrt{7})$
b. $(\sqrt{5}) (\sqrt{8})$
c. $(\sqrt{14} \cdot \sqrt{19})$

unit
tenths
hundredths

Note that $(\sqrt{14} \cdot \sqrt{19})$ is the same as $(\sqrt{14}) (\sqrt{19})$

continued

5. Calculate and round off to the nearest unit, tenth and hundredth.

Example: $(2.5^2) (2.5^3)$
 $= 6.25 \times 15.625$
 $= 97.656$

a. $(3.5)^2 (3.5)$
b. $(1.9)^2 (1.9)^2$
c. $(1.2)^3 (1.2)^2$

unit
tenths
hundredths

unit
tenths
hundredths

continued





Calculate more squares, square roots, cubes and cube roots continued

6. Calculate and round off to the nearest unit, tenth and hundredth.

Example: $2.5^2 [1.5^2 + 1.2^2]$
 $= [2.5^2 \times 1.5^2] [2.5^2 \times 1.2^2]$
 $= [6.25 \times 2.25] + [6.25 \times 1.44]$
 $= 14.0625 + 9$
 $= 23.1625$

a. $3.2^2 [11.6^2 + 7.8^2]$

b. $4.4^3 [2.8^3 + 3.1^2]$

unit tenth hundredth
23 23.3 23.26

7. Calculate and round off to the nearest unit, tenth and hundredth.

Example: $\sqrt{[}\sqrt{12} + \sqrt{20}]$
 $= [\sqrt{6} \times \sqrt{12}] + [\sqrt{6} \times \sqrt{20}]$
 $\approx [2.449 \times 3.464] + [2.449 \times 4.472]$
 $= 8.483 + 10.952$
 $= 19.435$

a. $\sqrt{26} (\sqrt[3]{15} + \sqrt[3]{629})$

b. $\sqrt{21} (\sqrt[3]{162} + \sqrt[3]{64})$

c. $11.2^2 (4.2^3 + 5.6^2)$

d. $8.1^3 (3.9^3 + 7.4^3)$

e. $9.6^2 (8.2^3 + 10.3^2)$

Sign: _____

Date: _____

Problem solving

Choose any sum you did in this lesson and make a word sum of it. This will need some careful thinking.

Exponential form

21

3. Convert an ordinary number to scientific notation, or scientific notation to an ordinary number.

You need to revise the following:

Can you remember what scientific notation is?



How do we write 4.5×10^3 ?



Ten to the power of three

$$7842.5 = 7,8425 \times 10^3$$

$$7842.5 = 7,8425 \times 1\,000 = 7,8425 \times 10^3$$



1. Revision: Compare the two numbers.

Example: $(-2)^2 = (-2)(-2) = 4$
 $(-2)^2 = -(2)(2) = -4$

a. $-(4)^2; (-8)^3$

b. $-(6)^3; (-6)^3$

c. $(-3)^3; -(3)^3$

Term 1

--	--

d. $(-8)^3; -(8)^3$

e. $(-6)^2; -(6)^2$

f. $(-4)^3; -(4)^3$

Term 2

--	--

2. Revision: Fill in <, > or =.

Example: $(-2)^2 > -2^2$
 $(-2)^2 > -3^2$
 $(-2)^3 = -2^3$

a. $-(10)^2$ $(-10)^2$

b. $-(6)$ $(-6)^3$

c. $(-9)^3$ $-(9)^3$

d. $(-8)^3$ $(8)^3$

e. $(-6)^2$ $-(6)^2$

f. $(-4)^3$ $-(4)^3$

Term 2

Term 2

Example: $8\,740\,000 = 8,74 \times 10^6 = 8\,740\,000$

a. $256\,000$

b. $790\,000\,000$

c. 5×10^{-6}

--	--

d. $8,1 \times 10^6$

e. $0,0000089$

f. $3,12 \times 10^{-5}$

--	--

4. Fill in <, > or =

Example: $4,32 \times 10^4$
 $4,32 \times 10^4 = 4,32 \times 10\,000 = 43\,200$
 $43\,200 > 0,000432$

--	--

c. $1,75 \times 10^{-6}$ $1,75 \times 10^6$

--	--

e. $0,75 \times 10^{-5}$ $0,75 \times 10^{-5}$

--	--

f. $0,5 \times 10^2$ $0,5 \times 10^{-2}$

--	--

Problem solving

Calculate: $2^{15} \times 2 =$

Show all your calculations.

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

54

55

Laws of exponents: $a^m \times a^n = a^{m+n}$

22

Revise the laws of exponents and give four examples of each using numbers.

$$a^m \times a^n = a^{m+n}$$

$$\frac{a^m}{a^n} = a^{m-n}$$

1. Use the laws of exponents to simplify the following:

Example: $s^2 \times s^4 = s^{2+4} = s^6$

a. $a^3 \times a^4 =$

b. $b^2 \times b^5 =$

c. $2^8 \times 2^9 =$

d. $f^8 \times f^3 =$

e. $d^2 \times d^6 =$

f. $y^5 \times y^4 =$

3. Use the laws of exponents to simplify the following:

Example: $y^a \times y^b = y^{a+b}$

a. $a^m \times a^n =$

b. $d^e \times d^f =$

c. $v^g \times v^h =$

e. $x^r \times x^s =$

f. $b^p \times b^q =$

2. Calculate the following:

Example: $8^3 \times 8^2 = 8^{3+2} = 8^5 = 32768$

a. $2^5 \times 2^2 =$

b. $5^2 \times 5^3 =$

Problem solving

You need to explain to a friend who was absent from class how to do the following: multiply 5⁷ by 5⁷ using a calculator. What will you say?

Sign: _____ Date: _____

Laws of exponents: $a^m \div a^n = a^{m-n}$

23

Revise the laws of exponents and give four examples of each using variables (letters).

Example: $a^m \times a^n = a^{m+n}$

_____	_____
_____	_____

Example: $\frac{a^m}{a^n} = a^{m-n}$

_____	_____
_____	_____

1. Use the laws of exponents to simplify the following:

Example: $m^5 \div m^3 = m^{5-3} = m^2$ Or $\frac{m^5}{m^3} = m^{5-3}$

a. $a^4 \div a^3 =$

b. $\frac{f^9}{f^8} =$

c. $x^5 \div x^2 =$

d. $\frac{b^8}{b^2} =$

e. $\frac{e^6}{e^4} =$

f. $h^7 \div h^3 =$

2. Calculate the following:

Example: $2^4 \div 2^3 = 2^{4-3} = 2^1 = 4$

a. $\frac{2^3}{2^2} =$

b. $4^4 \div 4^2 =$

Problem solving

You need to explain to your friend who was absent how to do this: $5^6 \div 5^7$ without using a calculator. How will you explain it?

C. $\frac{4^5}{4^4} =$

d. $6^6 \div 6^3 =$

e. $3^7 \div 3^3 =$

f. $\frac{5^8}{5^5} =$

3. Write as a fraction and then use the laws of exponents to simplify the following:

Example: $g^5 \div g^3 = \frac{g^5}{g^3} = g^{5-3} = g^2$

a. $a^4 \div a^3 =$

b. $d^6 \div d^5 =$

c. $g^6 \div g^4 =$

d. $f^9 \div f^6 =$

e. $c^8 \div c^2 =$

f. $j^{12} \div j^{10} =$

4. Use the laws of exponents to simplify the following:

a. $6^2 \times 6^3 =$

b. $4^2 \times 4^3 =$

c. $2^4 \times 2^5 =$

d. $10^3 \div 10^2 =$

e. $4^3 \div 4^2 =$

f. $2^5 \div 2^4 =$

Laws of exponents: $a^m \div a^n = a^{m-n}$ if $m > n$

24



Revise: give an example using numbers and and example using variables.

Example: $a^m \times a^n = a^{m+n}$

$\frac{a^m}{a^n} = a^{m-n}$	$\frac{a^m}{a^n} = a^{m-n}$ if $m < n$	$(a^m)^n = a^{mn}$
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>

4. Use the following laws of exponents to simplify the following:

Example: $(q^2)^3 = (q^{2 \times 3}) = q^6$

a. $(m^3)^3 =$

b. $(k^5)^7 =$

c. $(n^4)^2 =$

d. $(r^3)^9 =$

e. $(z^2)^8 =$

f. $(s^7)^8 =$

1. Use the laws of exponents to calculate the following:

Example: $w^4 \div w^6 = \frac{w^4}{w^6} = \frac{w \cdot w \cdot w \cdot w}{w \cdot w \cdot w \cdot w \cdot w \cdot w} = \frac{1}{w^2} = w^{-2}$ Or using the laws of exponents:

a. $x^2 \div x^3 =$

b. $\frac{e^7}{e^9} =$

c. $\frac{f^3}{f^7} =$

d. $a^8 \div a^{10} =$

e. $\frac{k^4}{k^6} =$

f. $a^6 \div d^{11} =$

<input type="text"/>	<input type="text"/>

2. Calculate the following:

Example: $\frac{2^4}{2^5} = 2^4 \div 2^5 = 2^{4-5} = 2^{-1} = \frac{1}{2}$

a. $\frac{2^3}{2^4} =$

b. $5^{10} \div 5^{12} =$

c. $7^6 \div 7^8 =$

<input type="text"/>	<input type="text"/>

3. Use the laws of exponents to simplify the following:

Example: $(a^m)^n = a^{mn}$

a. $(a^m)^n =$

b. $(d^x)^y =$

c. $(h^p)^q =$

d. $(b^x)^y =$

e. $(c^x)^y =$

f. $(e^x)^y =$

<input type="text"/>	<input type="text"/>

4. Use the laws of exponents to simplify the following:

Example: $x^m \div x^n = \frac{x^m}{x^n} = x^{m-n}$

a. $a^m \div a^n =$

b. $d^l \div d^g =$

c. $\frac{m^a}{m^b} =$

<input type="text"/>	<input type="text"/>

Problem solving

a. What is the difference between $x^2 \div x^3$ and $x^3 \div x^2$

b. Solve: $(12)^2$

Laws of exponents:

$$a^0 = 1 \text{ and } (a \times b)^n = a^n \times b^n$$

25



4. Use the law of exponents to simplify the following:

Substitute numbers for the variables and exponents in each of these examples.

$a^m \times a^n = a^{m+n}$	$(xy)^n = x^n y^n$
$\frac{a^m}{a^n} = a^{m-n}$	$x^1 = x$
$\frac{a^m}{a^n} = a^{m-n}$ if $m < n$	$x^0 = 1$
$(a^m)^n = a^{mn}$	$a^{-n} = \frac{1}{a^n}$

1. Simplify:

Example: $(a \times t)^3 = a^3 t^3$

a. $(b \times c)^5 =$	b. $(r \times s)^5 =$	c. $(c \times d)^3 =$
d. $(t \times s)^9 =$	e. $(f \times a)^4 =$	f. $(k \times n)^6 =$

2. Calculate the following:

a. $(2 \times 3)^2 =$	b. $(6 \times 7)^2 =$	c. $(2 \times 10)^2 =$
d. $(4 \times 3)^3 =$	e. $(2 \times 8)^4 =$	f. $(11 \times 3)^3 =$

3. Use the laws of exponents to simplify the following:

a. $(a \times c)^b =$	b. $(y \times b)^c =$	c. $(m \times p)^n =$
d. $(z \times t)^q =$	e. $(d \times f)^e =$	f. $(q \times t)^x =$

Problem solving

Form a group of 4 to 6 friends and explain the laws of exponents to each other. Help each other.

Example: $a^0 = 1$ and $a^1 = a$

a. $a^0 =$	b. $c^0 =$	c. $d^0 =$
d. $j^1 =$	e. $h^1 =$	f. $g^1 =$

5. Calculate the following:

Example: $12^0 = 1$ and $12^1 = 12$

a. $4^0 =$	b. $3^1 =$	c. $10^0 =$
d. $5^1 =$	e. $8^0 =$	f. $11^1 =$

6. Use the law of exponents to simplify the following:

Example: $5^3 = \frac{1}{5^3}$

a. $a^2 =$	b. $e^7 =$	c. $d^{-10} =$
d. $x^3 =$	e. $b^{-8} =$	f. $g^{-7} =$

7. Calculate the following:

Example: $5^{-3} = \frac{1}{5^3} = \frac{1}{125}$

a. $3^{-2} =$	b. $2^{-1} =$	c. $7^{-2} =$
d. $2^{-4} =$	e. $4^{-2} =$	f. $3^{-1} =$

8. Use the law of exponents to simplify the following:

Example: $a^{-n} = \frac{1}{a^n}$

a. $a^{-b} =$	b. $d^{-1} =$	c. $k^{-c} =$
d. $n^{-x} =$	e. $b^{-n} =$	f. $r^{-b} =$





Application of the law of exponents

3. Use the laws of exponents to calculate the following:

a. $3a \times 9a^4 =$
b. $14c \times 7c^5 =$

Revise these laws.

$a^1 = a$	$a^0 = 1$	$a^{-1} = \frac{1}{a}$	$a^{-n} = \frac{1}{a^n}$
$a^m \times a^n = a^{m+n}$	$\frac{a^m}{a^n} = a^{m-n}$	$(a^m)^n = a^{mn}$	c. $2e^5 \div 4e^3 =$
$\left(\frac{a}{b}\right)^n = \frac{a^n}{b^n}$	$\frac{a^m}{a^n} = a^{m-n}$ if $m < n$	$(ab)^n = a^n b^n$	d. $8z^4 \div 2z^3 =$

1. Use the laws of exponents to simplify the following:

a. $(a^3 \times a^4) + (a^4 \div a^3) =$
b. $x^3 \times x^4 \div x^4 =$

Term 1

4. Revision: simplify.

Example: $2x^2 = 2 \times x^2 = 2 \times \frac{1}{x^2} = \frac{2}{x^2}$

a. $3x^2 =$
b. $9x^3 =$
c. $7x^3 =$

d. $4x^3 =$
e. $5x^2 =$
f. $8x^5 =$

5. Revision: simplify.

Example: $4^n = (4)^n = (2 \times 2)^n = [2^2]^n = 2^{2n}$

a. $64^n =$
b. $16^x =$
c. $100^x =$

d. $121^n =$
e. $4^x =$
f. $144^n =$

g. $7^5 \div 7^9 =$
h. $(12^5 \times 5^{-3}) =$



Application of the law of exponents

Continued

8. Factorise.

Example: $12^n = (12)^n = (2 \times 2 \times 3)^n = (2^2 \times 3)^n$

$$= 2^{2n} \times 3^n$$

$$= 2^{2n} \cdot 3^n$$

6. Revision: simplify.

Example: $9^n \cdot 2^{n+1}$
 $= (3^2)^n \cdot 2^{n+1}$
 $= 3^{2n} \cdot 2^{n+1}$

a. $16^n \cdot 3^{n+1} =$ []

b. $36^n \cdot 3^{n+2} =$ []

c. $121^n \cdot 2^{n+1} =$ []


d. $9^n \cdot 4^{n+2} =$ []

e. $25^n \cdot 5^{n+1} =$ []

f. $100^n \cdot 3^{n+4} =$ []

7. Simplify.

Example: $\frac{9^n \cdot 2^{n+1}}{3^{2n} \cdot 2^{n+1}}$
 $= \frac{2^{2n} \cdot 2^{n+1}}{2^{2n} \cdot 2^{n+1}}$
 $= \frac{2^{2n}}{2^{2n}}$
 $= 1$



a. $\frac{8^n \cdot 2^{n+1}}{4^n}$ b. $\frac{16^n \cdot 3^{n+1}}{25^n}$ c. $\frac{36^n \cdot 4^{n+2}}{64^n}$

Now let us divide the exponents with the same base.

$$\begin{aligned} &= \frac{3^{3n-2} \cdot 3^n \cdot 2^{2n-2n}}{3^{3n-3n} \cdot 2^{2n+1-2n}} \\ &= \frac{3^{-2} \cdot 3^0}{3^{1-2}} \\ &= \frac{1}{1} \\ &= 1 \\ &= \frac{1}{1} \\ &= \frac{1}{9} \cdot \frac{1}{4} \\ &= \frac{1}{36} \end{aligned}$$

[]

[]

[]

Problem solving

Write down all the **laws of exponents** that you used today.

Create your own sum using all these laws and solve it.

Sequences

27

Revision: What does each statement tell you? Give two more examples of each.



Constant difference	e.g. $-3; -7; -11; -15; \dots$	Constant ratio	e.g. $-2; -4; -8; -16; \dots$	Variable difference or ratio	e.g. $1; 2; 4; 7; 11; 16; \dots$
... Counting in “-4s” or “add -4 to the previous term”.	“Multiply the previous term with 2.”	“Add the difference between the two previous terms +1 to the previous term.”			

4. Complete the table:

a. Position in sequence	2	4	6	8	10	n
Term	-10	-8	-6	-4		

b. Position in sequence	1	3	5	7	10	n
Term	-14	-12	-10	-8		

c. Position in sequence	3	6	9	10	12	n
Term	-15	-12	-9	-6		

1. Describe the pattern by giving the rule and then extend it with three more terms.

- a. 2; 4; 6; 8; 10

Add 2 to the previous term.	
12; 14; 16	

- b. 15; 9; 3

d. -30; -20; -10; 0; 10	

- c. -1; 5; 11; 17

f. 15; 12; 9; 6; 3	

2. Describe the pattern by giving the rule and then extend it by three terms.

- a. 2; 4; 8; 16; 32; 64

b. 5; -20; 80; -320; 1 280	

- c. 729; 81; 9; 1; $\frac{1}{9}; \frac{1}{81}$

d. 25; 5; 1; 0.2; 0.04	

3. Describe the pattern by giving the rule and then extend it by three terms.

- a. 2; 4; 12; 48; 240

b. 1; 5; 13; 29; 61; 125	

- c. 16; 19; 23; 28; 34

d. 1; -5; 2; -6; 3; -7	

Problem solving

Create your own sequences as follows:

- Constant difference between the consecutive terms
- Constant ratio between the consecutive terms
- Neither a constant difference nor a constant ratio

Sig/m:

Date:


Geometric and numeric patterns

28

2. Use the rule to complete each table.

Revision: Talk about this.

	1 st term	2 nd term	3 rd term	4 th term	5 th term
Position	1	2	3	4	5
Value of the term	16	24	32	40	n



Read the top row.

The position: 1st term, 2nd term, 3rd term, 4th term, 5th term
If the 2nd term position is 2 and its value is 16 the rule is $2 \times 8 = 16$.

What is the value of the 1st term?

1. Create and complete the following geometric patterns.

- Draw the first four terms in each of the following geometric patterns.
- Write them in a table determining the 1st, 2nd, 3rd, 4th and nth terms, where applicable.



You need to make sure that you know what these geometric figures are.

Example: Rule is $2x + 1$

x	-2	-1	0	1	2	5
y	-3	-1	1	3	5	11

a. Rule: $y = 3x - 1$

x	-2	-1	0	1	2	10
y						

b. Rule: $y = \frac{1}{2}x + 2$

x	0	2	3	50	75	100
y						

c. Rule: $y = x - 5$

x	-3	-2	-1	0	1	13
y						

d. Rule: $y = 5x - 4$

x	1	3	5	7	27	47
y						

3. Use the rule to complete each table.

a. Rule: $y = x \times -2$


x	-2	-1	0	1	2	5
y						

b. Rule: $y = 10(x + 2)$

x	-3	5	13	21	29	37
y						

Problem solving

Make your own rule and give a table to a friend to solve.



Position	1 st	2 nd	3 rd	4 th	n th
Value					$\frac{n(3n-1)}{2}$

Position	1 st	2 nd	3 rd	4 th	n th
Value					$n(2n-1)$



Addition & subtraction of like terms

29

Look at and discuss.

2x⁴ + x² + 6x - 1

monomial (1 term) **8x⁴** **(a + b)**
binomial (2 terms) **3x² + 4** **a + b**
trinomial (3 terms) **4x² + x² + 3**

Polynomial: an algebraic expression containing 1 or more terms with non negative integer exponents. $4x^2 + 2y^2$

5. Simplify.

Example: $2x^3 + 4x + 5x^2 + 8 + 6 + 5x^3$
 $= 7x^3 + 5x^2 + 4x + 14$

a. $4x^3 + 2x^2 + 8 - 5x^3 - 4x^2 =$
 $= 7x^2 + 8$

6. Simplify.

Example: $4x^2 + 4x + 2x + 3y^2 + 5x^2$
 $= 9x^2 + 3y^2 + 6x$

C. $4x^2 + 2y^3 + 2y^2 + 3x^2 + 3y^3 =$
 $= 7x^2 + 8y^3 + 2y^2 + 3x^2 + 3y^3$

7. Simplify.

Example: $3ab + 4ab^2 + 2ab + ab^2 + ab$
 $= 5ab^2 + 6ab$

C. $3xy^2 + 5xy + 4xy^2 + 8xy + 6xy =$
 $= 12xy^2 + 19xy$

8. Simplify.

Example: $5a^2b^3 + 6ab + 2a^2b^3 + 2ab + ab$
 $= 7a^2b^3 + 9ab$

C. $3x^2y^3 + 7xy + 4xy^2 + 5x^2y^3 + 5xy^2 =$
 $= 8x^2y^3 + 7xy + 4xy^2 + 5x^2y^3 + 5xy^2$

2. Match column A with column B.

A	B
Monomial	$3xy^2 + 2x + 4x - 5$
Binomial	$3xy^2 + 2x$
Trinomial	$3xy^2$
Polynomial	$3xy^2 + 2x + 5$

3. Circle the following in each algebraic expression.


Example: A monomial: $3ab\cancel{+} 4ab + 6b - 8$

- a. A binomial: $8xy^2 + 5xy + 2x + 7xy^2$
- b. A polynomial: $5ab^2 + 6ab + 7a + 6ab^2$
- c. A trinomial: $7cd^2 + 8cd + 8cd^2 + 8cd$
- d. A monomial: $9ef^3 + 4ef^2 + 5ef^2 + 5ef^3$

Problem solving

- a. Create an algebraic expression with three different **like terms** and simplify it.
- b. Write a polynomial with five terms, where two pairs are like terms. Simplify your answer.
- c. If the answer is $5x^2 + 7x^2 + 9x$ and the original sum had seven terms, what could the original sum be?
- d. Write a polynomial with fifteen terms and then simplify it. Note that you should have like terms in your polynomial.

Sign:
Date:



The product of a monomial and binomial or trinomial

5. Simplify.

Revise.

$2x(x+2)$

$$\begin{array}{r} 5x(2x^2 + 3x - 4) \\ \hline 10x^3 & 15x^2 & -20x \end{array}$$

Remember to multiply the monomial with every term of the binomial.

$-2x \quad x \quad 2$

$$\begin{array}{r} 5x^2 \quad 3x \quad 4 \\ \hline 10x^3 & 15x^2 & -20x \end{array}$$

Remember to multiply the monomial with every term of the trinomial.

1. Revision: simplify.

Example $2(3+4)$

$$\begin{aligned} &= (2 \times 3) + (2 \times 4) \\ &= 6 + 8 \\ &= 14 \end{aligned}$$

a. $2(1+7) =$

b. $2(6+2) =$

a. $2(1+7) =$

b. $2(6+2) =$

2. Revision: simplify.

Example $a(b+c)$

$$\begin{aligned} &= a \times b + a \times c \\ &= ab + ac \end{aligned}$$

a. $x(y+z) =$

b. $x(y-z) =$

a. $x(y+z) =$

b. $x(y-z) =$

3. Revision: simplify.

Example $3(a+b)$

$$\begin{aligned} &= (3 \times a) + (3 \times b) \\ &= 3a + 3b \end{aligned}$$

a. $2(a+b) =$

b. $4(-k+l) =$

a. $2(a+b) =$

b. $4(-k+l) =$

4. Revision: simplify.

Example $x(2+4)$

$$\begin{aligned} &= (x \times 2) + (x \times 4) \\ &= 2x + 4x \\ &= 6x \end{aligned}$$

a. $a(3+4) =$

b. $x(-2x+3) =$

a. $a(3+4) =$

b. $x(-2x+3) =$

Example: Method 1

$$\begin{aligned} &2x(3x^2 - 4x + 5) \\ &= 6x^{1+2} - 8x^{1+1} + 10x \\ &= 6x^3 - 8x^2 + 10x \end{aligned}$$



Method 2

$$\begin{aligned} &2x(3x^2 - 4x + 5) \\ &= 2x \begin{array}{|c|c|c|} \hline 3x^2 & -4x & 5 \\ \hline \end{array} \\ &\quad 6x^3 - 8x^2 + 10x \end{aligned}$$

a. $4x(x^2 - 2x + 2) =$

a. $4x(x^2 - 2x + 2) =$

Example: Method 1

$$\begin{aligned} &2x(2x^2 - 4x + 5) \\ &= 4x^{1+2} - 8x^{1+1} + 10x \\ &= 6x^3 - 8x^2 + 10x \end{aligned}$$

b. $7x(2x^2 - 4x + 10) =$

b. $7x(2x^2 - 4x + 10) =$

Example: Method 1

$$\begin{aligned} &3x(5x^2 - 2x + 6) \\ &= 15x^{1+2} - 6x^{1+1} + 18x \\ &= 30x^3 - 12x^2 + 18x \end{aligned}$$

c. $x(3x^2 + 4x + 5) =$

c. $x(3x^2 + 4x + 5) =$

d. $3x(5x^2 - 2x + 6) =$

d. $3x(5x^2 - 2x + 6) =$

e. $5x(x^2 - 3x - 2) =$

e. $5x(x^2 - 3x - 2) =$

f. $6x(2x^2 + 4x + 7) =$

f. $6x(2x^2 + 4x + 7) =$

6. Simplify using both methods.

Example: Method 1

$$\begin{aligned} &2x(3x^2 - 4x + 5) \\ &= 6x^3 - 8x^2 + 10x \end{aligned}$$

g. $-x(2x^2 + 3x + 2) =$

g. $-x(2x^2 + 3x + 2) =$

h. $-4x(-3x^2 - 5x - 4) =$

h. $-4x(-3x^2 - 5x - 4) =$

i. $6x^3 - 8x^2 + 10x$

i. $6x^3 - 8x^2 + 10x$

j. $30x^3 - 12x^2 + 18x$

j. $30x^3 - 12x^2 + 18x$

k. $2x(3x^2 - 4x + 5)$

k. $2x(3x^2 - 4x + 5)$

l. $6x^3 - 8x^2 + 10x$

l. $6x^3 - 8x^2 + 10x$

m. $15x^3 - 12x^2 + 18x$

m. $15x^3 - 12x^2 + 18x$

n. $5x(x^2 - 3x - 2)$

n. $5x(x^2 - 3x - 2)$

o. $6x(2x^2 + 4x + 7)$

o. $6x(2x^2 + 4x + 7)$

p. $-x(2x^2 + 3x + 2)$

p. $-x(2x^2 + 3x + 2)$


q. $-4x(-3x^2 - 5x - 4)$

q. $-4x(-3x^2 - 5x - 4)$

Date: _____

continued

75



The product of a monomial & binomial or trinomial continued

c. $-3x^2 - 2x + 3 =$

d. $-2x(3x^2 + 7x + 1) =$

Term 1

e. $-5x(2x^2 - 4x - 8) =$

f. $-6x(-3x^2 - 6x + 3) =$

Term 1

8. Simplify and then evaluate if $x = -2$.

a. $2x(6x^2 + 3x + 5) =$

b. $-3x(2x^2 + 6x + 9) =$

Term 1

7. If $x = 3$, evaluate:

a. $4x^2 + 3x + 2 =$

b. $5x^2 - 6x + 8 =$

Term 1

c. $4x(3x^2 - 2x - 2) =$

Term 1

d. Now try it with a , b and c with $x = -3$


Problem solving

The $a \times$ [times] can be "distributed" across the $2 + 4$ into an $a \times 2$ plus an $a \times 4$. What did the original sum look like?

Create your own monomial multiplied by a trinomial and simplify it.
Using the same monomial multiplied by a trinomial, simplify it through substitution.

Sig:

Date:



The product of two binomials

Compare the following:

Did you know that your knowledge of map work can help you to calculate the product of two binomials? Use of the columns and rows to multiply two binomials.

$$(x+2)(x+2)$$

$$\begin{array}{r} x^2 \\ + \quad 2x \\ \hline 2 \end{array}$$

$$(x-2)(x-2)$$

$$\begin{array}{r} x^2 \\ - \quad 2x \\ \hline -2x \\ 2 \end{array}$$

$$(x+2)(x-2) = x^2 - 4x + 4$$

1. Simplify the following:

$$\begin{aligned} \text{Example } (x+2)(x+3) &= (x+2)(\cancel{x}+\cancel{3}) \\ &= (\cancel{x}\times \cancel{x}) + (\cancel{x}\times 3) + (2 \times \cancel{x}) + (2 \times 3) \\ &= x^{1+1} + 3x + 2x + 6 \\ &= x^2 + 3x + 2x + 6 \\ &= x^2 + 5x + 6 \end{aligned}$$

$$\text{a. } (x+1)(x+2) =$$

$$\text{b. } (a+2)(a+7) =$$

$$\text{c. } (x+5)(x+4) =$$

2. Simplify.

$$\text{Example } (x-2)(x-3)$$

$$\begin{aligned} &= (\cancel{x}-2)(\cancel{x}-3) \\ &= (\cancel{x}\times \cancel{x}) + (\cancel{x}\times -3) + (-2 \times \cancel{x}) + (-2 \times -3) \\ &= x^{1+1} - 3x - 2x + 6 \\ &= x^2 - 5x + 6 \end{aligned}$$

$$\text{a. } (x-5)(x-2) =$$

$$\text{b. } (a-10)(a-3) =$$

$$\text{c. } (x-7)(x-6) =$$

$$\begin{array}{r} x - 3 \\ x^2 - 3x \\ \hline -2x \\ 2 \end{array}$$

$$\begin{array}{r} x - 3 \\ x^2 - 5x + -6 \\ \hline \end{array}$$

3. Multiply:

$$\text{Example } (x+2)(x-3)$$

$$\begin{aligned} &= (\cancel{x}+2)(\cancel{x}-3) \\ &= (\cancel{x}\times \cancel{x}) + (\cancel{x}\times -3) + (-2 \times \cancel{x}) + (2 \times -3) \\ &= x^{1+1} - 3x + 2x - 6 \\ &= x^2 - x - 6 \end{aligned}$$

$$\text{a. } (x+1)(x-4) =$$

$$\text{b. } (4a+3)(a-8) =$$

$$\text{c. } (2x+3)(x-2) =$$

$$\begin{array}{r} x - 3 \\ x^2 - 3x \\ \hline + 2x \\ 2 \end{array}$$

$$\begin{array}{r} x - 3 \\ x^2 - x + 6 \\ \hline \end{array}$$



Date: _____

continued

79



31b

The product of two binomials

continued

6. Simplify.

a. $2(x - 3)^2$

$$\begin{aligned} \text{Example } & 2(x - 3)^2 \\ & = 2[(x - 3)(x - 3)] \\ & = 2[x^2 - 3x - 3x + 9] \\ & = 2[x^2 - 6x + 9] \\ & = 2x^2 - 12x + 18 \end{aligned}$$

$$\begin{array}{r} x \quad - \quad 3 \\ x^2 \quad - \quad 3x \\ \hline - \quad \quad \quad 9 \\ 3 \end{array}$$

b. $2(x + 2)^2 =$

7. Simplify.

a. $2(x - 3)^2 - 3(x + 1)(2x - 5) =$

Problem solving: be creative

a. $(a \pm b)^2 =$

$(a + b)^2$	$(a - b)^2$

Create and solve two binomials multiplied. Use the +/- operation and coefficients.

Create and solve two binomials multiplied. Use the +/- operations.

Create and solve two binomials multiplied. Use integers.

5. Multiply.

4. Multiply.

$$\begin{aligned} \text{Example } & (x - 2)(x + 3) \\ & = (x - 2)(x + 3) \\ & = (x \times x) + (x \times 3) + (-2 \times x) + (-2 \times -3) \\ & = x^2 + 3x - 2x + 6 \\ & = x^2 + x - 6 \end{aligned}$$

$$\begin{array}{r} x \quad + \quad 3 \\ x^2 \quad - \quad 3x \\ \hline - \quad \quad \quad 6 \\ 2 \end{array}$$

b. $(2a - 3)(a + 1) =$

c. $(x - 5)(x + 1) =$

5. Multiply.

Example

$$\begin{aligned} & (x \pm 2)^2 \\ & = (x + 2)(x + 2) \text{ and } (x - 2)(x - 2) \\ & = x^2 + 2x + 4 \text{ and } x^2 - 2x - 4 \\ & = x^2 + 4x + 4 \text{ and } x^2 - 4x + 4 \\ & = x^2 \pm 4x + 4 \end{aligned}$$

$$\begin{array}{r} x \quad + \quad 2 \\ x^2 \quad - \quad 2x \\ \hline + \quad \quad \quad 4 \\ 2 \end{array}$$

$$\begin{array}{r} x \quad - \quad 2 \\ x^2 \quad - \quad 2x \\ \hline - \quad \quad \quad 4 \\ 2 \end{array}$$

a. $(x \pm 1)^2 =$

$(x + 1)^2$	$(x - 1)^2$

Create and solve two binomials multiplied. Use the +/- operation and coefficients.

Create and solve two binomials multiplied. Use the +/- operations.

Create and solve two binomials multiplied. Use integers.

More on the product of two binomials

2. Factorise.

Can you remember what a factor is?

Factors are numbers you multiply together to get another number.


What are the factors of $x^2 + 7x + 12$?
You should ask which two binomials, when multiplied together, will give you this trinomial.

- Write two brackets () ().
- Factorise $x^2 = (x)(x)$.
- Factorise $12 = (3)(4)$ and make sure that the sum of these two factors gives you 7.
- Fill in your operators $(x + 3)(x + 4)$.

Oh, yes! the factors of 12 will be: 1, 2, 3, 4, 6 and 12 since $1 \times 12 = 2 \times 6 = 3 \times 4 = 12$

1. Factorise.

Example $x^2 + 5x + 6$
 $= x^2 + 5x + 6$
 $= (x + 3)(x + 2)$



The product of the two factors gives me 6 but when added they give me 5;

$x^2 + 9x + 14 =$

a. $x^2 + 6x + 8 =$

d. $x^2 + 11x + 10 =$

e. $x^2 + 15x + 54 =$

f. $x^2 + 12x + 27 =$

2. Factorise.

Example $x^2 - 5x + 6$
 $= x^2 - 5x + 6$
 $= x^2 - 5x + 6$
 $= (x - 3)(x - 2)$

$-3 \times -2 = 6$
 $-3 + -2 = -5$

The product of the two factors gives me 6 but when added they give me -5.

a. $x^2 + x - 6 =$

b. $x^2 + 3x - 54 =$

c. $x^2 + 4x - 60 =$

d. $x^2 + 5x - 14 =$

e. $x^2 - x - 56 =$

f. $x^2 + 7x - 8 =$

3. Factorise.

Example $x^2 - 7x + 12$
 $= (x - 4)(x - 3)$

a. $x^2 - 7x + 12 =$

b. $x^2 - 13x + 42 =$

c. $x^2 - 11x + 30 =$

d. $x^2 - 9x + 20 =$

e. $x^2 - 15x + 56 =$

f. $x^2 - 8x + 15 =$

Problem solving

Find the factors of $x^2 + 11x + 24$

Sig.: _____

Date: _____

Divide monomials and binomials



2. Simplify.

How fast can you simplify this?

$$\begin{array}{rcl} \frac{16}{8} = 2 & \quad \frac{20}{4} = & \boxed{} \\ & \quad \boxed{} = \boxed{} & \quad \boxed{} = \boxed{} \\ \frac{25}{5} = & \quad \frac{30}{3} = & \boxed{} = \boxed{} \end{array}$$

- with constants

$$\frac{2^3}{2^2} = 2^{3-2}$$

Example: using laws of exponents

$$\begin{aligned} \frac{6x^3 + 8x^2}{2x} &= \frac{6x^3}{2x} + \frac{8x^2}{2x} \\ &= \frac{6x^3}{2x} + \frac{8x^2}{2x} \\ &= 3x^{3-1} + 4x^{2-1} \\ &= 3x^2 + 4x \end{aligned}$$

a. $\frac{6x^3 + 9x^2}{3x} =$

b. $\frac{16x^3 + 8x^2}{4x} =$

Use a different method to check your answer.

1. Simplify.

Example: using laws of exponents

$$\begin{aligned} \frac{6x^3}{2x} &= \frac{6x^3}{2x} \\ &= \frac{3x^3}{x} \\ &= 3x^{3-1} \\ &= 3x^2 \end{aligned}$$

c. $\frac{12x^4}{3x} =$

d. $\frac{24x^4 - 12x^3}{6x} =$

e. $\frac{8x^5 + 10x^3}{2x} =$

f. $\frac{30x^5 - 9x^4}{3x^2} =$



Use a different method to check your answer.

Example: using laws of exponents

$$\begin{aligned} \frac{6x^3 + 8x^2}{2x} &= \frac{6x^3}{2x} + \frac{8x^2}{2x} \\ &= \frac{2 \cdot 3x \cdot x \cdot x}{2x} + \frac{2 \cdot 4 \cdot x \cdot x}{2x} \\ &= 3x^{3-1} + 4x^{2-1} \\ &= 3x^2 + 4x \end{aligned}$$

b. $\frac{16x^3 + 8x^2}{4x} =$

c. $\frac{6x^3 + 8x^2}{2x} =$

Use a different method to check your answer.

Problem solving

Create five of your own examples of binomials divided by a monomial.

Date:

Substitution

34

Do you remember what substitution is? How can you use substitution to evaluate the following if $x = -5$?

$x + 0,2$	x^2	$5x$	$2x^2 + x$
-----------	-------	------	------------



You see why it is important to know your times tables well!

1. Revision: If $x = 2$, evaluate:

Example: $x + 9 =$

b. $-x \times 2 =$

c. $x + 2 =$

d. $2x^2 + 9x + 6 =$

e. $8x + x^2 - 5 =$

f. $8 - x^2 - 5x =$

Term 1

3. Evaluate the expression if $x = -3$, and if $x = \frac{1}{3}$:

Example: $-x^2 + 3x + 4$

If $x = -3$, then

$$\begin{aligned} &= -(-3)^2 + 3(-3) + 4 \\ &= -9 - 9 + 4 \\ &= -18 + 4 \\ &= -14 \end{aligned}$$

If $x = \frac{1}{3}$, then

$$\begin{aligned} &= -\left(\frac{1}{3}\right)^2 + 3\left(\frac{1}{3}\right) + 4 \\ &= -\frac{1}{9} + 1 + 4 \\ &= 5 - \frac{1}{9} \\ &= 4\frac{8}{9} \end{aligned}$$

a. $-x^2 + 4x + 2 =$

b. $-x^2 + 5x + 3 =$

c. $6 + 5x - 4x^2 =$

d. $7 + 2x^2 - 5x =$

e. $-2x^2 - x + 5 =$

f. $-3 - 5x^2 + 5 =$

Problem solving

If your answer is -15, write down a possible trinomial.

If your answer is 15, write down a possible trinomial.

Sig.: _____

Date: _____

Factorise algebraic expressions

35a

How fast can you factorise the following?



Example: $3 - 27 = 3(1 - 9)$

$4 + 16 = \boxed{}$ $5 - 25 = \boxed{}$ $6 + 42 = \boxed{}$

$7 + 56 = \boxed{}$ $9 + 99 = \boxed{}$ $48 - 6 = \boxed{}$

1. Factorise.

Example $2x(a+b) + 3(a+b) = (a+b)(2x+3)$

a. $(a+b)$ is the common factor.
What is the common factor?

$4x(a+b) + 2(c+d) = \boxed{}$

b. $2x(a-b) + 3(a-b) = (a-b)(2x+3)$
What is the common factor?

$4x(a-b) - 5(a-b) = \boxed{}$

c. $(3a+b)(m) + (3a+b)(n) = (3a+b)(m+n)$
What is the common factor?

$(3a+b)(m) + (3a+b)(n) = \boxed{}$

2. Factorise.

Example $(3a+b)(p-2t) - (3a+b)(2p+2t) = (3a+b)(p-2t) - (2p+2t)$
 $= (3a+b)(p-2t) - (2p+2t)$
 $= (3a+b)(p-2t) - (3a+b)(p-4t)$
 $= -(3a+b)(p+4t)$

a. $(2a+b)(p-3t) + (2a+b)(p+3t) = \boxed{}$

b. $(3x+y)(a+b) - (3x+y)(a-b) = \boxed{}$

Example $ax - bx = x(a-b)$

Example $ax - bx + 2a - 2b = x(a-b) + 2(a-b)$
 $= (a-b)(x+2)$

Example 1: $a - 4b = 1(a - 4b)$
Example 2: $4b - a = -1(a - 4b)$

Example $3a^2 - 27 = 3(a^2 - 9)$

3. Factorise.

Example: $a^4 - a^2$
 $= a^2 \left[\frac{a^2}{a^2} - \frac{1}{a^2} \right]$
 $= a^2 [a^2 - 1]$
 $= a^2 [a^2 - 1]$
or
 $a^4 - a^2$
 $= (a.a.a.a) - (a.a)$
 $= a.a(a.a - 1)$
 $= a^2(a^2 - 1)$

Example: $x^5 - x^3 =$
 $= x^3 \left[\frac{x^2}{x^2} - \frac{1}{x^2} \right]$
 $= x^3 [x^2 - 1]$
 $= x^3 [x^2 - 1]$
 $= x^3 (x^2 - 1)$

Example: $6a^4 - 4a^2 =$
 $= 2a^2(3a^2 - 2)$
or
 $6a^4 - 4a^2$
 $= 2a^2 \left[\frac{3a^2}{2a^2} - \frac{1}{2a^2} \right]$
 $= 2a^2 - [3a^2 - 4a^2]$
 $= 2a^2 [3a^2 - 2a^2]$
 $= 2a^2 (3a^2 - 2)$

Example: $6b^4 - 3b^2 =$
 $= 3b^2(2b^2 - 1)$

Example: $8a^6 - 6a^4 =$
 $= 2a^2(4a^2 - 3)$



Factorise algebraic expressions

Continued

4. Factorise.

Example $(a+b)^2 - 1 = (a+b)(a+b) - 1$

a. $(a+b)^3 =$

Example $(a+b)^2 - 5(a+b)$
 $= (a+b)(a+b) - 5(a+b)$
 $= (a+b)[(a+b) - 5]$
 $= (a+b)(a+b-5)$

c. $(x+y)^2 - 6(x+y) =$

8. Simplify using factorisation.

Example: $3x - 3y = 3(x-y)$

b. $(x+y)^2 - 2(d+e) =$

5. Factorise.

Example: $25a^2 = (5a)^2$

a. $16a^2 =$

b. $64a^2 =$

Example: $25a^2 - 1 = (5a)^2 - 1^2 = 1 \times 1$

c. $9a^2 - 1 =$

d. $49a^2 - 1 =$

Example: $25a^2 - 1 = (5a)^2 - 1^2 = (5a+1)(5a-1)$

6. Revision: use the example to guide your factorisation

Example: $a^2 + b^2 = (a+b)^2 + (b-a)^2$

a. $x^2 + y^2 =$

b. $c^2 + d^2 =$

7. Factorise.

Example: $a^4 - b^4 = (a^2 - b^2)(a^2 + b^2) = (a-b)(a+b)(a^2 + b^2)$

a. $x^4 - y^4 =$

b. $c^4 - d^4 =$

Problem solving

Create an algebraic expression where the common expression is:

- a. $4a + b$
- b. $(x^2 + y^2)$
- c. $(x+y)^2$



Divide a trinomial and polynomial by a monomial

Give an example of each.

trinomial
monomial

polynomial
monomial

Write down a few keywords to help you to remember how to:

Simplify:

Factorise:

1. Simplify the fractions using factorisation.

Example: $3x - 3y = 3(x - y)$

a. $5x + 5y =$

b. $7a + 7b =$

c. $5x + 5y =$

d. $10x + 10y =$

e. $6x^3 + 4x^2 + 2x + 6 =$

f. $9x^4 + 6x^3 - 3x - 9 =$

Example: $\frac{3x - 3y}{6x - 6y} = \frac{3(x - y)}{6(x - y)} = \frac{3}{6} = \frac{1}{2}$

Example: $\frac{5x - 5y}{10x + 10y} = \frac{5(x - y)}{10(x + y)} = \frac{5}{10} = \frac{1}{2}$

Example: $\frac{6x^3 - 8x^2 + 2x + 10}{2x} = \frac{6x^3}{2x} - \frac{8x^2}{2x} + \frac{2x}{2x} + \frac{10}{2x} = 3x^2 - 4x + 1 + \frac{5}{x} = 3x^2 - 4x + 1 + \frac{5}{x}$

Example: $\frac{9x^4 - 4x^3 - 3x - 9}{3x} = \frac{9x^4}{3x} - \frac{4x^3}{3x} - \frac{3x}{3x} - \frac{9}{3x} = 3x^3 - \frac{4x^2}{3} - 1 - \frac{9}{3x} = 3x^3 - \frac{4x^2}{3} - 1 - \frac{9}{3x}$

2. Simplify and factorise.

Example: Simplify: $\frac{4x^4 - 2x^3}{2x^2} = \frac{4x^4}{2x^2} - \frac{2x^3}{2x^2} = 2x^2 - x^3 = 2x^2 - x$

b. $\frac{8x^{12} + 16x^6}{4x^3} =$

Example: Simplify: $\frac{6x^3 - 8x^2 + 2x}{2x} = \frac{2x(3x^2 - 4x + 1)}{2x} = 3x^2 - 4x + 1$

Example: Simplify: $\frac{9x^4 + 6x^3 + 3x + 1}{3x} =$

Create a polynomial divided by a monomial. Simplify and factorise the expression.

Problem solving

Date: _____

Sign: _____



37a Linear equations that contain fractions

3. Solve for x.

a. $\frac{8}{x+2} = \frac{4}{x}$

b. $\frac{5}{x-3} = \frac{2}{x}$

Look at the three examples. Discuss.

Example: $4a + 5 = 17$

$$\begin{aligned} 4a &= 17 - 5 \\ 4a &= 12 \\ \frac{4a}{4} &= \frac{12}{4} \\ a &= 3 \end{aligned}$$

Example: $\frac{3(x-2)}{x-2} = x + 1$

$$\begin{aligned} 3(x-2) &= x + 1 \\ 3x - 6 &= x + 1 \\ 3x - x - 6 &= 1 \\ 2x &= 7 \\ \frac{2x}{2} &= \frac{7}{2} \\ x &= 3\frac{1}{2} \end{aligned}$$

1. Solve the linear equation.

a. $6a = 3$

b. $9b = 10$

4. Solve linear equations containing fractions.

a. $8 = \frac{4}{x}$

b. $9 = \frac{3}{x}$

2. Solve for x.

Example: $7 = \frac{3}{x}$

$$\begin{aligned} 7 &\times \frac{x}{1} = \frac{3}{x} \times \frac{x}{1} \\ 7x &= 3 \\ \frac{7x}{7} &= \frac{3}{7} \\ x &= \frac{3}{7} \end{aligned}$$

Example: $\frac{x}{3} = 1$

$$\begin{aligned} \frac{x}{3} &\times \frac{3}{1} = 1 \times \frac{3}{1} \\ x &= 3 \end{aligned}$$



A linear equation is an equation that makes a straight line when it is graphed. It has only one unknown and that is only to the power of 1.



Linear equations that contain fractions continued

37b

Example: $\frac{2x-1}{4} = 1$

$$\frac{2x-1}{4} \cdot \frac{4}{4} = 1 \cdot \frac{4}{4}$$

$$2x-1 = 4$$

$$2x = 4+1$$

$$2x = 5$$

$$\frac{2x}{2} = \frac{5}{2}$$

$$x = \frac{5}{2}$$

$$x = 2\frac{1}{2}$$

Example: $\frac{x}{3} + \frac{x}{4} = 1$

$$\frac{x}{3} \times \frac{4}{4} + \frac{x}{4} \times \frac{3}{3} = 1$$

$$\frac{4x}{12} + \frac{3x}{12} = 1$$

$$\frac{7x}{12} \times \frac{12}{12} = 1 \times \frac{12}{12}$$

$$7x = 12$$

$$x = \frac{12}{7}$$

d. $\frac{4x-2}{6} = 1$

c. $\frac{3x+1}{5} = 1$

Example: $\frac{x}{3} + \frac{2x-1}{4} = 1$

$$\frac{x}{3} \times \frac{4}{4} + \frac{2x-1}{4} \times \frac{3}{3} = 1$$

$$\frac{4x}{12} + \frac{6x-3}{12} = 1$$

$$\frac{4x+6x-3}{12} \times \frac{12}{12} = 1 \times \frac{12}{12}$$

$$4x+6x-3 = 12$$

$$10x-3 = 12$$

$$10x = 15$$

$$\frac{10x}{10} \times \frac{15}{10}$$

$$x = \frac{3}{2}$$

$$x = 1\frac{1}{2}$$

g. $\frac{x}{4} + \frac{2x+1}{2} = 1$

h. $\frac{x}{5} + \frac{3x-2}{2} = 1$

e. $\frac{x}{2} + \frac{x}{3} = 1$

f. $\frac{x}{5} + \frac{x}{3} = 1$


Problem solving

Create algebraic equations that give you an answer of:

a. $x = \frac{3}{4}$

b. $x = \frac{1}{2}$

c. $x = \frac{5}{2}$



38 Solve equations of the form: a product of factors equals zero

5. Factorise.

$$2 \times 4 = 8$$

$$2 + 4 = 6$$

$$x^2 + 6x + 8$$

$$\begin{array}{r} x \\ + \\ x^2 \\ \hline 4 \end{array}$$

$$\begin{array}{r} x \\ + \\ 2 \\ \hline 4 \end{array}$$

Revise the following:

$$\begin{array}{r} x^2 \\ + \\ 6x \\ + \\ 8 \end{array}$$

$$\begin{array}{r} x^2 \\ + \\ 8 \end{array}$$

$$\begin{array}{r} x^2 \\ + \\ 2x \\ + \\ 8 \end{array}$$



6. Calculate the square root and use the example to show positive and negative numbers.

Example: $\sqrt{25} = 5$ or $\sqrt{-5} = -5$

a. $x^2 - x - 6 =$

$$\begin{array}{r} x+1=0 \\ x+1=0-1 \\ x=-1 \end{array}$$

$$\begin{array}{r} x+3=0 \\ x+3-3=0-3 \\ x=-3 \end{array}$$

1. Factorise.

Example: $x^2 + 5x + 6 = (x+2)(x+3)$

a. $x^2 + 2x =$

$$\begin{array}{r} x+1=0 \\ x+1=0-1 \\ x=-1 \end{array}$$

2. Solve x.

Example: $(x+1)(x+3) = 0$
 $x+1 = 0 \text{ or } x+3 = 0$
 $x = -1 \text{ or } x = -3$

a. $(x+2)(x+3) = 0$

b. $(x+4)(x-1) = 0$

7. Solve for x.

Example: $x^2 - 25 = 0$
 $x^2 = 25$
 $x^2 = 5^2$
 $\sqrt{x^2} = \sqrt{5^2}$
 $x = \pm 5$
 $x = +5 \text{ or } x = -5$

a. $x^2 - x - 6 =$

b. $x^2 + 9x + 14 =$

8. Problem solving

a. $x^2 + 5x =$

$$\begin{array}{r} x+1=0 \\ x+1=0-1 \\ x=-1 \end{array}$$

Why is it so important to know how to factorise a polynomial?

4. Solve for x.

Example: $x^2 - 3x = 0$
 $= x(x-3) = 0$
 $x = 0 \text{ or } x-3 = 0$
 $x = 0 \text{ or } x = 3$

a. $x^2 + 2x =$

b. $x^2 - 6x =$

Create a sum where the product of factors equals zero and solve it.




Date:

Construct angles and polygons using a protractor



39

Revise the following:


Step 1: Draw a line segment. Label it AB .




Step 2: Place the protractor so that the origin (small hole) is over point A . Rotate the protractor so that the base line is exactly along the line AB .




Step 4: Make a mark at this angle, and remove the protractor.




Step 3: Using (in this case) the inner scale, find the angle desired - here it is 45° .



Step 5: With a ruler, draw a line from A to the mark you just made. Label this point C .




Step 6: The line drawn makes an angle BAC with a measure of 45° .




3. Draw the following angles and polygons. Label them.

- a. A 60° angle.


- b. A 270° angle.




c. A triangle with one 45° angle and one 65° angle.




d. A triangle with an 80° angle and 35° angle.




e. A quadrilateral with one 70° angle and one 121° angle.




f. A quadrilateral with two 85° angles.




g. A modern house.




h. A circle.




i. A hexagon.




j. An octagon.




k. A parallelogram.




l. A rhombus.




m. A trapezoid.




n. A pentagon.




o. A heptagon.




p. A nonagon.




q. A decagon.




r. A dodecagon.




s. A hexadecagon.




t. A 20-sided polygon.




u. A 30-sided polygon.




v. A 40-sided polygon.




w. A 50-sided polygon.




x. A 60-sided polygon.




y. A 70-sided polygon.




z. A 80-sided polygon.




aa. A 90-sided polygon.




ab. A 100-sided polygon.




ac. A 110-sided polygon.




ad. A 120-sided polygon.




ae. A 130-sided polygon.




af. A 140-sided polygon.




ag. A 150-sided polygon.




ah. A 160-sided polygon.




ai. A 170-sided polygon.




aj. A 180-sided polygon.




ak. A 190-sided polygon.




al. A 200-sided polygon.




am. A 210-sided polygon.




an. A 220-sided polygon.




ao. A 230-sided polygon.




ap. A 240-sided polygon.




aq. A 250-sided polygon.




ar. A 260-sided polygon.




as. A 270-sided polygon.




at. A 280-sided polygon.



au. A 290-sided polygon.



av. A 300-sided polygon.



Sgnm:

Date:






Problem solving

Construct the top view of a very modern house using a protractor.

Using a pair of compasses

40a




Revision

To draw a circle accurately, use a pair of compasses.		Set the compass to the radius of the circle. The radius is the distance between the centre and the circumference; it is half the diameter.	
Make sure that the hinge at the top of the compass is tightened so that it does not slip.		Press down the compass point and turn the knob at the top of the compass to draw a circle.	
Align the pencil lead with the compass point.		Tighten the hold for the pencil so that it does not slip.	

1. Draw a circle. Give an everyday example of a circle **this size**.

a. with a radius of 1.8 cm.	b. with a diameter of 3.2 cm.	c. with a radius of 16 mm.
Everyday example:	Everyday example:	Everyday example:

2. Revision: Construct a perpendicular line to bisect a given line. Use the guidelines to help you.


Step 1 Draw a line and mark points A and B on it. Put the compass point on A and open it so that the pencil touches point B. (So you have "measured" the length of AB with the pair of compasses.)	Step 2 Leaving the compass point on A, draw an arc with the compass approximately two thirds of the line length.	Step 3 With the compass width the same, move the compass point to B and draw another arc which crosses the first arc at two points. Label these points C and D.	Step 4 Draw a line through points C and D bisecting the line AB at E.
			

Using a pair of compasses continued

40b

4. Use your knowledge of how to construct a 45° angle to help you construct these angles.

Draw lines perpendicular to these using a protractor



3. Revision: construct a 45° angle on a separate piece of paper.

Step 1



Follow the steps for drawing a perpendicular line.

Step 2

Leaving the compass point on C, draw an arc with the compass roughly halfway between C and B. Place it on B and draw an arc crossing the first one.

Step 3

Mark it as E and draw the line from D to E which creates two 45° angles.



Term 2

- a. 22.5° angle
b. 112.5° angle

- c. 135° angle
d. 112.5° angle

Problem solving

Show in 4 steps how to draw a 225° angle.

Constructing triangles

2. Construct $\triangle CDE$ in which $CD = 2.5\text{ cm}$, $DE = 4.2\text{ cm}$ and $CE = 3.6\text{ cm}$.

Who constructs triangles in everyday life? Use some of the guidance below.



A triangle is a very strong structure. The triangle is used in structural designs to reinforce and support weight.




The right triangle is one of the most important geometrical figures and has been used in many applications for thousands of years.

1. Construct $\triangle ABC$ in which $AB = 5\text{ cm}$, $AC = 3.5\text{ cm}$ and $BC = 4\text{ cm}$. Follow the steps.

How to construct a triangle when three sides are given (SSS).

Step 1: Draw $AB = 5\text{ cm}$.	Step 2: With A as centre and radius 3.5 cm , draw an arc.
Step 3: With B as centre and radius 4 cm draw another arc intersecting the arc of C.	Step 4: Join AC and BC




3. Construct $\triangle ABC$ in which $AB = 5.5\text{ cm}$, $BC = 4.5\text{ cm}$ and $\angle ABC = 60^\circ$.

How to construct a triangle when two sides and the included angle is given (SAS).

Step 1: Draw $AB = 5.5\text{ cm}$.	Step 2: At B, construct an angle $ABX = 60^\circ$.
Step 3: With B as centre and radius 4.5 cm draw an arc cutting BX at C.	Step 4: Join AC. Then $\triangle ABC$ is the required triangle.

Practise.



4. Construct $\triangle CDE$ in which $CD = 2.5\text{ cm}$, $DE = 4.2\text{ cm}$ and $CE = 3.6\text{ cm}$.

Practise.

Term 2

Constructing triangles continued

41b

7. Construct a right triangle ABC, right-angled at B, side BC = 4 cm and hypotenuse AC = 6 cm.

4. Construct $\triangle DEF$ in which DE = 3.7 cm, EF = 4.1 mm and $\angle DEF = 55^\circ$.

How to construct a right triangle when its hypotenuse and a side are given.

<p>5. Construct $\triangle ABC$ in which $\angle A = 60^\circ$, $\angle B = 45^\circ$ and AB = 4.5 cm.</p> <p>How to construct a triangle when two angles and the included side are given (ASA).</p>	
--	--

<p>6. Construct a right triangle XYZ, right-angled at Y, side YZ = 5 cm and hypotenuse XZ = 7 cm</p>	
--	--

Term 2

<p>The hypotenuse is the side opposite the right angle in a right-angled triangle</p>	
---	--

Practise.

<p>7. Construct $\triangle ABC$ in which $\angle A = 60^\circ$, $\angle B = 45^\circ$ and AB = 4.5 cm.</p> <p>How to construct a triangle when two angles and the included side are given (ASA).</p>	
--	--

<p>8. Construct a right triangle XYZ, right-angled at Y, side YZ = 5 cm and hypotenuse XZ = 7 cm</p>	
--	--

--	--

Practise.

<p>6. Construct a $\triangle KLM$ in which $\angle K = 48^\circ$, $\angle L = 48^\circ$ and side KL = 3.9 cm.</p>	
--	--

Problem solving

Construct a kite.

Date: _____


Sign: _____

Constructing quadrilaterals

42a

2. Construct a rectangle KLMN in which $KL = 3.6$ cm and $KM = 4.5$ cm.

How did the designers of these rooms use quadrilaterals?



1. Construct a rectangle ABCD in which $AB = 4$ cm and $AC = 5$ cm.


How to construct a rectangle when one of its diagonals and a side are given.

Step 1: Draw $AB = 4$ cm.
Step 2: At B, draw $\angle ABQ = 90^\circ$.

Remember that in a rectangle each angle is 90° .

Step 3: With A as centre and radius 5 cm, draw an arc cutting BQ at C.
Step 4: With C as centre and radius 4 cm, draw an arc.


Step 5: With A as centre and radius $= BC$, draw an arc cutting the arc drawn in Step 4 at D.
Step 6: Join DC and AD.



3. Construct a square ABCD in which $AB = 4.5$ cm.

How to construct a square when its side is given.

Step 1: Draw $AB = 4.5$ cm.
Step 2: Construct $\angle ABQ = 90^\circ$ at B.



Step 3: From BQ cut off $BC = 4.5$ cm.
Step 4: From A and C, draw two arcs of radii 4.5 cm each to cut each other at D.

Step 5: Join AD and CD.

Practise.

Term 2

Constructing quadrilaterals continued

42b

6. Construct a parallelogram in which the adjacent sides are 6 cm and 3 cm and the included angle is 60° .

4. Construct a square GHJ in which $GH = 32$ mm.

7. Construct a rhombus with one of its diagonals is 5 cm and the side is 3 cm.


How to construct a rhombus when one diagonal and side are given.

Step 1: Draw $AC = 5$ cm.	Step 2: With A as centre and radius 3 cm, draw two arcs - one above AC and the other below AC.
Step 3: With C as centre and radius 3 cm draw two arcs - one above AC and the other below AC intersecting the arcs of Step 2 in B and D respectively.	Step 4: Join AB, BC, CD and AD.

5. Construct a parallelogram in which the adjacent sides are 5 cm and 3 cm and the included angle is 60° .

How to construct a parallelogram when two adjacent sides and the included angle are given.

Step 1: Draw $AB = 5$ cm.	Step 2: At A, construct $\angle BAQ = 60^\circ$.
Step 3: From AQ cut off $AD = 4$ cm.	Step 4: With B and D as centres and radii equal to 4 cm and 5 cm respectively, draw two arcs cutting each other at C.
Step 5: Join CD and BC.	



Practise.

Term 2

8. Construct a rhombus, when one of its diagonals is 4 cm and the side is 3 cm.

Practise.

Regular and irregular polygons

43

Draw three examples each of regular and irregular polygons. Remember to name your polygons.



If all the angles are equal and all sides are equal then it is a **regular** polygon.

If the angles and sides are not equal then it is an **irregular** polygon.



The size of the interior angles of regular polygons is a given. With irregular polygons you can give examples.

1. Complete the table.

Polygon	Total number of sides	Angle sizes	Total:
Regular triangle	3	$60^\circ + 60^\circ + 60^\circ$	180°
Irregular triangle			
Regular quadrilateral			
Irregular quadrilateral			
Regular pentagon			
Irregular pentagon			
Regular hexagon			
Irregular hexagon			
Regular heptagon			
Irregular heptagon			
Regular octagon			
Regular nonagon			
Irregular nonagon			
Regular decagon			
Irregular decagon			

2. What is this? What polygon (s) can you identify? Describe the polygons.



4. What type of art is this? Identify all the geometric figures. Describe each.



3. Look at the giraffe. Identify all the regular and irregular polygons. Describe them.



Problem solving

Construct an irregular hexadecagon. Measure all the angles.


Sig.: _____ Date: _____

Construct a hexagon


44

Revise the following:


Step 1: Draw a circle. Keep the pair of compasses at the same radius.



Step 2: Make markings the same distance apart on the circumference, using the pair of compasses.



Step 3: Label and join the points.



Identify the hexagons and explain how each one is used.



Term 2

- c. What is the size of the angles? How will you determine it (i) without a protractor and (ii) with a protractor?

- d. What is the distance from AD, FC, or BE? What is this of the circle?

- e. What is the ratio between AD and AB?

- Problem solving**
Construct a dodecagon using a similar method to that used in this worksheet.

- a. Is this a regular or irregular hexagon? Why?


1. Construct a hexagon and label the vertices A to F.

- b. What is the length of the sides? How will you measure them?

Constructing a pentagon

45


1. Construct a pentagon and label its vertices A, B, H, J and I




Step 1: Draw a circle around A with radius AB.
Step 2: Draw a circle around B with radius AB. Call their intersection points C and D.

Step 3: Draw a circle around D with radius DA. Circle D intersects line CD at E.
Step 4: Circle D intersects circle A at F and intersects circle B at G.

Step 5: Draw a line through FE and a line through GE. Line FE intersects circle B at H. Line GE intersects circle A at I.



Step 6: Set your pair of compasses to the length of AI. Place the compass point on I, and make a small arc above C. Then place your compass point on H and make an arc crossing the first one. Label the point of intersection J.
Step 7: All the points A, B, H, J and I are points of the pentagon. Join them.



2. Answer the following:

a. Complete the following: $JH = \underline{\hspace{1cm}} = \underline{\hspace{1cm}} = \underline{\hspace{1cm}}$

b. Is the pentagon regular or irregular? Why?

c. Describe AB, DA and DB.

3. Draw a regular pentagon with sides equal to 2.3 cm.

Problem solving


Write down step by step how you would construct a pentagon using a protractor.

Date:


Constructing an octagon

1. Now construct an octagon by yourself.

Step 1: Draw a circle with centre O and diameter AOB.




Step 2: Draw another diameter COD, perpendicular to AOB.




Step 3: Bisect the right angle AOC and the right angle BOD.



Step 4: Bisect the right angle COB and AOD.



Step 5: Join all the intersection points on the circumference of the circle with straight lines to make the octagon.



How are octagons used?



2. Complete the following:

a. $OA = \underline{\hspace{2cm}} = \underline{\hspace{2cm}} = \underline{\hspace{2cm}} = \underline{\hspace{2cm}}$

b. What is this of the circle?

c. $AE = \underline{\hspace{2cm}} = \underline{\hspace{2cm}} = \underline{\hspace{2cm}} = \underline{\hspace{2cm}}$

d. What is this of the circle?

3. Draw a regular octagon with equal radii of 2.8cm.

Problem solving


Write down step by step how you will construct an octagon using a protractor.

Sign: _____
Date: _____

Interior angles of a triangle

47

Revise: There are special names for triangles according to:



1. Read the following and label the triangle.

To prove: $\angle A + \angle B + \angle C = 180^\circ$

Construction: through A, draw a line DAE parallel to BC.

Proof: Since DE is parallel to BC, and AB is a transversal

$\therefore \angle B = \angle DAB$ (pair of alternate angles)


Similarly $\angle C = \angle EAC$ (pair of alternate angles)

$\therefore \angle B + \angle C = \angle DAB + \angle EAC = 180^\circ$ (two pairs of alternate angles)


Now $\angle A + \angle DAB + \angle EAC = 180^\circ$ (straight line)

and because $\angle DAB + \angle EAC = \angle B + \angle C$

$\therefore \angle A + \angle B + \angle C = 180^\circ$



2. Prove that the sum of the three angles of a triangle is 180° for this triangle.



3. Calculate and construct these triangles. Classify the triangle.

Note that your answers and constructions could be different from those of your fellow classmates.

a. $\angle A + \angle B + 90^\circ = 180^\circ$

b. $\angle A + 45^\circ + \angle C = 180^\circ$

c. $\angle A + \angle B = 180^\circ$

d. $\angle A + 65^\circ + \angle C = 180^\circ$

e. $\angle A + 60^\circ + \angle C = 180^\circ$

f. $100^\circ + \angle B + \angle C = 180^\circ$

d. $\angle A + 65^\circ + \angle C = 180^\circ$

f. $120^\circ + \angle B + \angle C = 180^\circ$

Problem solving

If one angle of a triangle equals 45° , what could the sizes of the other angles be? Give five different possibilities.



Triangles

48a

Symbols in geometry. Identify the symbols we will use when we work with triangles. Give a reason for each.

Triangle		Angle		Perpendicular		Parallel		Degrees		Right angles	
Line segments		Line		Ray		Congruent		Similar		Therefore	

1. Measure the sides of the triangles. Label the triangles and describe them.



Term 2

4. What do these symbols mean?


ΔABC

$\overline{AB} \neq \overline{AC} \neq \overline{BC}$

$\angle ABC \neq \angle ACB \neq \angle BAC$

5. Write the symbols that show what has happened when you change a scalene triangle to a regular triangle.

6. a. Construct and label a right angle triangle.
b. Change the irregular triangle you drew in 6a into a regular triangle.



7. Look at the diagram and complete the questions.

a. What is this?


3. Draw an isosceles triangle and show how you would change it to be an equilateral triangle. Label your drawings with the appropriate geometric symbols.

Triangles continued

48b

- b. Where will you find an example of this shape in nature? _____
- c. What type of triangles are they? _____
- d. Are these triangles regular or irregular? _____
- e. Can I divide these triangles into smaller triangles? _____
- f. What type of triangles will they form? _____

8. Look at the patterns in this stained glass window.



Do you see any triangles? Do you see any irregular geometric shapes?

9. Choose the correct answer and put a tick (✓) next to it:

- a. Which of the following could be the angles of a triangle?
- i. 65° , 45° and 80°
 - ii. 90° , 30° and 61°
 - iii. 60° , 60° and 59°
 - iv. 60° , 60° and 60°
- b. The hypotenuse of a triangle is:
- i. The side opposite the right angle in a right-angled triangle.
 - ii. The side next to the right angle in a right-angled triangle.
 - iii. The angle of a right-angled triangle.
 - iv. All three sides of a right-angled triangle.
- c. An equilateral triangle has:
- i. Two sides that are equal.
 - ii. All the sides are equal but not the angles.
 - iii. All the sides and the interior angles are equal.
 - iv. All the angles are equal but not the sides.
- d. An isosceles triangle has:
- i. All the sides equal.
 - ii. At least two sides that are equal and its base angles are equal.
 - iii. At least two sides that are equal but no angles are equal.
 - iv. Two angles that are equal but no sides are equal.
- e. A right-angled triangle has:
- i. No angles that are right angles.
 - ii. All angles that are 60° .
 - iii. Two angles that are 90° .
 - iv. One angle that is a right angle.

Problem solving

Create your own stained glass pattern. You should use as many irregular triangles as you can.




Sgn:

Date:


Polygons

49

Talk about this flow diagram.



1. Use the symbols and colours to answer the questions. Paste or draw everyday example pictures next to each or on a separate piece of paper.



2. Construct a kite, label it and divide it into two triangles. Are these triangles regular or irregular?

3. Divide a trapezium into irregular triangles. Label it.



4. Identify and then name the regular and irregular polygons in this mosaic.

Problem solving


Make a mosaic (you can use old paper pieces) using different types of polygons.

More on polygons

50a

What is a tangram?


The **tangram** is a dissection puzzle consisting of seven flat shapes, called tans, which are put together to form shapes. The objective of the puzzle is to form a specific shape using all seven pieces, which may not overlap. It was originally invented in China.



1. Make geometric shapes with all the pieces from the tangram from Cut-out 1. Draw a sketch of each in the appropriate answer block and say whether it is a regular or irregular shape. Label the shapes of its component parts. We have done the first one.

- a. Make a large square.

Regular shape



Term 2


- c. Make a parallelogram.

- d. Make a trapezium.

- e. Make any other quadrilateral.

2. Complete the table:










Geometric figure	What fraction of the square is it?	Name the shape	Is the shape regular or irregular
a. AOD			
b. ADB			
c. OGF			












More on polygons continued

50b

3. Look at the shapes below. What are the differences and similarities between the polygons?



4. Are the following shapes polygons? If they are, are they regular or irregular? Give reasons for your answers.



Problem solving


Create any other polygon using all seven tangram pieces. Draw and describe it.

Similar triangles

51a

What is similarity?
Similar triangles have the following properties:

These triangles are similar:



- Each corresponding pair of angles is equal.
- The ratio of any pair of corresponding sides is the same.
- They have the same shape but not the same size.


We can tell whether two triangles are similar without testing all the sides and all the angles of the two triangles.

As long as one of the rules is true, it is sufficient to prove that the two triangles are similar.

1. Given the following triangles, find the length of a .

AA rule

If two angles of one triangle are equal to two angles of another triangle, then the triangles are similar.



Solution:

Step 1: The triangles are similar because of the _____ rule.

Step 2: The ratios of the lengths are equal. $\frac{6}{2} = \frac{9}{a}$

Step 3: Make use of cross multiplication to simplify.

Here is an example of cross multiplication:

$$\frac{2}{3} = \frac{4}{x}$$


$$2x = 12$$

$$x = 6$$

Similar triangles continued

51b

2. Find the length of a . State the rule you are using.



c. $\triangle ABC$ with $\angle A = 35^\circ$, $\angle C = 35^\circ$, $AB = 6$, $BC = 8$, $AC = 3$

d. $\triangle ABC$ with $\angle A = 25^\circ$, $\angle B = 32^\circ$, $AB = 12$, $BC = 8$, $AC = \alpha$



3. Are these similar figures? Why or why not?



Problem solving

Find two figures in everyday life that are similar. Construct it.

Congruent triangles

52a

Congruent triangles are triangles that have the same size and shape. This means that the corresponding sides are equal and the corresponding angles are equal.




- The corresponding sides are: AB and DE, AC and DF and BC and EF
- The corresponding angles are: x and r, y and s, z and t.
- There are five rules to check for congruent triangles.
- These are the rules: **SSS, SAS, ASA, AAS and RHS.**

1. Discuss the following and draw examples:

SSS rule (Side – Side – Side)


If three sides of one triangle are equal to three sides of another triangle then the triangles are congruent.



- a. Draw congruent triangles using the SSS rule. Indicate the length of the sides of the triangles.

SAS rule (Side – Angle – Side)

If two sides and the included angle of one triangle are equal to two sides and the included angle of another triangle, then the triangles are congruent.



- a. Draw congruent triangles using the SAS rule. Indicate the length of the sides of the triangles.

AAS rule (Angle – Angle – Side)

If two angles and a non-included side of one triangle are equal to the corresponding two angles and a non-included side of another triangle, then the triangles are congruent.



- d. Draw congruent triangles using the AAS rule. Indicate the length of the sides of the triangles.


- b. Draw congruent triangles using the SAS rule. Indicate the length of the sides of the triangles.
-
- c. Draw congruent triangles using the ASA rule. Indicate the length of the sides of the triangles.
-

Congruent triangles continued

52b

RHS rule (Right angle - Hypotenuse - Side)


If in a right angle triangle the hypotenuse and one other side are equal to the hypotenuse and corresponding side in another triangle, then both triangles are congruent.



- e. Draw congruent triangles using the RHS rule. Indicate the length of the hypotenuse if the two other sides are 3 cm and 4 cm long.

[Empty box for drawing]

2. Which of the following conditions would be sufficient for these two triangles to be congruent? Give an explanation for each.



- a. $a=d, x=r, b=e$

[Empty box for drawing]

- b. $a=d, y=s, z=t$

[Empty box for drawing]


c. $c=f, y=t, b=e$

d. $\alpha=e, y=t, z=s$

3. State whether the following pairs of triangles are congruent.


If they are, give a reason for your answer using the SSS, ASA, SAS, SAA or RHS rules.

[Empty box for drawing]




a.

[Empty box for drawing]



b.

[Empty box for drawing]



c.

Problem solving

Find any congruent shapes in a nature and make a drawing of them.

Sign:

Date:

Lines and angles

53

Look at these pictures and identify all the lines and angles.



What impact does perspective have on the 2nd and the 3rd picture?

Words that may help you:

- Line
- Line segment
- Ray
- Perpendicular lines
- Parallel lines
- Angle
- Acute angle
- Right angle
- Obtuse angle
- Straight line
- Reflex angle

3. Use the graph to answer the questions.

a.

Why is line $x = 4$ a vertical line?

b.

Show it on the graph.

c.


Why is line $y = 3$ a horizontal line?

d.

Show it on the graph.

e.

Where will these two lines be perpendicular to each other?



1. Name these symbols that you use when you work with angles and lines.

Δ	\angle	\perp	\parallel	\circ	\approx	\sim	\therefore
\overline{AB}	\overleftrightarrow{AB}						

a. Say why you will use these:

b.

Say why you will not use these:

f. Draw a line parallel to the line in a. ($x = 4$) and then one parallel to the line in c. ($y = 3$). Describe it.

4. What is another name for a 180° angle?

5. Give a description of each of the following words: acute, obtuse, right and reflex. Where in everyday life do we find these angles. Which one is most commonly used?

2. What helped us to draw this line?

Draw the following lines.

Give the coordinates for any other point on this line.

a. (1, 1) and (3, 3)

(2, 2)

b. (2, 7) and (5, 5)

c. (6, 5) and (7, 6)

d. (4, 1) and (7, 3)

e. (1, 4) and (3, 4)

Term 2

a. Why is line $x = 4$ a vertical line?

b. Show it on the graph.

c. Why is line $y = 3$ a horizontal line?

d. Show it on the graph.

e. Where will these two lines be perpendicular to each other?

Be creative and write a paragraph on what the world would be without lines and angles.


Problem solving

Complementary and supplementary angles

54



3. Draw five different pairs of complementary angles and label them.



1. Draw the following angles and say if they are complementary or supplementary angles. Determine the size of the angle of unknown size.

a. $\angle 1 + 30^\circ = 90^\circ$

b. $48^\circ + \angle 2 = 180^\circ$


c. $\angle 1 + \angle 2 = 90^\circ$

d. $\angle 1 + 100^\circ = 180^\circ$

e. $36^\circ + \angle 2 = 90^\circ$

f. $\angle 1 + \angle 2 = 180^\circ$

2. Look at this picture of girders and identify and label the complementary and supplementary angles.



4. Draw five different pairs of supplementary angles and label them.

5. Find any complementary and supplementary angles in your everyday environment. Draw and label them.

Problem solving

Can two obtuse angles be complementary? Can they be supplementary? Explain.

Date: _____

Sign: _____

Transversals

55a

Transversals are straight lines that cut across other (usually parallel) straight lines. Why are many angles the same in this drawing of a transversal crossing two parallel lines?

Parallel lines


Transversal
Vertically opposite angles:
 $\alpha = d; b = c; e = h; f = g$

Corresponding angles:
 $\alpha = e; b = f; c = g; d = h$

Alternate interior angles
 $c = f; d = e$

Alternate exterior angles
 $\alpha = h; b = g$

Consecutive interior angles
(also known as co-interior angles)
 $c + e = 180^\circ; d + f = 180^\circ$




d. Find the co-interior angles. Write them down.



e. Why are angles 2 and 7 equal?




2. Identify and mark the vertically opposite angle.



3. Identify and mark the corresponding angle.



1. Measure each angle.



- $\angle 1 = \underline{\hspace{2cm}}$ $\angle 2 = \underline{\hspace{2cm}}$ $\angle 3 = \underline{\hspace{2cm}}$
 $\angle 4 = \underline{\hspace{2cm}}$ $\angle 5 = \underline{\hspace{2cm}}$ $\angle 6 = \underline{\hspace{2cm}}$
 $\angle 7 = \underline{\hspace{2cm}}$ $\angle 8 = \underline{\hspace{2cm}}$
 $\angle 1 + \angle 2 = \underline{\hspace{2cm}}$ and are called angles.
 That will be the same for .

a. Find all the vertically opposite angles. Write them down.

b. Find all the corresponding angles. Write them down.

c. Find all the alternate angles. Write them down.

--	--

--	--


--	--

--	--




Transversals Continued

55b





6. How would you work out each angle, if angle 1 was given?



4. Identify and mark the alternate angle.




5. Identify all the angles that will be equal to the one shown.



Problem solving

If $\angle 1 = 105^\circ$, what could the sizes of $\angle 2$ to 8 be?



Pairs of angles

56

2. Make a similar 'roller coaster problem'. Try to use all the concepts that you have learnt so far. Construct and draw or paste your picture here.

Look at this photograph and discuss it.



1. Use the knowledge learnt in previous worksheets to work out angles $\angle BCD$, $\angle CDB$, $\angle DBC$, $\angle ABD$, $\angle BDE$ and $\angle BAE$. You can work out the angles in any order you like.
Triangle BCD is an equiangular triangle. Angle AED is a right angle.

Concepts to be used when creating your problems:
• Parallel lines
• Transversal
• Vertically opposite angles
• Corresponding angles
• Alternate exterior angles
• Consecutive interior angles

Term 2



Sgn:

Date:

Problem solving

Solve your own created problem (Question 2) with a family member.

150

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

151

Application of geometric figures and lines


To be able to answer this worksheet you need to know the following concepts.
Revise your knowledge of them by writing a definition for each.

Congruency	Translation
A line	Rotation
To plot	Reflection



Here you need to think back what you did in grade 8.

1. Complete the following



- a. Plot (2,5), (6,5), (2,9) and (6,9) on the grid.

- b. Join these points. What geometric figure does it form?

- c. Label its vertices A, B, C, D.


- d. Draw a line EF from (1,10) to (7,4).

- e. What is your geometric figure now divided into?

f. What are the sizes of the angles?

g. Are the two figures congruent to each other and why?

2. Complete the following



- a. Plot (1,9), (9,9) and (5,5). Join them up and label the vertices. What geometric figure does it form?

- b. Plot (1,1). Can you form another geometric figure that is **congruent** to the shape in Question a, using the existing points?


- c. Plot (5,1) and (3,3). Use those points to draw a figure **similar** to the ones in Questions a and b.

57b Application of geometric figures and lines continued

- b. Look at the photo of the butterfly. Identify the congruent shapes. What do you notice about the shapes if you compare them to the shapes on the snake?
- c. Look at what the jewellery designer made. Identify all the congruent shapes. What type of transformations were made?
- e. Plot (7,7) and (7,3). Draw lines from (7,7) to (7,3), from (7,3) to (5,1) and from (7,3) to (5,5). What geometric figures do these form? Are these geometric figures congruent to any other shapes?
- f. Plot (9,5). Draw a line from (7,3) to (9,5). How would you create a parallelogram?
3. In nature and art we often find congruent geometric figures. Identify such shapes in the pictures.



4. Draw congruent figures on this graph. Use the colours indicated for each figure:
Translation (black), reflection (blue) and rotation (red).



- a. Write down in your own words what translation means.


Problem solving

Discuss Question 3 with a family member:


Pythagorean theorem

58a

Revise the Pythagoras's theorem. About 2 500 years ago, a man named Pythagoras discovered an amazing fact about triangles. Can you still remember it?



1. Write an equation for the following and solve it.



2. Here are the lengths of the sides of some right angled triangles. Make drawings to show that the area of the square drawn on the longest side of each right-angled triangle is equal to the total area of the squares drawn on the other two sides. This will require some clever thinking. You will need extra paper.

	Side	Side	Side
a.	6	8	10
b.	15	25	20
c.	45	36	27
d.	20	12	16
e.	9	15	12




3. Write an equation for the following and calculate each side:

Example

$$4^2 + 3^2 = 5^2$$

$$16 + 9 = 25$$

$$25 = 25$$



Term 2



continued

Sign: _____ Date: _____

Pythagorean theorem continued





4. Write an equation for each of the following:




5. Find the lengths of the unknown sides in the following right-angled triangles. You may use a calculator.

Example



Problem solving


- Give two examples of where we can use Pythagoras in everyday life.
- Themba walks as shown in the diagram. He moves 145 m north and 50 m west from his starting point? How far is Themba from his starting point?



More on the theorem of Pythagoras


59a

Read the conversation between these two builders.



1. Find the lengths of the diagonal of the rectangle.

Example



$$x^2 = (3 \text{ cm})^2 + (4 \text{ cm})^2$$

$$x^2 = 9 \text{ cm}^2 + 16 \text{ cm}^2$$


$$x^2 = 25 \text{ cm}^2$$

$$x^2 = \sqrt{25 \text{ cm}^2}$$

$$x = 5 \text{ cm}$$

2. Find the length of the diagonal of the rectangle.

Example





$$x^2 = (5 \text{ cm})^2 + (8 \text{ cm})^2$$

$$x^2 = 25 \text{ cm}^2 + 64 \text{ cm}^2$$

$$x^2 = 89 \text{ cm}^2$$

$$x^2 = \sqrt{89 \text{ cm}^2}$$

$$x = 9.40 \text{ cm}$$

- a. 
- b. 

Term 2

More on the theorem of Pythagoras

continued

59b



- c.
-
- d.
-

- c.
-
- d.
-

3. Find the unknown side on each of these isosceles triangles.

- a.
-
- b.
-

- Problem solving**
- a. Lindiwe has put her ladder against the wall. How far up the wall does the ladder reach?
-
- b. A triangular area is being tiled. The sides of the area are 8 cm, 12 cm and 18 cm. Is this a right-angled triangle? Explain your answer.

Perimeter of a square and rectangle, area of a square and rectangle

60

2. Construct and calculate the area and the perimeter of the following:

a. Rectangle ABCD where AB = 2,4 cm and BC = 1,6 cm.

What do these formulae mean? Link it with the words on the right.

perimeter of square
perimeter of rectangle
area of square
area of rectangle
 $P = 4S$
 $P = 2(l + w)$ or $P = 2l + 2w$
 $A = l^2$
 $A = l \times w$

$W = \text{Width} = \text{Breadth} = B$

1. Complete the table. Give your answers in mm and cm.

Figure	What formula will you use to calculate the: Perimeter	Area
	Formula: $P = \text{mm} = \text{cm}$	Formula: $A = \text{mm}^2 = \text{cm}^2$
	Formula: $P = \text{mm} = \text{cm}$	Formula: $A = \text{mm}^2 = \text{cm}^2$
	Formula: $P = \text{mm} = \text{cm}$	Formula: $A = \text{mm}^2 = \text{cm}^2$

b. Square ABCD where AB = 3,9 cm.

Figure	What formula will you use to calculate the: Perimeter	Area
	Formula: $P = \text{mm} = \text{cm}$	Formula: $A = \text{mm}^2 = \text{cm}^2$

c. Rectangle ABCD and square BEFC, where the rectangle and square share the same side BC, and side EF = 2,7 m and side AB = 4,1 m.

Figure	What formula will you use to calculate the: Perimeter	Area
	Formula: $P = \text{mm} = \text{cm}$	Formula: $A = \text{mm}^2 = \text{cm}^2$

Problem solving

If the perimeter of a square is 24 cm, what is the length of each side?

The perimeter of a rectangular plot of land is 29,5 m. If the length is increased by 2 m and the breadth is reduced by 1 m, the area of the plot remains unchanged. Show if this is true or false.




Area of a triangle

61

Revise the formulas :

$$A = \frac{1}{2} (b \times h)$$

Area of a triangle = $\frac{1}{2}$ (base \times perpendicular height)



Every triangle has three bases (or sides), each with a related height or altitude. This height of a triangle is a line segment drawn from any vertex perpendicular to the opposite side.

1. What is the formula for calculating the area of a triangle?

Term 2

- 3. What is the area of a triangle that has a:**
- a. Base of 4 cm and a height of 2,3 cm?
 - b. Base of 2,8 cm and a height of 3,6 cm?
 - c. Base of 34 mm and a height of 4,2 cm?


--	--

- 4. What is the length of the base of a triangle that has an area of 40 cm² and a height of 4 cm?**

--

- 5. Calculate the area:**

AB = 3,0 cm
AG = 1,5 cm
AG = ED
CD = 2,0 cm



- 2. Construct and then draw the following triangles and calculate the area by measuring the base and the perpendicular height of each triangle.**

- a. An isosceles triangle.

--

- b. A right-angled triangle.

--

Problem solving

If the area of a triangle is 5,635 cm² what could the height be?

Sym: _____
Date: _____

Area of parallelograms and trapeziums


62

b. Area of a trapezium.

Revise:

$$\begin{aligned} \text{Area of a rectangle} \\ A = l \times w \\ A = \frac{1}{2} (b \times h) \end{aligned}$$


To find the area of a parallelogram, we can use a similar formula to that used for the area of a rectangle, multiplying the length of the base (length) by the perpendicular height.



$$\begin{aligned} A &= b \times h \\ &= 4.2 \text{ cm} \times 2.5 \text{ cm} \\ &= 10.5 \text{ cm}^2 \end{aligned}$$

To find the area of a trapezium of which the parallel sides are a units and b units, and the perpendicular distance between them h units, use this formula:

$$A = \frac{1}{2} (a+b)h$$




1. What is the formula for calculating the:

a. Area of a parallelogram.

2. Find the area of a trapezium of which the parallel sides are 10.5 cm and 8.2 cm, and the perpendicular distance between the sides is 4 cm.
3. Find the area of a parallelogram with base 6.4 cm and height 3.8 cm.

The parallelogram can be divided into triangles.



Problem solving

If the area of the trapezium is 39 cm², what could the height be?

Sig.: _____ Date: _____


Area of a rhombus and a kite



2. Find the area of a rhombus with diagonals measuring 12.5 cm and 18.5 cm.

Area of a rhombus


A rhombus is a special kind of parallelogram and its area can be found with the same formula ($A = b \times h$) or with this formula where the area is half the two diagonals multiplied together.



$$A = \frac{1}{2} xy$$

Area of a kite

A kite has two pairs of adjacent sides that are equal and one pair of opposite angles that are equal. Diagonals intersect at right angles. One diagonal is bisected by the other. Consider the area of the following kite.



$$A = \frac{1}{2} xy$$


1. What is the formula for calculating the:

- a. Area of a rhombus

- b. Area of a kite

2. Find the area of a rhombus with diagonals measuring 12.5 cm and 18.5 cm.

3. Find the area of this kite:



- a. Using the formula.
b. Using the formula of a triangle.

Problem solving

If the area of the kite is 112 cm², what could the diagonals be?

Sign: _____ Date: _____

Area of a Circle

64


Revise the formulae for all polygons learnt so far. Is a circle a polygon or not? Why?

Area of a circle

The area of a circle is given by a formula:

$$\text{Area} = \pi r^2 \text{ where } \pi = \frac{22}{7} \text{ and } r \text{ is the radius.}$$

Note: the value of π is a decimal that goes on forever but we usually take it to 3 decimal places: 3.142



1. What is the formula for calculating the area of a circle? Test the formula.

Term 2

2. Construct, label and calculate the area of circles with the following diameters:

a. 14 cm

C. 78 cm

b. 10.4 cm

Problem solving

If the area of the circle is 154 cm^2 , what will the radius be?



